

PRODUCT

Datalogic Scanners and Scanner/Scales

MB-SS-1210 Issue 20

August 29, 2016

This Issue 20 provides the 2016 MayDay!Exchange rebate items as well as several additional price reductions and availability updates. Changes of significance are highlighted in **RED**.

NCR offers Datalogic scanner/scales and hand-held scanner systems, and Channel Partners are able to purchase these products at aggressive dealer net pricing.

The following products are focused on requirements for independent and specialty grocers. Of course, these products will also meet Channel Partner needs in other areas as well. The lineup of Datalogic products (click to jump) includes:

- [Magellan 9800i Scanner/Scale](#)
- [Magellan 9300i/9400i Scanner/Scale](#)
- [Magellan 8500Xt Scanner/Scale \(withdrawn\)](#)
- [Magellan 8400Ω and 8300Ω Scanner/Scales \(withdrawn\)](#)
- [Magellan 1100i](#)
- [Magellan 3200VSi](#)
- [Magellan 2300HSΩ Horizontal Scanner](#)
- [Magellan 2200VSΩ Vertical Scanner](#)
- [QuickScan 2100 Linear Imager](#)
- [QuickScan Mobile QM2130 Linear Imager \(withdrawn\)](#)
- [Gryphon GD4100 Linear Imager](#)
- [Gryphon GD4400 2-D Imager](#)
- [Gryphon Mobile Linear Imager GBT4100 Series](#)
- [Gryphon Mobile GBT4400 2-D Imager Series](#)



The Pricing and Configuration section of this bulletin starts on Page 19.

Channel Partners will find brochures, information sheets available on most of these products on the Solution Provider Support Web site. User and technical manuals – including quick reference cards and installation documentation – are also available from the [Solution Provider Support Web site](#) and the Datalogic Scanning Web site.

Installation and Configuration Guides for [ScanMaster](#) and [ISS45](#) have been updated for the most recent products added to this product line, including the Datalogic 9300i/9400i scanner/scales.

Also see the [Technical Bulletins Page](#) for Certification details.

Magellan 9800i Scanner/Scale

The new Magellan 9800i scanner is the world's first bar code scanner driven completely by high performance digital imaging, resulting in the ability to increase checkout performance in busy checkout environments.

The 9800i offers a state-of-the-art family of imaging scanners and scanner/scales with high reliability designed to provide maximum throughput for both 1D and 2D bar codes.

The new optional the Top Down Reader ("TDR") scans top-marked items, and a customer-facing imager enables shoppers to self-scan digital coupons from mobile devices, paper-based coupons and loyalty cards.

The new design improves ergonomics with its lower bonnet height to allow repositioning of POS or Self-Checkout touch-screens, payment terminals and receipt printers to better accommodate ADA customers. The centered speaker provides audio feedback with .wav files for greater fidelity. The large horizontal window is ergonomically positioned for both standing and seated cashiers.

FEATURES

- Optional ScaleSentry™ Shrink Monitoring/Prevention System reduces losses from oversized items outside the weighing surface. It monitors the two primary sides of the scale platter with an infrared (invisible) beam to detect misplaced fruit or produce on the scale platter causing the item to be under-weighed. Misplaced items break the infrared beam and trigger an alert to the cashier, preventing the weight from being transmitted to the POS until the cashier corrects the problem.
- Optional Top-Down Reader (TDR) adds large top-side field-of-view as well as a customer-facing mobile device reader. This eliminates the need for an additional scanner, power supply, outlet, interface cable, POS port and mounting hardware. Shoppers can scan bar codes from their mobile phone screens or paper coupons while the cashier continues to scan regular items.
- 1-D and 2-D reading in all planes with good-read audio and visual confirmation .
- The All-Weighs™ scale platter enables accurate weighing of long or bulky items.
- Low bonnet height allows for accessibility and flexibility in checkstand layout.
- Top-side accessible service port allows for the product to stay in the counter for most service calls (including software upgrades).
- Illumix™ Intelligent Illumination Technology designed for digital imaging in retail.



PHYSICAL CHARACTERISTICS

Glass Options:

- Datalogic Clear™ Glass: High-transmissivity glass optimized for imaging performance: Lifetime Guarantee
- Sapphire Laminated Glass (LLT): Lifetime Guarantee

Indicators:

- Audio: 85 dB Speaker; Adjustable Tone and Volume; Supports WAV file formats
- Visual:
 - Good Read confirmation for all reading planes
 - Scale center of zero

ScaleSentry™ event
Sensormatic EAS status

Top Down Reader (TDR)

- Cast aluminum construction
- Height: 90ACC0079: 30.5 cm / 12.0 in 90ACC0083: 17.8 cm / 7.0 in
- Independent On and Good Read indicators

Dimensions:

- Depth (Below Counter): 10.6 cm / 4.0 in
- Height (Above Counter): 6.8 cm / 2.7 in
- Length:
 - Model 9801 (Short, Scanner Only): 35.2 cm / 13.9 in
 - Model 9803 (Medium, Scanner Only): 39.9 cm / 15.7 in
 - Model 9804 (Medium, Scanner/Scale): 39.9 cm / 15.7 in
 - Model 9805 (Long, Scanner Only): 50.7 cm / 20.0 in
 - Model 9806 (Long, Scanner/Scale): 50.7 cm / 20.0 in
- Width: 29.2 cm / 11.5 in

9800i WARRANTY

The Magellan 9800i is warranted for one year for end-users and 15 months for Channel Partners. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

Magellan 9300i/9400i Scanner/Scale

The Magellan 9300i/9400i scanner/scales represents Datalogic' new class of bar code scanners. With digital imagers in all planes, the scanners read 1-D and 2-D bar codes with minimal item orientation by the cashier.

With a more traditional bonnet height and large horizontal and vertical windows, the Magellan 9300i/9400i enables flexible positioning for POS touchscreens, payment terminals and printers while maintaining ergonomic comfort for both seated and standing cashiers.

The optional Magellan Customer Service Scanner (CSS) enables grocers to engage their shoppers in mobile commerce programs, providing barcode scanning from mobile phone screens as well traditional paper coupons while the cashier continues to scan regular items.



The ScaleSentry™ option is designed with shrink monitoring and prevention technology, while the AllWeights™ platter and EAS support helps grocers reduce shrink at the POS.

FEATURES

- Full digital scanning with 2-D code reading in every plane and image capture capabilities
- Available with a dedicated Magellan Customer Service Scanner (CSS) with flexible mounting for reading cell phones, coupons and loyalty cards
- Magellan 9400i bi-optic form factor is compatible with traditional checkstands and scanning techniques
- Exclusively available with Datalogic Clear™ Glass featuring a lifetime warranty to the original user
- Available with factory installed scales in pre-verified and on-site certifiable versions and models for integration with local scale manufacturer solutions
- The Magellan 9400i, with its three processor enhanced operation, is capable of supporting Digimarc™ digital watermark decoding and other future product enhancements which will require additional processor intensive capabilities

DIMENSIONS

- Depth (Below Counter): 10.2 cm / 4.0 in
- Height (Above Counter): 13.0 cm / 5.1 in
- Width: 29.2 cm / 11.5 in
- Length (By Model):
 - 939401 (Short, Scanner Only): 35.6 cm / 14.0 in
 - 939403 (Medium, Scanner Only): 40.1 cm / 15.8 in
 - 939405 (Long, Scanner Only): 50.8 cm / 20.0 in
 - 939404 (Medium, Scanner/Scale): 40.1 cm / 15.8 in
 - 939406 (Long, Scanner/Scale): 50.8 cm / 20.0 in

9400I WARRANTY

The Magellan 9400i is warranted for one year for end-users and 15 months for Channel Partners. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

Magellan 8500Xt Scanner/Scale (*withdrawn*)

The 8500Xt combines the former Magellan 8500 and 9500 into a single unit and sets the standard for performance and excellence in counter-mounted scanners.

Major enhancements brought by the 8500Xt compared to previous models include:

- A new microprocessor further improves scanning performance by increasing the Magellan 8500Xt scanner's ability to capture hard-to-read bar codes and also improves the reading of the new GS1 DataBar™ codes.
- New Magellan scale technology is designed to shorten scale settling times to less than 500 milliseconds. This weighing system improves throughput on weighed produce and other items which are priced by weight.
- The Magellan scale also offers an optional "dual interval" scale which has the ability to legally weigh smaller, high priced items for increased revenues.¹

The 8500Xt includes the following advantages:

- **True, full six-way SurroundScan™** – the 8500Xt's 64-line scan pattern² envelops all six faces of a product carton, including the critical top-down scan lines that capture labels on the top of the box. This means that the cashier has no item orientation or repositioning to perform on any normal grocery item. Datalogic calls this *3D Scanning™* and the scan pattern is optimized for both sweep and presentation scanning methods. The obvious benefits include:
 - ◆ Reduced cashier fatigue and the need for training
 - ◆ Increased productivity by reducing label orientation
 - ◆ Improved ergonomics reduce risk of repetitive motion injuries.
- **All-Weighs™ Scaling System** – Grocers have long suffered from "the celery problem" where items that drape over the counter or the scanner tower provide lower weights than are accurate (and no, the weights & measures guys don't protect the grocer – the shopper always pays less than they should). But with the patented All-Weighs design, a special one-piece platter comes up around the side window of the scanner itself so that even items that lean against the scanner tower are accurately weighed. This provides a significant ROI – in fact, grocers can often justify their entire purchase of new scanners from this feature alone (see sidebar).
- **OmegaTek™** – is Datalogic's trademarked term for specific innovative productivity technologies in both hardware and software that bring significant improvements to scanner performance by increasing the scanning speed and by improving the first pass read rates on hard-to-read bar codes. 
- **True Dual-Channel Video Processing** – the 8500Xt provides a complete dual-channel processing system. The 8500Xt gets dual simultaneous views of the item – one from each window – but the 8500Xt processes the return optical signals through a separate set of sensors, and then decodes them through a separate set of processors. This "two-at-once" design provides lightning performance and maximizes the first-pass reads on tough labels regardless of orientation or placement on the container.
- **FirstStrike™** – the FirstStrike decode software pieces together torn and disfigured bar codes, and the all-too-common over-printed and under-printed codes (bad contrast, wrong aspect ratios, poor lines etc.) FirstStrike also auto-discriminates all supported symbologies,



¹ Requires software support in POS, which is not currently available.

² The 8500Xt provides 64 actual separate scan lines. Some competitors claim twice the lines they actually provide because of secondary processes. But the true scanning resolution of the 8500Xt is stated in actual scan lines, not "lines" added for advertising purposes due to simple reprocessing.

and reads RSS-14, RSS Omni-Stacked and RSS expanded labels, including the GSI DataBar codes.³

- **Multi-Interface** – 8500Xt models support –IBM, RS-232, Retail USB, and keyboard wedge (scanner). In addition, the scanner provides a dedicated RS-232 handheld scanner port; scale host, remote scale display port and EAS interlock port.
- **Low TCO from Energy Savings** – the 8500Xt typically draws less energy than previous scanners. This provides significant energy savings in the long run, plus can reduce the need for extra outlets in the checkstand since the low draw can sometimes be powered from the POS terminal.⁴
- **Integrated EAS Deactivation (optional)** – Antenna from the optional CheckPoint® and Sensormatic® integrated EAS software reduce ‘sweethearting’ shrink at the POS by requiring a good read before the EAS tag deactivation occurs. Performing EAS tag deactivation at the point of scanning reduces ‘failure to deactivate’ events at the exit doors, creating a friendlier atmosphere for customers. And, having the EAS antennas pre-installed at the factory simplifies field installation.
- **IntelliCompass™ Value-Added Features** – Four modules manage information on checker scanning techniques, problem labels, scanner software, and diagnostics. These modules are designed to decrease front-end costs and TCO, as well as improve customer satisfaction.
 - ◆ Host download module: can lower service cost and improves operations.⁵
 - ◆ Diagnostics reporting module: lowers labor costs to service and manage assets.Error! Bookmark not defined.
 - ◆ Productivity index reporting module (optional): the scanner analyzes the scanability of all barcodes as they are handled – the feature increases cashier productivity by reporting poorly-produced bar codes for addressing with the provider. Error! Bookmark not defined.
 - ◆ Cashier Training/Ergonomic Index (optional): identifies poor scanning habits and increases productivity. The scanner analyzes the scan patterns that have been used by the cashier and statistically isolates cases where the cashier is using poor technique. This module is available only on the 8500Xt – it is not supported on the 8400/8300.Error! Bookmark not defined.

See the detailed Datalogic documentation on the IntelliCompass features, available on the [Datalogic Hardware Manuals Page](#) of the Channel Partner Support Web site.

MAGELLAN 8500XT WARRANTY

The Magellan 8500Xt is warranted for one year for end-users and 15 months for Channel Partners. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

³ Compatible POS software for DataBar is required.

⁴ Check the specifications of the POS terminal for confirmation whether the necessary power is available via the RS-232 or powered USB interface.

⁵ Requires POS interface which is not currently available in ISS45 and ScanMaster.

Magellan 8400Ω and 8300Ω Scanner/Scales (*withdrawn*)

MAGELLAN 8400 OVERVIEW

The Magellan 8400 replaces the 8200 and remains a close cousin to the 8500, but is offered at a lower price. The 8300 is provided only with ISS45 and ScanMaster Mocha systems — it is similar to the 8400 but with fewer features and performance. The 8400Ω includes most of the 8500Ω's features (see page 7 above) including:

- ◆ OmegaTek productivity enhancements
- ◆ Enhanced All-Weighs scaling system
- ◆ Dual-Channel Video Processing
- ◆ FirstStrike label stitching and decoding enhancements
- ◆ Multi-Interface
- ◆ Savings from low energy consumption



MAGELLAN 8400/8500 PRIMARY DIFFERENCES

- **Scan Pattern and Lines** — The 8400 provides 52 scan lines, whereas the 8500 scan pattern has 64 lines. This means that although the 8400's performance will be excellent in comparison to any other product but the 8500, there will be cases where the cashier's orientation of a product will require a second pass over the 8400 where the 8500 more aggressive scan pattern would have read the item on the first pass.
- **Five versus Six-Sided Reading and SurroundScan** — The 8500 will read a top-of-package label on all but the tallest items, providing six-sided reading or "SurroundScan." Top labels must be tilted slightly toward the side window of the 8400.
- **Powered RS-232 Port for Hand Held Scanner** — Standard on the 8400, this eliminates the need for separate power supply for the hand-held device.
- **Cashier Training Software** — The 8500 can be provided with IntelliCompass software for cashier training software that increases productivity on-the-job. This is not configured with the 8400 at the listed prices.
- **Produce Rail or Lift Bar** — The *All-Weighs* feature is provided on both the 8500 and 8400, and the 8400 has the option of the original Product Rail or a new Produce Lift Bar. The Lift Bar is hinged in the scale platter so that the scale surface can remain flat, or the cashier can quickly lift the product bar into action. See configuration section below.⁶

MAGELLAN 8300 PRIMARY DIFFERENCES

The 8300 is provided only packaged with ISS45 and ScanMaster Mocha systems — it is similar to the 8400 but with fewer features and does not provide the same performance.

- **Motor** — The 8300 motor is 4,500 RPM, whereas the 8400's motor is 33% faster at 6,000 RPM and provides higher performance.
- **Scanner Glass** — The 8300 units are provided with DLC "Diamond" Glass. Sapphire glass is used for the 8400 and 8500 units, providing greater damage resistance and longer life.
- **Cashier Training Software** — This feature is not available on the 8300.

⁶ The produce/fruit rail was a significant cost option for the 8400, and was not modifiable in the field as a retrofit. The Produce Lift Bar or Rail is standard on StoreNext 8400/8300 configurations.

Magellan 1100i

MAGELLAN 1100i OVERVIEW

The Magellan 1100i scanner provides the innovations in imaging based data capture technology. Replacing the world's first imaging-based presentation scanner (the Magellan 1000i), the Magellan 1100i elevates performance and features for small-counter grocery with medium-volume applications. The 1100i's solid-state design has no moving parts in the same small enclosure. The 1100i can capture hard-to-read bar codes in an omni-directional orientation and supports both sweep and presentation scanning styles of all supported 1D codes with optional support for the most popular 2D codes. New and unique features include "Green Spot" good read indicator, Illumix™ intelligent illumination technology for reading bar codes from backlit or illuminated displays with minimal flashing, and true 360° targeted scanning for close-proximity bar codes such as those on a pick list. Compared to the 1000, the 1100i scanner provides even better performance with more features and value.



- **No moving parts!** – this Magellan's new imaging technology provides outstanding reliability and durability.
- **Illumix** – enables reading bar codes from mobile phones and other back-lit displays.
- **Outstanding sweep-scanning performance** – the new technology also enables much higher sweep-scanning performance than other products of this type.
- **New imaging technology** – lets users scan bar codes in *any* orientation with either a sweep or a presentation style of scanning.
- **Multi-Interface** – similar to the entire Magellan family, the Magellan 1000i builds multi-interface support into each scanner, enabling a new interface with just a simple program parameter change and a cable switch.

MAGELLAN 1100i FEATURE HIGHLIGHTS

- **Versatility** - hands-free scanning for small, easily handled items, plus hand-held scanning for bulkier items
- **Precision reading** - imaging scan volume eliminates misreads caused by stray laser scan lines
- **Small footprint** - and size allow for easy integration into small point-of-sale counters
- **Comfort** - textured grip area and small size allow hands of all sizes to comfortably hold the scanner when needed
- **Checkpoint® Systems** – EAS compatible
- **Targeted scanning mode** – for PLU lists, optional
- **Tilting stand option** – enables each user to optimize scan volume, plus fixed mounting capability
- **Color options** – standard product is available in either black or gray.

MAGELLAN 1100i WARRANTY

The 1100i is warranted for two years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

Magellan 3200VSi

MAGELLAN 3200 VSI OVERVIEW

The Magellan™ 3200VSi bar code reader brings Datalogic's new imaging technology to the high-volume point-of-sale. It is the first bar code scanner to duplicate the speed and wide field-of-view of high-performance omni-directional laser scanners while adding the benefits associated with imaging. This imaging technology provides outstanding performance when capturing hard-to-read bar codes such as truncated (short), out-of-spec, poorly printed and GS1 DataBar™ codes, and provides support for both linear (1D) and 2D label decoding. The Magellan 3200VSi imager enables both sweep and presentation scanning techniques ensuring maximum productivity and ergonomic ease.



The Magellan 3200VSi imager achieves new levels of product reliability by utilizing a solid-state design that does not require the use of laser modules or spinning motors, ensuring years of reliable operation.

Unique features not found on any point-of-sale scanner, include a Micro-SD card reader to help with software management, upgrading, and maintenance. Managing software with the Magellan 3200VSi reader is very flexible and includes multiple methods to load new software or to modify existing configuration files and application firmware. Because most of the Magellan 3200VSi scanner features are software based, new capabilities are simple to add, even after the initial installation, increasing the useful life of the scanner and protecting your company's technology investment over time.

Other Magellan product features that could be used include Diagnostics Reporting, Host Download and Productivity Index Reporting™ enabling management to use data from the scanner to improve throughput and manage maintenance. The Datalogic Illumix intelligent illumination technology optimizes light levels to capture images and read bar codes from mobile phones, PDAs or computer display screens.

BROCHURE

See the [3200VSi Brochure](#) for complete specifications and benefits.

MAGELLAN 3200VSI WARRANTY

The 3200VSi is warranted for three (3) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Magellan 2300HSΩ Horizontal Scanner

MAGELLAN 2300HS OVERVIEW

The Datalogic 2300HS is offered for stores needing high performance in a compact horizontal-only configuration.

The Magellan 2300HS horizontal scanner was designed using Datalogic's 8000 series OmegaTek technology to optimize performance in medium to high throughput horizontal applications in grocery, drug, department and general retail environments. The Magellan 2300HS offers the great scanning performance plus unique value-added software features such as cashier Productivity Index Reporting, and FirstStrike decoding and label-stitching software.



With Productivity Index Reporting (PIR) software, the 2300 can identify and track productivity problems with specific items, scanners, lanes, or cashiers to maximize checkstand efficiency, performing like a “scanning watchdog” watchdog for the grocer’s front-end productivity. By using Magellan’s PIR, the 2300HS will actually increase productivity at the POS, significantly raising the competitive bar against your competitors.

The 2300HS installs in a small 6.25” x 6.25” (16cm x 16cm) counter cutout or will fit legacy Datalogic product cutouts allowing for easy installation and integration into existing front-end configurations. The 2300HS also supports the most popular host terminal interfaces out of the box, including powered USB (IBM connector). In addition, the 2300HS is compatible with OPOS and JavaPOS systems allowing for installation flexibility at the point of sale.

MAGELLAN 2300HS FEATURE HIGHLIGHTS:

- Datalogic OmegaTek technology for highest possible scan speed and read rates
- Aggressive horizontal scan volume
- FirstStrike decoding and label-stitching software
- Optional Productivity Index Reporting software
- Flash memory for easy software upgrades
- Multiple interface solution supports all popular host interfaces
- Powered auxiliary RS-232 port for easy integration of a handheld scanner
- Host diagnostic reporting
- Optional EAS functionality (requires cables, antennas etc. See configuration section below.)
- 2005 sunrise compliant

MAGELLAN 2300HS WARRANTY

The Magellan 2300HS is warranted for one year. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

Magellan 2200VSΩ Vertical Scanner

MAGELLAN 2200VS OVERVIEW

The Magellan 2200VS vertical scanner uses the Magellan platform to optimize performance for medium- to high-throughput applications in grocery, drug, variety, and convenience stores.

Unlike competing vertical scanners, the Magellan 2200VS offers category leading scanning performance, unique value added software features like Productivity Index Reporting, and FirstStrike™ decoding and label-stitching software. The Magellan 2200VS has a large, omni-directional scan pattern to maximize productivity and ergonomics for both sweep and presentation scanning methods.



And like all Magellan scanners, it offers flash memory for easy software upgrades, supports host diagnostic reporting, and meets all of the Sunrise 2005 initiatives. The Magellan 2200VS also supports the most popular symbologies and offers optional support for RSS.

With Productivity Index Reporting (PIR) software, the 2300 can identify and track productivity problems with specific items, scanners, lanes, or cashiers to maximize checkstand efficiency, performing like a “scanning watchdog” watchdog for the grocer’s front-end productivity. By using Magellan’s PIR, the 2300HS will actually increase productivity at the POS, significantly raising the competitive bar against your competitors.

The 2300VS is available in two versions to enable two different mounting schemes:

- The standard mounting attaches the 2200VS flush with the countertop.
- The riser mount provides a “foot” that raises the scanner a couple of inches from the counter surface. This is useful in situations where most of the items are large, such in mass-merchandise locations. For use in grocery applications, the flush-mount option above is normally preferable.

MAGELLAN 2200VS FEATURE HIGHLIGHTS

Best-In-Class vertical scan volume – 8% or better throughput performance than the competition. Increases productivity by increasing First-Pass-Read-Rates, throughput, and ergonomics. The scan pattern is optimized for both sweep and presentation scanning

Leverages Magellan platform – New electronics provide faster data acquisition and processing Magellan 8000 series Value Added Software Features are available to improve POS productivity. Symbologies, features, and operating software can easily be upgraded in Flash memory

FirstStrike decoding and label-stitching software – Faster throughput on industrial symbologies. Higher read rate with truncated and poor quality labels. All popular retail and supply chain symbologies are supported including RSS decoding. Auto-discriminates all supported symbologies

Productivity index reporting – Helps identify poorly printed labels. May lead to improved read rate and throughput. Detects poor performing scanners and cashiers. (Optional, requires POS interface).Error! Bookmark not defined.

Flash memory – Scanner operating software is easily upgraded. Memory can be accessed via the host port (through USB or RS232) or the aux port. New features, symbologies, or updates for existing symbologies are easily added.

New speaker design – Speaker design is heard even when ambient noise levels at the POS reach their loudest. The four volume increments and three tone settings can easily be adjusted to each cashier's preference at the touch of a button.

MAGELLAN 2200VS WARRANTY

The Magellan 2200VS is warranted for one year. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

QuickScan 2100 Linear Imager

QUICKSCAN 2100 OVERVIEW

The QuickScan reader series is Datalogic Scanning's value line of general purpose handheld data collection products. The QuickScan I 2100 linear imaging reader is an entry level product that is perfect for use in retail environments.

The 2100 is small, lightweight and its ergonomic design is comfortable to use during daily operations. It offers snappy reading performance especially on hard to read bar codes and is capable of reading a wide range of symbologies including the majority of 1-D codes plus GS1 DataBar linear codes.



The 2100 reader features Datalogic's exclusive patented "Green Spot" for good read feedback directly on the code. When in Stand Mode, the Green Spot remains on to show the operator where to position the code for quick and intuitive reading.

The 2100 has been designed with durability in mind. One of the most vulnerable features of any scanner is damage to the scan window. When such incidents happen, the scanner may have to be replaced. The 2100 was specifically designed so that a replacement window pack can be ordered to replace damaged or scratched windows without having to send the scanner away for repairs. This helps to reduce the total cost of ownership during the life of the scanner and helps to ensure that it is always available for use.

The Model 2130 is the standard model for use with ISS45 or ScanMaster POS. The Model 2110 would be used with IBM 46xx installations.

The QuickScan 2100 scanners can be driven as an auxiliary scanner powered and interfaced directly to the Magellan family of scanners and scanner/scales.

QUICKSCAN 2100 FEATURES AND BENEFITS

- *Supports GS1 DataBar codes* – fits your application now and in the future
- *Datalogic Green Spot* – for good read feedback
- *User-replaceable scan window* – protects against investment loss
- *IP 42 Rating* – improves reliability and reduces the cost of ownership
- *Drop resistance to 1.5 m / 4.9 ft* – rugged
- *Lightweight, ergonomically designed* – easy to use over extended time periods
- *Flexible Hands-Free Stand* – provides presentation scanning for enhanced functional use
- *5-year Warranty* – low cost of ownership

QUICKSCAN 2100 WARRANTY

The QuickScan 2100 is warranted for five years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-HELP-PSC (888-435-7772) for information.

QuickScan Mobile QM2130 Linear Imager (*withdrawn*)

QUICKSCAN QM2100 OVERVIEW

The QuickScan reader series is Datalogic Scanning's value line of general purpose handheld data collection products. The QuickScan Mobile QM2100 handheld reader is an excellent entry level cordless solution for general purpose data collection applications.

For small to mid-size business owners, the freedom of dependable wireless devices has often been priced out of reach due to features and functionality that are just not necessary for basic scanning tasks. For simple point-to-point connectivity (single reader to single base station), the QuickScan Mobile reader offers security and reliability with Datalogic's STAR Cordless System. It's fast, easy to use and guaranteed Wi-Fi interference free.



Outstanding bar code reading performance and reliability make the QuickScan Mobile reader ideal for use at the point of sale, plus this multi-purpose device can also double for inventory, price checking and shelf replenishment activities. A 12m/40 ft radio range provides a wide working area and eliminates the restraints caused by cabled devices, providing a safer and more efficient work environment.

The QM2100's cradle provides hands-free reading capabilities and a scan-while-charging feature ensures constant up-time for increased productivity. Datalogic's patented Batch Mode combined with a long lasting lithium-ion battery enables reliable data collection when out-of-range from the base station.

Standard multi-interface capabilities in the QM2130 model provide host connectivity via USB, RS-232, Keyboard Wedge and Wand Emulation. Other IBM interface models (QM2110) provide connectivity via IBM46XX, USB and RS-232 emulation. Convenient Plug & Scan kits provide for easy installation and include everything required to get up and running quickly.

BROCHURE

See the [QM2130 Brochure](#) for complete specifications and benefits.

QUICKSCAN QM2100 WARRANTY

The QuickScan QM2100 series is warranted for three (3) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Gryphon GD4100 Linear Imager

GRYPHON GD4100 OVERVIEW

With rich feature sets and extensive model options, the Gryphon™ product series from Datalogic Scanning represents premium data collection equipment for general purpose applications. The Gryphon I linear imaging readers provide advanced reading performance and decoding for a wide variety of applications. The Gryphon GD4100 readers' ability to capture bar codes from near contact to over 1.0 m / 3.9 ft increases productivity and improves ergonomics for users. A wide scan angle reads very wide codes and renewed decoding capabilities increase throughput on hard-to-read, poor or damaged codes. All of these features combined with low-resolution decoding for labels as small as 3 mils, establishes the Gryphon I GD4100 readers as high-performance products and powerful data capture solutions.



Datalogic's exclusive patented 'Green Spot' for good-read feedback directly on the code is ideal under dim lighting conditions or noisy environments. The Green Spot, together with the fast reading and decoding capabilities make the Gryphon I GD4100 readers the best choice to improve productivity in retail and office environments, hospitals, pharmacies, warehouses and manufacturing plants.

The Gryphon I GD4100 readers offer a choice of two sets of multi-interface options: USB, Keyboard Wedge, RS-232 and Wand Emulation, or for use in point-of-sale (POS) environments, IBM 46XX, USB and RS-232. Both interface sets offer configuration flexibility and are easily adapted for migration or future changes to the host system. Remote Host Download lowers the service costs and improves operations allowing for hassle-free field upgrades while the desktop Datalogic Aladdin™ configuration program provides user-friendly features that simplify the start-up procedure, especially for inexperienced users.

The Gryphon GD4100 readers' stylish enclosures, reduced weight and physical dimensions together with a 5.9 foot drop resistance and IP52 sealing rating produce a reliable, ergonomic solution with the combined excellence of ease of use and advanced reading capabilities.

BROCHURE

See the [Gryphon GD4100 Brochure](#) for complete specifications and benefits.

GRYPHON GD4100 WARRANTY

The Gryphon GD4100 series is warranted for five (5) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Gryphon GD4400 2-D Imager

GRYPHON GD4400 OVERVIEW

The Gryphon™ 4000 series represents the premium level of data collection devices from Datalogic Scanning for general purpose applications. Designed with people in mind, the Gryphon™ I GD4400 imager blends advanced 2D reading with motion sensing technology, producing a user-friendly device with outstanding performance.



Perfect for both handheld and presentation reading, the Gryphon I GD4400 imager features Datalogic's Motionix™ motion-sensing technology which detects the natural actions of the operator to automatically switch the scanner into the desired scanning mode. This technology works with or without the use of a stand, offering more operational choices. Both the aimer and sensor can be programmed to the user's desired preferences.

User comfort is maximized with the Gryphon I GD4400 imager's steady, deep red illumination light. Easier on the eyes than competitive products with flicker illumination, the highly visible 4-Dot aimer defines a precise reading zone and reduces accidental reads. The aimer's center cross provides a locator for targeted scanning in a multiple bar code environment.

The Gryphon I GD4400 imager provides snappy reading performance on all common 1D and 2D codes as well as postal, stacked and composite codes like PDF417. High Density (HD) models are also available for reading smaller, condensed codes. For mobile marketing or ticketing applications, this imager also offers excellent performance when reading bar codes from mobile devices.

The Gryphon I GD4400 2D omnidirectional reader eliminates the need for separate equipment with signature capture and document scanning capabilities. Its enhanced optics offer improved motion tolerance and high speed imaging to read fast moving codes.

As a corded device, the Gryphon I GD4400 imager is available in two different interface models: a multi-standard interface for connection to the host via USB (COM and Wedge Emulation), RS-232 or Wedge Emulation or an IBM 46XX interface model, including USB and RS-232 interfaces.

BROCHURE

See the [Gryphon GD4400 Brochure](#) for complete specifications and benefits.

GRYPHON GD4400 WARRANTY

The Gryphon GD4400 series is warranted for five (5) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Gryphon Mobile Linear Imager GBT4100 Series

GRYPHON GBT4100 OVERVIEW

The Gryphon series represents the premium line of Datalogic Scanning's general purpose handheld data collection products and offers the richest feature set among the general purpose products.

Featuring Bluetooth Wireless Technology, the Gryphon GBT4100 readers eliminate the need for cables that limit operator movement and create safety concerns in the workplace. The reader can also transmit data to the host through its base station as well as to any commercial or embedded Bluetooth v2.0 compliant device.



The Gryphon's 2-position cradle provides multiple features for the user. When in the 'up' position, this imager can be used as a hands-free or presentation style reader. With the Scan-While-Charging feature, there is never any concern about depleted or dead batteries, ensuring constant up-time for increased productivity.

The Gryphon GBT4100 reader's batch mode capability enables more than 1200 bar codes to be stored in the memory. Combined with a 33,000 scans per charge Lithium-Ion battery, these two features create unlimited mobility and reliable data collection when out-of-range.

Datalogic's exclusive patented "Green Spot" for good-read feedback helps to improve productivity in noisy environments or in situations where silence is required. When using the product with the cradle at a 45° position, the Green Spot can work as an aiming system to aid in positioning the bar code for quick and intuitive reading.

Standard multi-interface capabilities include USB, RS-232, Keyboard Wedge and Wand Emulation for the GBT4130 models. (IBM interface models include IBM 46XX, USB and RS-232 Emulation for the GBT4110 models.) The Datalogic Aladdin™ configuration tool provides user-friendly features that simplify the start-up procedure.

See the [Gryphon GBT4100 Brochure](#) for complete specifications and benefits.

GRYPHON GBT4100 WARRANTY

The Gryphon GBT4100 series is warranted for three (3) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Gryphon Mobile GBT4400 2-D Imager Series

GRYPHON GBT4100 OVERVIEW

With rich feature sets, the Gryphon™ product series from Datalogic Scanning represents the premium level of data collection equipment for general purpose applications. The Gryphon I GBT4400 2D scanner blends advanced reading technology with the ability to detect the natural actions of the operator to produce user-friendly features and outstanding performance.



Lightweight and comfortable to use, the steady, dim, deep red illumination light is much easier on the eyes than other similar products with flicker illumination, even during extended periods of use. The highly visible 4-Dot aimer clearly defines the reading zone of the scanner and the center cross provides a locator for targeting when scanning a sheet or product with multiple bar codes.

The Gryphon GBT4400 2D reader is designed with motion-sensing technology, which enables the scanner to intuitively switch into handheld mode when the device is picked up. When placed back into the stand, it seamlessly returns to stand mode, eliminating the need to scan a code or to rely on a mechanical switch to make this change. The two-position base station provides the flexibility to use the scanner in presentation or stand mode while it's charging. The scanner also features Datalogic's patented 'Green Spot' for additional good read confirmation by placing a green spot directly on the code.

The scanner reads common codes including 1D, 2D and Postal codes plus stacked and composite codes like PDF417 and GS1 DataBar™. It also offers excellent performance when reading bar codes from cell phones or mobile devices for mobile marketing or ticketing applications. High Density (HD) models are available for reading smaller, condensed codes.

Fast, snappy, omni-directional reading makes the Gryphon GBT4400 scanner ideal for use in signature capture and document scanning applications. High speed imaging and motion tolerance reads fast moving codes, allowing you to rapidly move from one code to the next.

Featuring Bluetooth® wireless technology, the reader can transmit data to the host through its base station as well as to any commercial or embedded Bluetooth v2.0 compliant device.

See the [Gryphon GBT4400 Brochure](#) for complete specifications and benefits.

GRYPHON GBT4400 WARRANTY

The Gryphon GBT4100 series is warranted for three (3) years. Warranty fulfillment for Channel Partners is directly with Datalogic. Call 888-435-7772 for information.

Configuration and Pricing

Datalogic Scanner/Scales - Special Offers

Datalogic Scanner/Scales - Special Offers	List Price	Install Price	Maint Price
PIN Description			

7952-K410-V098 — Mayday!Exchange 2016 \$180 Credit, Datalogic 9800i Trade-Up, per Unit (\$225)

This item was previously listed as StoreNext PIN: MD16-98-180.

¶-This MayDay!Exchange trade-up rebate offer PIN for 2016 provides a \$180 on-invoice credit against the standard dealer net price of any configuration of Datalogic Magellan 9800i scanner/scale. See the similar offers and rebates for trading up to Magellan 9300i or 9400i units. The trade-up offer is available when replacing any make or model scanner/scale.

¶-The Purchase Order must use the standard PIN/PID and the standard dealer net price for the Magellan scanner/scale configuration selected (do not subtract the rebate amount from the standard dealer net price). Then, put this rebate PIN and amount as a separate line item (as a negative amount) and extend it using the same quantity as the number of applicable Magellan scanner/scales being purchased.

¶-This rebate offer requires a completed Magellan MayDay Trade-In Information Form accompanying all orders using this offer. NCR's Channel Partner Orders desk cannot accept your order without this form. The form is available from the support website via this link:

<http://www.storenext.com/dealer/docs/MayDay%20Information%20Magellan%202016.zip>

¶-No minimum order quantity required. The same rebate amount applies to all configurations of the this Magellan scanner/scale version (e.g. with or without TDL etc.).

¶-This offer cannot be combined with any other offer or Exceptions for these products. The MayDay!Exchange PINs apply only against standard dealer net pricing for the units being ordered. Channel Partners can use these standard-plus-rebate offer prices instead of other special offers for the same item, but this offer cannot be combined with any others (no "double-dipping").

Pricing Note ► ► Partner Net Credit: (\$180). Must order by 09-Dec-16. Must ship by 31-Dec-16. ◀

7952-K410-V094 — Mayday!Exchange 2016 \$125 Credit, Datalogic 9400i Trade-Up, per Unit (\$150)

This item was previously listed as StoreNext PIN: MD16-94-125.

¶-This MayDay!Exchange trade-up rebate offer PIN for 2016 provides a \$125 on-invoice credit against the standard dealer net price of any configuration of Datalogic Magellan 9400i scanner/scale. See the similar offers and rebates for trading up to Magellan 9300i or 9800i units. The trade-up offer is available when replacing any make or model scanner/scale.

▲ ▲ See Configuration Note for the first PIN in this section for additional configuration information.▲ ▲

Partner Net Credit: (\$125). Must order by 09-Dec-16. Must ship by 31-Dec-16.

7952-K410-V093 — Mayday!Exchange 2016 \$75 Credit, Datalogic 9300i Trade-Up, per Unit (\$100)

This item was previously listed as StoreNext PIN: MD16-93-75.

¶-This MayDay!Exchange trade-up rebate offer PIN for 2016 provides a \$75 on-invoice credit against the standard dealer net price of any configuration of Datalogic Magellan 9300i scanner/scale. See the similar offers and rebates for trading up to Magellan 9400i or 9800i units. The trade-up offer is available when replacing any make or model scanner/scale.

▲ ▲ See Configuration Note for the first PIN in this section for additional configuration information.▲ ▲

Partner Net Credit: (\$75). Must order by 09-Dec-16. Must ship by 31-Dec-16.



Magellan 9800i - US

Magellan 9800i - US: Scanner/Scales

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0351-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, P-USB Cable, US **\$3,887**

P-USB

This item was previously listed as StoreNext PIN: PSC-98208040120-000054.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102).Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Partner Net Price: \$1,047. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available.

7952-0067-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, Power Supply, RS-232 Cable, US **\$3,932**

RS-232+P/S

This item was previously listed as StoreNext PIN: PSC-98208040120-000231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,069. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only.◀

Partner Net Price: \$1,069. Additional MayDay!Exchange rebate available for this item (see page 19).

Magellan 9800i - US: Scanner/Scales with ScaleSentry

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0314-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, P-USB Cable, US **\$4,042**

SENTRY P-USB

This item was previously listed as StoreNext PIN: PSC-98208040121-000054.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102).Includes ScaleSentry: monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighing. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,100. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available.◀



7952-0315-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, Power Supply, RS-232 Cable, US \$4,087

**SENTRY
RS-232+P/S**

This item was previously listed as StoreNext PIN: PSC-98208040121-000231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,100.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,100. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Magellan 9800i - US: Scanner/Scales with Top-Down Reader	List Price	Install Price	Maint Price
PIN Description			

7952-0313-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Short, P-USB Cable, US \$4,457

**SHORT TDR
P-USB**

This item was previously listed as StoreNext PIN: PSC-98208040120-003054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102). ¶-Includes Top-Down Reader (TDR): adds top-side field-of-view and customer-facing mobile device reader. Short-version Top-Down Reader is 7 inches (17.8 cm) high (adds 7 inches/17.8 cm to overall height of 9000i). Medium-version Top-Down Reader is 9 inches (22.8 cm) high (adds 9 inches/22.8 cm to overall height of 9800i). Tall-version Top-Down Reader is 12 inches (35 cm) high (adds 12 inches/35 cm to overall height of 9900i).Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,236. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available. ◀

7952-0338-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Short, Power Supply, RS-232 Cable, US \$4,502

**SHORT TDR
RS232+P/S**

This item was previously listed as StoreNext PIN: PSC-98208040120-003231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,258.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,258. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

7952-0068-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Tall, P-USB Cable, US \$4,497

**TALL TDR
P-USB**

This item was previously listed as StoreNext PIN: PSC-98208040120-004054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,236.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,236. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available. ◀



7952-0339-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Tall, Power Supply, RS-232 Cable, US \$4,542

**TALL TDR
RS-232+P/S**

This item was previously listed as StoreNext PIN: PSC-9820804120-004231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,258.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$1,258. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0069-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Short, P-USB Cable, US \$4,612

**SNTRY SHRT
P-USB**

This item was previously listed as StoreNext PIN: PSC-98208040121-003054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102). ¶-Includes Top-Down Reader (TDR): adds top-side field-of-view and customer-facing mobile device reader. Short-version Top-Down Reader is 7 inches (17.8 cm) high (adds 7 inches/17.8 cm to overall height of 9000i). Medium-version Top-Down Reader is 9 inches (22.8 cm) high (adds 9 inches/22.8 cm to overall height of 9800i). Tall-version Top-Down Reader is 12 inches (35 cm) high (adds 12 inches/35 cm to overall height of 9900i). ¶-Includes ScaleSentry: monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighting. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$1,270. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available. ◀

7952-0316-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Short, Power Supply, RS-232 Cable, US \$4,657

**SNTRY SHRT
RS-232**

This item was previously listed as StoreNext PIN: PSC-98208040121-003231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,300.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$1,300. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

7952-0317-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Tall, P-USB Cable, US \$4,652

**SNTRY TALL
P-USB**

This item was previously listed as StoreNext PIN: PSC-98208040121-004054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,270.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$1,270. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45 and ScanMaster. This is a preferred selection. There are no plans to Certify this item with ACS: ACS support not available. ◀



7952-0318-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Tall, Power Supply, RS-232 Cable, US

\$4,697

**SNTRY TALL
RS-232**

This item was previously listed as StoreNext PIN: PSC-98208040121-004231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,300. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$1,300.
Additional MayDay!Exchange rebate available for this item (see page 19).

7952-0318-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Tall, Power Supply, RS-232 Cable, US

\$4,697

**SNTRY TALL
RS-232**

This item was previously listed as StoreNext PIN: PSC-98208040121-004231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,300. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$1,300.
Additional MayDay!Exchange rebate available for this item (see page 19).

7952-0377-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Medium, Power Supply, RS-232 Cable, US

\$4,697

**SNTRY MED
RS-232**

This item was previously listed as StoreNext PIN: PSC-98208040121-001231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,300. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 or ScanMaster problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$1,300.
Additional MayDay!Exchange rebate available for this item (see page 19).



Magellan 9400i - US

Magellan 9400i - US: Scanner/Scales with ScaleSentry

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0400-9906 — Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, P-USB Cable, US **\$3,845**

SENTRY P-USB

This item was previously listed as StoreNext PIN: PSC-9420120015-000053.

¶-Datalogic 9400i scanner/scale. Includes scanner, scale and P-USB interface cable for single-cable configuration (PSC-90A052276). Uses 12V power from P-USB connector on terminal host. No separate power supply or cabling required. ¶-Model 9406 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 5.1 inches (13.0 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. ¶-Includes single-interval scale. US version is set for pounds. A remote scale display not included. If a remote display required, order single-sided display PSC-90ACC0102 (English) or PSC-90ACC0104 (metric), or dual-sided version PSC-90ACC0103 (English) or PSC-90ACC0105 (metric). Includes ScaleSentry, which monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighting. Includes capability to read packaging-embedded Digimarc codes, avoiding item orientation when scanning. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts. ¶-Setup for the 9300i and 9400i is different than for the 9800i: see the updated ScanMaster and ISS45 Installation Guides for Datalogic products for configuration and setup information.

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$895. Additional MayDay!Exchange rebate available for this item (see page 19). This item normally stocked for best turnaround of small-medium orders. Certified with ISS45 and ScanMaster. This is a preferred selection. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

7952-0401-9906 — Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, Power Supply, USB Cable, US **\$3,845**

SENTRY USB+P/S

This item was previously listed as StoreNext PIN: PSC-9420120015-000251.

¶-Datalogic 9400i scanner/scale. Includes scanner, scale and USB interface cable for single-cable configuration (7952-C162-9906). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906).
▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$895. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. Certified with ISS45 and ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

Partner Net Price: \$895.
Additional MayDay!Exchange rebate available for this item (see page 19).

7952-0376-9906 — Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, Power Supply, RS-232 Cable, US **\$3,840**

SENTRY RS-232+P/S

This item was previously listed as StoreNext PIN: PSC-9420120015-000231.

¶-Datalogic 9400i scanner/scale. Includes scanner, scale and RS-232 interface cable for single-cable configuration (PSC-90A052121). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906).
▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$895. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. Not supported but there are no known ISS45 or ScanMaster problems with this item. ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. (See notes above.) Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$895.
Additional MayDay!Exchange rebate available for this item (see page 19).



Magellan 9400i - US: Scanner/Scales with Scale Sentry and CSS

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0402-9906	— Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, Customer Service Scanner, P-USB Cable, US	\$4,060		
----------------	--	----------------	--	--

SNTRY CSS P-USB

This item was previously listed as StoreNext PIN: PSC-9420120015-003053.
 ¶-Model 9406 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 5.1 inches (13.0 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. ¶-Model 9406 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 5.1 inches (13.0 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. ¶-Includes single-interval scale. US version is set for pounds. A remote scale display not included. If a remote display required, order single-sided display PSC-90ACC0102 (English) or PSC-90ACC0104 (metric), or dual-sided version PSC-90ACC0103 (English) or PSC-90ACC0105 (metric). ¶-Includes Customer Service Scanner (CSS) for reading mobile phones, coupons and loyalty cards. Can be mounted on back or side of scanner bonnet. ¶-Includes ScaleSentry, which monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighing. Includes capability to read packaging-embedded Digimarc codes, avoiding item orientation when scanning. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts. ¶-Setup for the 9300i and 9400i is different than for the 9800i: see the updated ScanMaster and ISS45 Installation Guides for Datalogic products for configuration and setup information.

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$971. Additional MayDay!Exchange rebate available for this item (see page 19). This item normally stocked for best turnaround of small-medium orders. Certified with ISS45 and ScanMaster. This is a preferred selection. ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

7952-0404-9906	— Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, Customer Service Scanner, Power Supply, USB Cable, US	\$4,060		
----------------	--	----------------	--	--

SNTRY CSS USB+P/S

This item was previously listed as StoreNext PIN: PSC-9420120015-003251.
 ¶-Datalogic 9400i scanner/scale. Includes scanner, scale and USB interface cable for single-cable configuration (7952-C162-9906). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906).
 ▲ ▲ See Configuration Note for the first PIN in this section for additional configuration information.▲ ▲

Partner Net Price: \$971.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$971. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. Certified with ISS45 and ScanMaster. This is a preferred selection for ISS45. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

7952-0403-9906	— Datalogic Magellan 9400i Scanner/Scale Model 9406, Long, DL Clear, ScaleSentry, Customer Service Scanner, Power Supply, RS-232 Cable, US	\$4,055		
----------------	---	----------------	--	--

SNTRY CSS RS-232+P/S

This item was previously listed as StoreNext PIN: PSC-9420120015-003231.
 ¶-Datalogic 9400i scanner/scale. Includes scanner, scale and RS-232 interface cable for single-cable configuration (PSC-90A052121). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906).
 ▲ ▲ See Configuration Note for the first PIN in this section for additional configuration information.▲ ▲

Partner Net Price: \$971.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$971. Additional MayDay!Exchange rebate available for this item (see page 19). This item not normally stocked. Forecast, or plan for longer lead times. Not supported but there are no known ScanMaster problems with this item. ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. No system facilities to support this item in ISS45. (See notes above.) Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀



Magellan 9300i - US

Magellan 9300i - US: Scanner/Scales with ScaleSentry

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0400-9936 — Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, P-USB Cable, US **\$3,561**

SENTRY P-USB

This item was previously listed as StoreNext PIN: PSC-9320120011-000053.

¶-Datalogic 9300i scanner/scale. Includes scanner, scale and P-USB interface cable for single-cable configuration (PSC-90A052276). Uses 12V power from P-USB connector on terminal host. No separate power supply or cabling required. ¶-Model 9306 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 5.1 inches (13.0 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. ¶-Includes single-interval scale. US version is set for pounds. A remote scale display not included. If a remote display required, order single-sided display PSC-90ACC0102 (English) or PSC-90ACC0104 (metric), or dual-sided version PSC-90ACC0103 (English) or PSC-90ACC0105 (metric). Includes ScaleSentry, which monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighing. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts. ¶-Setup for the 9300i and 9400i is different than for the 9800i: see the updated ScanMaster and ISS45 Installation Guides for Datalogic products for configuration and setup information.

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$771. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. A similar product was Certified for ISS45 and ScanMaster: this product supported by proxy. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

7952-0401-9936 — Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, Power Supply, USB Cable, US **\$3,550**

SENTRY USB+P/S

This item was previously listed as StoreNext PIN: PSC-9320120011-000251.

¶-Datalogic 9300i scanner/scale. Includes scanner, scale and USB interface cable for single-cable configuration (7952-C162-9906). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906). ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$771. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. A similar product was Certified for ISS45 and ScanMaster: this product supported by proxy. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀

Partner Net Price: \$771. Additional MayDay!Exchange rebate available for this item (see page 19).

7952-0376-9936 — Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, Power Supply, RS-232 Cable, US **\$3,545**

SENTRY RS-232+P/S

This item was previously listed as StoreNext PIN: PSC-9320120011-000231.

¶-Datalogic 9300i scanner/scale. Includes scanner, scale and RS-232 interface cable for single-cable configuration (PSC-90A052121). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906). ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$771. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. Not Certified but there are no known ISS45 or ScanMaster problems with this item. A similar product was Certified for ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. (See notes above.) Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$771. Additional MayDay!Exchange rebate available for this item (see page 19).



Magellan 9300i - US: Scanner/Scales with Scale Sentry and CSS PIN	Description	List Price	Install Price	Maint Price
7952-0402-9936	— Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, Customer Service Scanner, P-USB Cable, US <div data-bbox="97 258 284 325" style="border: 1px solid black; padding: 2px;">SNTRY CSS P-USB</div> <p>This item was previously listed as StoreNext PIN: PSC-9320120011-003053. ¶-Datalogic 9300i scanner/scale. Includes scanner, scale and P-USB interface cable for single-cable configuration (PSC-90A052276). Uses 12V power from P-USB connector on terminal host. No separate power supply or cabling required. ¶-Model 9306 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 5.1 inches (13.0 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. ¶-Includes single-interval scale. US version is set for pounds. A remote scale display not included. If a remote display required, order single-sided display PSC-90ACC0102 (English) or PSC-90ACC0104 (metric), or dual-sided version PSC-90ACC0103 (English) or PSC-90ACC0105 (metric). ¶-Includes Customer Service Scanner (CSS) for reading mobile phones, coupons and loyalty cards. Can be mounted on back or side of scanner bonnet. ¶-Includes ScaleSentry, which monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighing. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts. ¶-Setup for the 9300i and 9400i is different than for the 9800i: see the updated ScanMaster and ISS45 Installation Guides for Datalogic products for configuration and setup information.</p> <p>Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$846. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. A similar product was Certified for ISS45 and ScanMaster: this product supported by proxy. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀</p>	\$3,706		
7952-0404-9936	— Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, Customer Service Scanner, Power Supply, USB Cable, US <div data-bbox="97 787 284 854" style="border: 1px solid black; padding: 2px;">SNTRY CSS USB+P/S</div> <p>This item was previously listed as StoreNext PIN: PSC-9320120011-003251. ¶-Datalogic 9300i scanner/scale. Includes scanner, scale and USB interface cable for single-cable configuration (7952-C162-9906). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906). ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲</p> <p>Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$846. Additional MayDay!Exchange rebate available for this item (see page 19). May not be regularly stocked. Forecast, or check lead times with NCR Order Entry. A similar product was Certified for ISS45 and ScanMaster: this product supported by proxy. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. (See notes above.) ◀</p>	\$3,765		Partner Net Price: \$846. Additional MayDay!Exchange rebate available for this item (see page 19).
7952-0403-9936	— Datalogic Magellan 9300i Scanner/Scale Model 9306, Long, DL Clear, ScaleSentry, Customer Service Scanner, Power Supply, RS-232 Cable, US <div data-bbox="97 1165 284 1232" style="border: 1px solid black; padding: 2px;">SNTRY CSS RS-232+P/S</div> <p>This item was previously listed as StoreNext PIN: PSC-9320120011-003231. ¶-Datalogic 9300i scanner/scale. Includes scanner, scale and RS-232 interface cable for single-cable configuration (PSC-90A052121). Includes separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906). ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲</p> <p>Pricing, Release and Compatibility Notes ▶ ▶ Partner Net Price: \$846. Additional MayDay!Exchange rebate available for this item (see page 19). This Item not normally stocked. Forecast, or plan for longer lead times. Not Certified but there are no known ScanMaster problems with this item. A similar product was Certified. ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. No system facilities to support this item in ISS45. (See notes above.) Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀</p>	\$3,760		Partner Net Price: \$846. Additional MayDay!Exchange rebate available for this item (see page 19).



Magellan 9300i/9400i Scanner/Scales

Magellan 9300i/9400i Scanner/Scales: Accessories - Displays		List Price	Install Price	Maint Price
PIN	Description			
TBS	Datalogic Accessory, Remote Display, Single Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada, Kit with 22-inch Mounting Post	\$175		
SNGL DISP w/22-in POST	This item was previously listed as StoreNext PIN: PSC-90ACC0128. ⚠️-Kit includes 22-inch mounting post. Compatible with standard single-interval version scales only. Single-sided display, for US or Canada. ⚠️-For Magellan 9300i/9400i only. For Magellan 9800i, select instead PSC-90ACC0102 and the appropriate post as necessary.		Partner Net Price: \$111. NCR Product ID to be supplied. An earlier version was Certified for ISS45 and ScanMaster: this version supported by proxy.	
TBS	Datalogic Accessory, Remote Display, Single Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada	\$150		
SNGL DISP	This item was previously listed as StoreNext PIN: PSC-90ACC0102. ⚠️-For Magellan 9800i only. Compatible with standard single-interval scales only. Single-sided display, for US or Canada.		Partner Net Price: \$92. NCR Product ID to be supplied.	
TBS	Datalogic Accessory, Remote Display, Dual Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada	\$230		
DUAL DISP	This item was previously listed as StoreNext PIN: PSC-90ACC0103. ⚠️-For Magellan 9800i only. Compatible with standard single-interval scales only. Dual-sided display, for US or Canada.		Partner Net Price: \$140. NCR Product ID to be supplied.	

Magellan 9300i/9400i Scanner/Scales: Accessories - Customer Service		List Price	Install Price	Maint Price
PIN	Description			
TBS	Datalogic Accessory, Customer Service Scanner (CSS) with Bonnet Back Mount for Magellan 9300i/9400i	\$345		
CSS w/BACK MOUNT	This item was previously listed as StoreNext PIN: PSC-90ACC0175. ⚠️-Kit includes Customer Service Scanner (CSS, PSC-90ACC0169) and Back Mount hardware (PSC-90ACC0172) to mount CSS on back of 9300i/9400i bonnet. ⚠️-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.		Partner Net Price: \$247.	
Pricing and Compatibility Note	▶ Partner Net Price: \$247. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀			
TBS	Datalogic Accessory, Customer Service Scanner (CSS) with Bonnet Side Mount for Magellan 9300i/9400i	\$345		
CSS w/SIDE MOUNT	This item was previously listed as StoreNext PIN: PSC-90ACC0174. ⚠️-Kit includes Customer Service Scanner (CSS, PSC-90ACC0169) and Side Mount hardware (PSC-90ACC0171) to mount CSS on side of 9300i/9400i bonnet. ⚠️-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.		Partner Net Price: \$247.	
Pricing and Compatibility Note	▶ Partner Net Price: \$247. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀			



TBS CSS w/OMNI MOUNT	Datalogic Accessory, Customer Service Scanner (CSS) with Omni Mount for Magellan 9300i/9400i This item was previously listed as StoreNext PIN: PSC-90ACC0170. ¶-Kit includes Customer Service Scanner (CSS, PSC-90ACC0169) and Omni Mount hardware (PSC-90ACC0172) enabling CSS mounting to checkstand or other locations. ¶-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.	\$335 Partner Net Price: \$240.
Pricing and Compatibility Note	▶ Partner Net Price: \$240. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀	
TBS CSS (NO MOUNT)	Datalogic Accessory, Customer Service Scanner (CSS) Only for Magellan 9300i/9400i (requires Mount) This item was previously listed as StoreNext PIN: PSC-90ACC0169. ¶-Customer Service Scanner (only) for Datalogic Magellan 9300i/9400i scanner/scales. Requires mounting hardware (PSC-90ACC0171 or PSC-90ACC0172 or PSC-90ACC0170). ¶-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions. The Customer Service Scanner (imager) enables shoppers to scan coupons, member/loyalty cards or driver's licenses themselves without handing them to the clerk. The imager can read coupon codes and 2-D information from mobile telephone screens.	\$320 Partner Net Price: \$120.
Pricing and Compatibility Note	▶ Partner Net Price: \$120. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. ISS45 and ScanMaster compatibility with this item may require software update or atypical install: see docs. There are no plans to Certify this item with ACS: ACS support not available. USB/OPOS certified and supported only. DL scanning with ISS45 requires USB OEM. ◀	
TBS SIDE MOUNT	Datalogic Accessory, Bonnet Side Customer Service Scanner (CSS) Mount Only for Magellan 9300i/9400i This item was previously listed as StoreNext PIN: PSC-90ACC0171. ¶-Customer Service Scanner (CSS) Side Mount hardware kit only for mounting CSS on side of 9300i/9400i bonnet. Does not include CSS. Order when switching CSS from a different mounting position, or if adding a CSS purchased without mounting hardware (PSC-90ACC0169). Included with Magellan 9300i/9400i scanner/scales when initially purchased with CSS as part of the included configuration. ¶-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.	\$25 Partner Net Price: \$18. NCR Product ID to be supplied.
TBS BACK MOUNT	Datalogic Accessory, Bonnet Back Customer Service Scanner (CSS) Mount Only for Magellan 9300i/9400i This item was previously listed as StoreNext PIN: PSC-90ACC0172. ¶-Customer Service Scanner (CSS) Back Mount hardware kit only for mounting CSS on back of 9300i/9400i bonnet. Does not include CSS. Order when switching CSS from a different mounting position, or if adding a CSS purchased without mounting hardware (PSC-90ACC0169). Included with Magellan 9300i/9400i scanner/scales when initially purchased with CSS as part of the included configuration. ¶-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.	\$25 Partner Net Price: \$18. NCR Product ID to be supplied.
TBS OMNI MOUNT	Datalogic Accessory, Omni Customer Service Scanner (CSS) Mount Only for Magellan 9300i/9400i This item was previously listed as StoreNext PIN: PSC-90ACC0173. ¶-Customer Service Scanner (CSS) Omni Mount hardware kit only for 9300i/9400i. Does not include CSS. Order when switching CSS from a different mounting position, or if adding a CSS purchased without mounting hardware (PSC-90ACC0169). ¶-For use with the Datalogic Magellan 9300i/9400i only. Not compatible with the 9800i or other Magellan versions.	\$15 Partner Net Price: \$11. NCR Product ID to be supplied.



Magellan 9300i/9400i Scanner/Scales: Accessories - Cables

PIN	Description	List Price	Install Price	Maint Price
TBS	Datalogic Cable, 9300i/9400i, Powered/Retail USB (P-USB), 4.6M (15 ft.)	\$50		
P-USB	This item was previously listed as StoreNext PIN: PSC-90A052276. ¶-For Magellan 9300i/9400i only (do not use with 9800i or other Datalogic Magellan models). P-USB (Powered/Retail USB), conveys power and signal between P-USB port on POS terminal to 9300i/9400i and scanner/scale. No separate power supply is required. ¶-This is a single-cable interface handling signal for both the scanner and the scale. This 'Y' cable splits at the scanner/scale end into a 10-conductor RJ connector for the scanner and scale signal plus a 3-PIN power connector. This single-cable interface cable cannot be combined with a separate scale interface. ¶-This is the standard P-USB cable shipped with P-USB 9300i/9400i Scanner/Scale configurations unless noted otherwise.			Partner Net Price: \$25. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. This is a preferred selection. ◀◀ See notes at left. For 9300i/9400i only. Not usable with 9800i.

7952-C162-9906 — Datalogic Cable, 9800i /9400i /9300i, USB Type A, 4.6M (15 ft.)

USB A	This item was previously listed as StoreNext PIN: PSC-90A052135. ¶-For Magellan 9800i only. USB Type A connector, conveys signal from USB port on POS terminal. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-This is a single-cable interface handling signal for both the scanner and the scale. The single-cable interface cannot be combined with a separate scale interface.	\$30		Partner Net Price: \$19.
--------------	--	------	--	--------------------------

TBS Datalogic Cable, 9800i /9400i /9300i, RS-232 Scanner/Scale, Standard Single-Cable, Non-Powered, 4.6M (15 ft.)

RS-232 SNGL CABLE	This item was previously listed as StoreNext PIN: PSC-90A052121. ¶-For Magellan 9800i only. RS-232 connector for ICL 9620 or NCR PC, conveys signal from RS-232 port on host device. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-Note: for single-interval scales and single-interval scales only. This cable is not compatible with dual/double-interval scales. ¶-This is the standard serial cable (uses single-cable configuration) shipped with RS-232 9800i Scanner/Scale configurations unless noted otherwise.	\$30		Partner Net Price: \$19. NCR Product ID to be supplied.
--------------------------	---	------	--	---

Magellan 9300i/9400i Scanner/Scales: Accessories - Power Supply

PIN	Description	List Price	Install Price	Maint Price
TBS	Datalogic Power Supply Only for Magellan 9300i/9400i Scanner/Scales, No Power Cable	\$60		
POWER SUPPLY	This item was previously listed as StoreNext PIN: PSC-90ACC0018. ¶-Power Supply only, 12V/30W AC/DC. Worldwide. Requires North American power cord (7952-C154-9906) or twist-lock North American power cord (PSC-6003-0932) for US or Canada use. ¶-Designed for and compatible with Magellan 9300i/9400i only. Use other power supplies as designated for other Datalogic products.			Partner Net Price: \$43. NCR Product ID to be supplied.
7952-C154-9906	— Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US	\$10		
AC POWER	This item was previously listed as StoreNext PIN: PSC-6003-0941.			Partner Net Price: \$7.



Magellan 9800i - Canada

Magellan 9800i - Canada: Scanner/Scales

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0320-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, P-USB Cable, Single Display, Canada \$4,037

P-USB

This item was previously listed as StoreNext PIN: PSC-98207040420-020054.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102).Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Partner Net Price: \$1,081. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available.

7952-0322-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, Power Supply, RS-232 Cable, Single Display, Canada \$4,082

RS-232+P/S

This item was previously listed as StoreNext PIN: PSC-98207040420-020231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,103. Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,103. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only.◀

Magellan 9800i - Canada: Scanner/Scales with ScaleSentry

PIN	Description	List Price	Install Price	Maint Price
-----	-------------	------------	---------------	-------------

7952-0327-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, P-USB Cable, Single Display, Canada \$4,192

SENTRY P-USB

This item was previously listed as StoreNext PIN: PSC-98207040421-020054.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weighs platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102).Includes ScaleSentry: monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighing. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,136. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available.◀



7952-0331-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, Power Supply, RS-232 Cable, Single Display, Canada \$4,237

**SENTRY
RS-232+P/S**

This item was previously listed as StoreNext PIN: PSC-98207040421-020231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,158.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,158. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

PIN	Description	List Price	Install Price	Maint Price
------------	--------------------	-------------------	----------------------	--------------------

7952-0323-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Short, P-USB Cable, Single Display, Canada \$4,607

**SHORT TDR
P-USB**

This item was previously listed as StoreNext PIN: PSC-98207040420-023054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102). ¶-Includes Top-Down Reader (TDR): adds top-side field-of-view and customer-facing mobile device reader. Short-version Top-Down Reader is 7 inches (17.8 cm) high (adds 7 inches/17.8 cm to overall height of 9000i). Medium-version Top-Down Reader is 9 inches (22.8 cm) high (adds 9 inches/22.8 cm to overall height of 9800i). Tall-version Top-Down Reader is 12 inches (35 cm) high (adds 12 inches/35 cm to overall height of 9900i).Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,269. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available. ◀

7952-0324-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Short, Power Supply, RS-232 Cable, Single Display, Canada \$4,652

**SHORT TDR
RS232+P/S**

This item was previously listed as StoreNext PIN: PSC-98207040420-023231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,292.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,292. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

7952-0325-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Tall, P-USB Cable, Single Display, Canada \$4,647

**SHORT TDR
P-USB**

This item was previously listed as StoreNext PIN: PSC-98207040420-024054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,269.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,269. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available. ◀



7952-0326-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, TDR Tall, Power Supply, RS-232 Cable, Single Display, Canada \$4,692

**TALL TDR
RS-232+P/S**

This item was previously listed as StoreNext PIN: PSC-98207040420-024231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,292.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,292. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only.◀

Magellan 9800i - Canada: Scanner/Scales with Scale Sentry and Top-PIN Description	List Price	Install Price	Maint Price
--	-------------------	----------------------	--------------------

7952-0332-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Short, P-USB Cable, Single Display, Canada \$4,762

**SNTRY SHRT
P-USB**

This item was previously listed as StoreNext PIN: PSC-98207040421-023054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply. ¶-Model 9806 long scanner/scale version: dimensions are 20 inches (50.7 cm) deep by 11.5 inches (29.2 cm) wide. Depth is 4 inches (10.6 cm) below the counter and 2.7 inches (6.8 cm) above the counter. Includes All-Weights platter with Datalogic Clear scanner glass, which carries a lifetime guarantee in the grocery environment. If LLT (sapphire) glass is desired, a similar model is available with the option at an additional \$294 list price and \$120 dealer net price. Please contact Retailix for ordering information if this option is required. ¶-Includes single-interval scale. US version is set for pounds; Canada version is set for metric operation and includes single-sided, single-interval display (PSC-90ACC0102). ¶-Includes Top-Down Reader (TDR): adds top-side field-of-view and customer-facing mobile device reader. Short-version Top-Down Reader is 7 inches (17.8 cm) high (adds 7 inches/17.8 cm to overall height of 9000i). Medium-version Top-Down Reader is 9 inches (22.8 cm) high (adds 9 inches/22.8 cm to overall height of 9800i). Tall-version Top-Down Reader is 12 inches (35 cm) high (adds 12 inches/35 cm to overall height of 9900i). ¶-Includes ScaleSentry: monitors left and right sides of scale platter to detect mis-placed items which may cause under-weighting. ¶-Includes one-year factory warranty, with standard depot service extended to 15 months for NCR Channel Partners. See Ease-of-Care options for additional warranty extensions and service uplifts.

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,325. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available.◀

7952-0333-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Short, Power Supply, RS-232 Cable, Single Display, Canada \$4,807

**SNTRY SHRT
RS-232**

This item was previously listed as StoreNext PIN: PSC-98207040421-023231.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,347.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,347. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only.◀

7952-0334-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Tall, P-USB Cable, Single Display, Canada \$4,802

**SNTRY TALL
P-USB**

This item was previously listed as StoreNext PIN: PSC-98207040421-024054.
 ¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.
 ▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Partner Net Price: \$1,325.
 Additional MayDay!Exchange rebate available for this item (see page 19).

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,325. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Certified with ISS45. This is a preferred selection. There are no plans to Certify this item with ScanMaster or ACS: ScanMaster or ACS support not available.◀



7952-0335-9906 — Datalogic Magellan 9800i Scanner/Scale Model 9806, Long, DL Clear, ScaleSentry, TDR Tall, Power Supply, RS-232 Cable, Single Display, Canada

\$4,847

**SNTRY TALL
RS-232**

This item was previously listed as StoreNext PIN: PSC-98207040421-024231.

¶-Datalogic 9800i scanner/scale. Includes scanner, scale and interface/signal cable. Versions specified with RS-232 include separate power supply (PSC-90A052132) and US Mains cable (7952-C154-9906); versions with P-USB cable (7952-C078-9906) do not require the additional power supply.

▲▲ See Configuration Note for the first PIN in this section for additional configuration information.▲▲

Pricing, Release and Compatibility Notes ▶▶ Partner Net Price: \$1,347. Additional MayDay!Exchange rebate available for this item (see page 19). See Configuration Note for additional release information. Not supported but there are no known ISS45 problems with this item. There are no plans to Certify this item with ISS45, ScanMaster or ACS: support not available. Additional selections are listed in the appropriate Section or Bulletin. USB/OPOS certified and supported only. ◀

Partner Net Price: \$1,347.
Additional MayDay!Exchange rebate available for this item (see page 19).



Magellan 9800i Scanner/Scales

Magellan 9800i Scanner/Scales: Accessories and Options		List Price	Install Price	Maint Price
PIN	Description			
7952-K224-V001	Datalogic Accessory, Top-Down Reader for Magellan 9800i Scanner/Scales, Short Version (7 in.)	\$570		
SHORT TDR	This item was previously listed as StoreNext PIN: PSC-90ACC0085.	Partner Net Price: \$348.		
TBS	Datalogic Accessory, Top-Down Reader for Magellan 9800i Scanner/Scales, Tall Version (12 in.)	\$610		
TALL TDR	This item was previously listed as StoreNext PIN: PSC-90ACC0079. ¶-Top-Down Reader (TDR) adds top-side field-of-view and customer-facing mobile device reader. TDR Option Can be field-installed as option to Magellan 9800i that was originally ordered without the TDR option. ¶-Short-version Top-Down Reader is 7 inches (17.8 cm) high (adds 7 inches/17.8 cm to overall height of 9000i).	Partner Net Price: \$372. NCR Product ID to be supplied.		
TBS	Datalogic Accessory, Remote Display, Single Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada	\$150		
SNGL DISP	This item was previously listed as StoreNext PIN: PSC-90ACC0102. ¶-For Magellan 9800i only. Compatible with standard single-interval scales only. Single-sided display, for US or Canada.	Partner Net Price: \$92. NCR Product ID to be supplied.		
TBS	Datalogic Accessory, Remote Display, Single Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada, Kit with 22-inch Mounting Post	\$175		
SNGL DISP w/22-in POST	This item was previously listed as StoreNext PIN: PSC-90ACC0128. ¶-Kit includes 22-inch mounting post. Compatible with standard single-interval version scales only. Single-sided display, for US or Canada. ¶-For Magellan 9300i/9400i only. For Magellan 9800i, select instead PSC-90ACC0102 and the appropriate post as necessary.	Partner Net Price: \$111. NCR Product ID to be supplied. An earlier version was Certified for ISS45 and ScanMaster: this version supported by proxy.		
TBS	Datalogic Accessory, Remote Display, Dual Display, Single Interval, for Magellan 9800i Scanner/Scales, US and Canada	\$230		
DUAL DISP	This item was previously listed as StoreNext PIN: PSC-90ACC0103. ¶-For Magellan 9800i only. Compatible with standard single-interval scales only. Dual-sided display, for US or Canada.	Partner Net Price: \$140. NCR Product ID to be supplied.		
Magellan 9800i Scanner/Scales: Power Supplies		List Price	Install Price	Maint Price
PIN	Description			
7952-C178-9906	Datalogic Power Supply Kit for Magellan 9800i Scanner/Scales, Includes Power Cable for US and Canada	\$75		
POWER+CBL	This item was previously listed as StoreNext PIN: PSC-90ACC0084. ¶-Power supply and cable for Datalogic Magellan 9800i. Includes Power Supply 7952-C163-9906 and US-Canada standard 1.55M AC mains power cable (7952-C154-9906). ¶-If twist-lock AC mains power cable is preferred, order instead the separate power supply (7952-C163-9906) and twist-lock power cable (PSC-6003-0932).	Partner Net Price: \$47.		
7952-C163-9906	Datalogic Power Supply Only for Magellan 9800i Scanner/Scales, No Power Cable	\$65		
POWER SUPPLY	This item was previously listed as StoreNext PIN: PSC-90ACC0078. ¶-Power Supply only, 12V/30W AC/DC. Worldwide. Requires North American power cord (7952-C154-9906) or twist-lock North American power cord (PSC-6003-0932) for US or Canada use. ¶-Designed for and compatible with Magellan 9800i only. Use other power supplies as designated for other (non-9800i) Datalogic products.	Partner Net Price: \$40.		
7952-C154-9906	Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US	\$10		
AC POWER	This item was previously listed as StoreNext PIN: PSC-6003-0941.	Partner Net Price: \$7.		



TBS

Datalogic Cable, AC Power Cord, 120V AC, with Twist-Lock, 1.55M,
US

\$35

**AC POWER
LOCKING**

This item was previously listed as StoreNext PIN: PSC-6003-0932.

Partner Net Price: \$22.

Pricing Note ► ► Partner Net Price: \$22. NCR Product ID to be supplied. ◀



Magellan 9800i Scanner/Scales

Magellan 9800i Scanner/Scales: Cables

PIN	Description	List Price	Install Price	Maint Price
7952-C078-9906	— Datalogic Cable, 9800i, Powered/Retail USB (P-USB), 4.6M (15 ft.)	\$60		
P-USB	This item was previously listed as StoreNext PIN: PSC-90A052212. ¶-For Magellan 9800i only. P-USB (Powered/Retail USB), conveys power and signal from P-USB port on POS terminal. No separate power supply is required. ¶-This is a single-cable interface handling signal for both the scanner and the scale. The single-cable interface cannot be combined with a separate scale interface. ¶-This is the standard P-USB cable shipped with P-USB 9800i Scanner/Scale configurations unless noted otherwise.		Partner Net Price: \$37.	
7952-C162-9906	— Datalogic Cable, 9800i /9400i /9300i, USB Type A, 4.6M (15 ft.)	\$30		
USB A	This item was previously listed as StoreNext PIN: PSC-90A052135. ¶-For Magellan 9800i only. USB Type A connector, conveys signal from USB port on POS terminal. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-This is a single-cable interface handling signal for both the scanner and the scale. The single-cable interface cannot be combined with a separate scale interface.		Partner Net Price: \$19.	
TBS	Datalogic Cable, 9800i /9400i /9300i, RS-232 Scanner/Scale, Standard Single-Cable, Non-Powered, 4.6M (15 ft.)	\$30		
RS-232 SNGL CABLE	This item was previously listed as StoreNext PIN: PSC-90A052121. ¶-For Magellan 9800i only. RS-232 connector for ICL 9620 or NCR PC, conveys signal from RS-232 port on host device. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-Note: for single-interval scales and single-interval scales only. This cable is not compatible with dual/double-interval scales. ¶-This is the standard serial cable (uses single-cable configuration) shipped with RS-232 9800i Scanner/Scale configurations unless noted otherwise.		Partner Net Price: \$19. NCR Product ID to be supplied.	
TBS	Datalogic Cable, 9800i, RS-232 Scanner-Only, Standard, Non-Powered, 4.6M (15 ft.)	\$30		
RS-232 SCAN ONLY	This item was previously listed as StoreNext PIN: PSC-90A052125. ¶-For Magellan 9800i only. RS-232 standard scanner cable for dual RS-232 cabling, conveys signal from RS-232 port on host device. Use with standard scale cable (PSC-90A052138) for dual-cable interface configuration. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932).		Partner Net Price: \$19. NCR Product ID to be supplied.	
TBS	Datalogic Cable, 9800i, RS-232 Scale-Only, Standard, Female, Non-Powered, 4.6M (15 ft.)	\$30		
RS-232 SCALE ONLY	This item was previously listed as StoreNext PIN: PSC-90A052138. ¶-For Magellan 9800i only. RS-232 standard scale cable for dual RS-232 cabling, conveys signal from RS-232 port on host device. Use with standard scanner cable (PSC-90A052125) for dual-cable configuration.		Partner Net Price: \$19. NCR Product ID to be supplied.	
TBS	Datalogic Cable, 9800i, IBM USB, 4.6M (15 ft.)	\$35		
IBM USB	This item was previously listed as StoreNext PIN: PSC-90A052132. ¶-For Magellan 9800i only. IBM USB connector, conveys signal from USB port on POS terminal. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-This is a single-cable interface handling signal for both the scanner and the scale. The single-cable interface cannot be combined with a separate scale interface.		Partner Net Price: \$22. NCR Product ID to be supplied.	
TBS	Datalogic Cable, 9800i, IBM 4683 Port 17, 4.6M (15 ft.)	\$35		
IBM PORT 17	This item was previously listed as StoreNext PIN: PSC-90A052131. ¶-For Magellan 9800i only. IBM 4683 Port 17 connector, conveys signal from Port 17 on POS terminal. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932).		Partner Net Price: \$22. NCR Product ID to be supplied.	
TBS	Datalogic Cable, 9800i, IBM 46xx Port 9E Single Interface, 4.6M (15 ft.)	\$35		
IBM PORT 9E	This item was previously listed as StoreNext PIN: PSC-90A052132. ¶-For Magellan 9800i only. IBM 46xx Port 9E connector, single-cable connection for scanner and scale, conveys signal from Port 9E on POS terminal. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932). ¶-This is a single-cable interface handling signal for both the scanner and the scale. The single-cable interface cannot be combined with a separate scale interface.		Partner Net Price: \$22. NCR Product ID to be supplied.	



TBS	Datalogic Cable, 9800i, RS-232 9D Scanner-Only, SNI Beetle, Non-Powered, 4.6M (15 ft.)	\$30
RS BEETLE 9D SCANNER	This item was previously listed as StoreNext PIN: PSC-90A052129. ¶-For Magellan 9800i only. RS-232 scanner cable for dual-RS-232 cabling for SNI Beetle port 9D, conveys signal from RS-232 port on POS terminal. Use with RS-232 scale cable (PSC-90A052197) for dual-cable RS-232 configurations. Separate power supply is required: use Power Supply (7952-C163-9906) and Cable (7952-C154-9906) or (PSC-6003-0932).	Partner Net Price: \$19. NCR Product ID to be supplied.

TBS	Datalogic Cable, 9800i, RS-232 Scale-Only, SNI Beetle, 4.6M (15 ft.)	\$30
RS BEETLE SCALE	This item was previously listed as StoreNext PIN: PSC-90A052197. ¶-For Magellan 9800i only. RS-232 scale cable for dual-RS-232 cabling for SNI Beetle, conveys signal from RS-232 port on POS terminal. Use with RS-232 scanner cable (PSC-90A052129) for dual-cable RS-232 configurations.	Partner Net Price: \$19. NCR Product ID to be supplied.

7952-C154-9906 — Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US	\$10
AC POWER	This item was previously listed as StoreNext PIN: PSC-6003-0941. Partner Net Price: \$7.

TBS	Datalogic Cable, AC Power Cord, 120V AC, with Twist-Lock, 1.55M, US	\$35
AC POWER LOCKING	This item was previously listed as StoreNext PIN: PSC-6003-0932. Partner Net Price: \$22.	
Pricing Note ▶ ▶ Partner Net Price: \$22. NCR Product ID to be supplied. ◀		

Magellan 9800i Scanner/Scales: Cables		List Price	Install Price	Maint Price
PIN	Description			

TBS	Datalogic Cable, 9300i/9400i, Powered/Retail USB (P-USB), 4.6M (15 ft.)	\$50
P-USB	This item was previously listed as StoreNext PIN: PSC-90A052276. ¶-For Magellan 9300i/9400i only (do not use with 9800i or other Datalogic Magellan models). P-USB (Powered/Retail USB), conveys power and signal between P-USB port on POS terminal to 9300i/9400i and scanner/scale. No separate power supply is required. ¶-This is a single-cable interface handling signal for both the scanner and the scale. This 'Y' cable splits at the scanner/scale end into a 10-conductor RJ connector for the scanner and scale signal plus a 3-PIN power connector. This single-cable interface cable cannot be combined with a separate scale interface. ¶-This is the standard P-USB cable shipped with P-USB 9300i/9400i Scanner/Scale configurations unless noted otherwise.	Partner Net Price: \$25. NCR Product ID to be supplied. Certified with ISS45 and ScanMaster. This is a preferred selection. ◀◀ See notes at left. For 9300i/9400i only. Not usable with 9800i.



Magellan 8500Xt

The Datalogic 8500Xt design has been withdrawn and replaced by the 9800i, but the 8500Xt continues to be available as required. At this writing, all the models and accessories listed below are likely available, but it is wise to check with Plano Order Entry before ordering.

Note the special Close-Out Pricing for selected Magellan 8500Xt models when purchased in minimum lots of 50 and shipped in 2015.

Magellan 8500Xt: US Scanner/Scales

PIN	Description	List Price	Install Price	Maint Price
PSC-858122101-0023010R	Magellan 8500Xt Scanner/Scale with Long Platter, DLC Glass, Lbs, RS-232 Cable and P/S	\$3,750	\$150	\$230
Partner Net Price: \$775. Item Withdrawn				
7952-0310-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Lbs, RS-232 Cable and P/S	\$4,030	\$150	\$230
RS-232 P/S SAPPHIRE	<p>This item was previously listed as StoreNext PIN: PSC-858122201-0023010R.</p> <p>⌚-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Pounds/English default weight configuration. ⌚-Includes power supply/AC Cord (7952-C048-9906 / PSC-11-0171) and RS-232 cable (7952-C155-9906 / PSC-8-0730-04). ⌚-All 8500Xt packages ship with firmware releases certified by NCR and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems. See ISS45 and ScanMaster Install Guides available for Datalogic products.</p> <p>⌚-Special End-of-Life Final Buy price available for this configuration!</p> <p>⌚-Requires a minimum order of 25 units, which may be mixed/matched across the two final-buy configurations offered.</p> <p>⌚-For complete details, see the Announcement on the Solution Provider Website Updates and Announcements Page (Apr16MCO.pdf dated 20-Apr-16).</p> <p>⌚-Orders for smaller quantities of this item are available at normal prices: Dealer Net of \$1,095.</p>	Partner Net Price: \$680. Special Close-Out Price. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry.		
7952-0309-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Lbs, P-USB Cable	\$4,050	\$150	\$230
Partner Net Price: \$775.				
Pricing and Release Notes ▶ Partner Net Price: \$775. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry. ◀				
7952-0065-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Lbs, USB Cable and P/S	\$3,900	\$150	\$230
USB P/S	<p>This item was previously listed as StoreNext PIN: PSC-858122201-0025010R.</p> <p>⌚-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Pounds/English default weight configuration. ⌚-Includes USB cable (7952-C054-9906), power supply (PSC-8-0761) and power cord (7952-C154-9906). ⌚-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	Partner Net Price: \$1,195. Special Close-Out Price. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry.		
PSC-858122101-0025022R	Magellan 8500Xt Scanner/Scale with Long Platter, DLC Glass, Lbs, P-USB Cable	\$3,855	\$150	\$230
Partner Net Price: \$995. Item Withdrawn				
7952-0064-9906	Magellan 8500Xt Scanner/Scale with Long Platter, DLC Glass, Lbs, RS-232 Cable and P/S	\$3,810	\$150	\$230
RS-232 P/S DLC	<p>This item was previously listed as StoreNext PIN: PSC-858122101-0023012R.</p> <p>⌚-Datalogic Magellan 8500Xt scanner and scale with long platter and DLC (Diamond-Like) glass. Pounds/English default weight configuration. ⌚-Includes RS-232 cable and power supply/AC Cord. ⌚-All Retail 8500Xt packages ship with Retail firmware releases certified by Retail and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	Partner Net Price: \$995. Special Close-Out Price. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry.		



Magellan 8500Xt

Magellan 8500Xt: PIN	Metric Scanner/Scales with Display Description	List Price	Install Price	Maint Price
7952-0063-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Metric, External Display w/22" Pole, P-USB Cable <div style="border: 1px solid black; padding: 2px; width: fit-content;">P-USB 22-INCH</div> <p>This item was previously listed as StoreNext PIN: PSC-858121213-1205020R. ¶-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Metric default weight configuration. Includes external weight display with 22" pole. ¶-Includes P-USB cable (7952-C055-9906) for signal and power from a 12V P-USB connector on the host POS terminal. ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	\$4,000	\$150	\$230
TBS	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Metric, External Display w/22" Pole, RS-232 Cable and P/S <div style="border: 1px solid black; padding: 2px; width: fit-content;">RS-232 22-INCH</div> <p>This item was previously listed as StoreNext PIN: PSC-858121213-1223010R. ¶-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Metric default weight configuration. Includes external weight display with 22" pole. ¶-Includes RS-232 cable (7952-C155-9906) and power supply (7952-C048-9906). ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	\$4,100	\$150	\$230
7952-0061-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Metric, External Display w/8" Pole, P-USB Cable <div style="border: 1px solid black; padding: 2px; width: fit-content;">P-USB 8-INCH</div> <p>This item was previously listed as StoreNext PIN: PSC-858121213-0105020R. ¶-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Metric default weight configuration. Includes external weight display with 8" pole. ¶-Includes P-USB cable (7952-C055-9906) for signal and power from a 12V P-USB connector on the host POS terminal. ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	\$4,000	\$150	\$230
7952-0062-9906	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Metric, External Display w/8" Pole, RS-232 Cable and P/S <div style="border: 1px solid black; padding: 2px; width: fit-content;">RS-232 8-INCH</div> <p>This item was previously listed as StoreNext PIN: PSC-858121213-0123010R. ¶-Datalogic Magellan 8500Xt scanner and scale with long platter and sapphire glass. Metric default weight configuration. Includes external weight display with 8" pole. ¶-Includes RS-232 cable (7952-C155-9906) and power supply (7952-C048-9906). ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems.</p>	\$4,100	\$150	\$230
PSC-858121113-0123012R	Magellan 8500Xt Scanner/Scale with Long Platter, Sapphire Glass, Metric, External Display w/22" Pole, RS-232 Cable and P/S, EAS and Interlock	\$3,960	\$150	\$230
Pricing and Release Notes ▶ Partner Net Price: \$1,295. Item Withdrawn This product valid only for Canada (080024). ◀		Partner Net Price: \$1,295. Special Close-Out Price. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry. This product valid only for Canada (080024).		



Magellan 8500Xt

Magellan 8500Xt: Scanner-Only		List Price	Install Price	Maint Price
PIN	Description			
TBS	Magellan 8500Xt Scanner Only with Long Platter, Sapphire Glass, RS-232 Cable and P/S		\$75	\$175
LONG-SPH	This item was previously listed as StoreNext PIN: PSC-859001-21210300R. ¶-Datalogic Magellan 8500Xt scanner only with long platter and sapphire glass. ¶-Includes RS-232 cable (7952-C155-9906) and power supply (7952-C048-9906). ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems. ¶-Replaces withdrawn item PSC-859122-21210300R			Price available via quotation. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry. NCR Product ID to be
TBS	Magellan 8500Xt Scanner Only with Long Platter, Sapphire Glass, RS-232 Cable and P/S	\$2,400	\$75	\$175
LONG-SPH	This item was previously listed as StoreNext PIN: PSC-859001-21210300R. ¶-Datalogic Magellan 8500Xt scanner only with long platter and sapphire glass. ¶-Includes RS-232 cable (7952-C155-9906) and power supply (7952-C048-9906). ¶-All StoreNext 8500Xt packages ship with StoreNext-only firmware releases certified by StoreNext and Datalogic Scanning to optimize performance with ISS45 and ScanMaster and avoid compatibility and OPOS driver problems. ¶-Replaces withdrawn item PSC-859122-21210300R			Special Close-Out Price. Item withdrawn and supply extremely limited or unavailable. Check availability with Order Entry. NCR Product ID to be supplied.
PSC-859122-41210300R — Magellan 8500Xt Scanner Only with Short Platter, Sapphire Glass, RS-232 Cable and P/S			\$75	\$175
				Price available via quotation. Item Withdrawn
PSC-859122-31210300R — Magellan 8500Xt Scanner Only with Short Platter, Diamond-Like Glass, RS-232 Cable and P/S			\$75	\$175
				Price available via quotation. Item Withdrawn



Magellan 8500Xt

Magellan 8500Xt: Cables and Power

PIN	Description	List Price	Install Price	Maint Price
7952-C054-9906	— PSC P-USB Cable for Magellan 8500Xt/2200VS/2300HS Scanner/Scale, IBM Connector, External Power 4.5M (15 FT.) This item was previously listed as StoreNext PIN: PSC-8-0732-01. ¶-For Magellan 8500Xt. Requires external power supply kit (7952-C048-9906).	\$35		Partner Net Price: \$23.
7952-C156-9906	— PSC Magellan 8500Xt/ 2200VS/ 2300HS, USB cable, Type A, E/P, RoHS, 4.5m (15 ft.) This item was previously listed as StoreNext PIN: PSC-8-0732-04. ¶-USB Type A cable. Requires external power supply kit (7952-C048-9906). ¶-For use with Magellan 8500Xt and 2200VS/2300H. ¶-Replaces withdrawn item PSC-8-0525-04	\$25		Partner Net Price: \$15.
7952-C155-9906	— Datalogic Cable, RS-232 for Power Supply, 8500Xt/ 8400/ 8300/ 2200VS/ 2300HS Dsub 9-Pin, 15ft/4.5m This item was previously listed as StoreNext PIN: PSC-8-0730-04. ¶-Cable is 15 ft., 9 pin "D" connector, Socket, Power off external brick. Provides signal and power from POS terminal with non-powered RS-232 connector. Requires power supply and cable (7952-C152-9906). RoHS. ¶-Replaces withdrawn item PSC-8-0227-04	\$30		Partner Net Price: \$20.
TBS	PSC P-USB Cable for Magellan 8300/8400/8500Xt/2200VS/2300HS Scanner/Scale, IBM Port 17 POT, 4.5m (15 ft.) This item was previously listed as StoreNext PIN: PSC-8-0731-01. Pricing Note ► ► Partner Net Price: \$20. NCR Product ID to be supplied. ◀	\$30		Partner Net Price: \$20.
7952-C049-9906	— PSC P-USB Power Cable Kit for Magellan 8500Xt/ 8500 Scanner/Scales, P-USB Cable and Splitter Assembly This item was previously listed as StoreNext PIN: PSC-11-0172. ¶-Powered USB cable kit, includes P-USB cable (7952-C055-9906) attaching to P-USB connector on POS terminal and terminating at splitter box (PSC-10-4795). Splitter box provides cables to (1) signal and (2) power inputs on scanner/scale. ¶-For 8500Xt/8500 and 8200 Magellan scanner/scales only. Not compatible with Magellan 8400.	\$125		Partner Net Price: \$84.
7952-C048-9906	— PSC Power Supply Kit for Magellan 8500 Scanner/Scales, includes Mains/Power Cable, RoHS This item was previously listed as StoreNext PIN: PSC-11-0171. ¶-Kit includes power supply (PSC-8-0761, not available separately) and standard North American power cord (7952-C154-9906). ¶-Replaces withdrawn item PSC-7-0751	\$75		Partner Net Price: \$50.
7952-K211-V001	— PSC Power Supply Only for Magellan 8500 Scanner/Scales, RoHS This item was previously listed as StoreNext PIN: PSC-11-0164.	\$65		Partner Net Price: \$44.
7952-C154-9906	— Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US This item was previously listed as StoreNext PIN: PSC-6003-0941.	\$10		Partner Net Price: \$7.

AC POWER



Magellan 8500Xt

Magellan 8500Xt: Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-K456-V001	PSC Remote Scale Display Kit, Single Head, for Magellan 8500Xt with 8" (20cm) Post, Single Interval This item was previously listed as StoreNext PIN: PSC-11-0372. ¶-Remote Scale Display Kit, English, Single Head, Single Interval, US/Canada/Puerto Rico. Includes base, 8" pole, cable (PSC-5-3481-01), power supply (PSC-70685) and power cord (PSC-6003-0932).	\$150	\$25	\$25
		Partner Net Price: \$96.		
PSC-7-0691	PSC 8500/8500Xt Scan Window, Replacement Glass, DLC	\$250		
		Partner Net Price: \$160. Item Withdrawn		
7952-K215-V001	PSC Magellan 8500Xt Checkstand Fill Kit: 8501/8502 from NCR 7870/7875 This item was previously listed as StoreNext PIN: PSC-11-0209. ¶-Filler kit for Magellan 8500Xt (models 8501 or 8502) Scanner/Scales to replace NCR 7870/7875 ¶-Whether this fill kit is needed in every instance will largely depend on the cash wrap station configuration. For example, with a Killion checkstand the filler is usually needed, but if the checkstand is from Pan Osten, an adjustable metal flange is often provided that can be unscrewed and slid over to accommodate the ¼ inch gap. This kit is provided for those cases where checkstand flexibility is unavailable and a kit is required to fill the gap.	\$20		
		Partner Net Price: \$13.		
7952-C063-9906	PSC Magellan 8500/8200/8100 EAS Interconnect Cable, Sensormatic to Magellan This item was previously listed as StoreNext PIN: PSC-8-0769-01.	\$25		
		Partner Net Price: \$17.		
7952-C064-9906	PSC Magellan 8500/8200/8100 EAS Interlock Cable; 6ft. This item was previously listed as StoreNext PIN: PSC-8-0769-03. ¶-Replaces withdrawn item PSC-8-0278 ¶-Requires EAS antenna cable.	\$10		
		Partner Net Price: \$7.		



Magellan 8400 Scanner/Scales

The Datalogic 8400 design has been withdrawn and replaced by the 9400i, but some 8400 models and many of the listed accessories may continue to be available. Check with Plano Order Entry before ordering.

Magellan 8400 Scanner/Scales: P-USB Power-Off-Terminal		List Price	Install Price	Maint Price
PIN	Description			
7952-0058-9906	— Magellan 8405 Scanner/Scale, Sapphire Glass, Produce Rail, P-USB	\$3,410	\$150	\$230
RAIL	This item was previously listed as StoreNext PIN: PSC-84215003-011050200. ¶-Model 8405 long-platform scanner/scale with Produce Rail built into scale platter. Multi-Interface. ¶-Provides Sapphire glass. ¶-Includes Powered USB cable (7952-C159-9906) for POS terminals that provide Powered Retail USB connector. Does not require external power supply. ¶-Replaces withdrawn item PSC-84215003-005050200	Partner Net Price: \$655. Special Close-Out Price. Supply limited. Check availability with Order Entry.		
7952-0308-9906	— Magellan 8405 Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, P-USB	\$3,330	\$150	\$230
BAR	This item was previously listed as StoreNext PIN: PSC-84212603-005050200. ¶-Model 8405 long-platform scanner/scale with Produce Bar that can be lifted/raised from scale platter hinge. Multi-Interface. ¶-Provides Sapphire glass. ¶-Includes Powered USB cable (7952-C159-9906) for POS terminals that provide Powered Retail USB connector. Does not require external power supply.	Partner Net Price: \$1,095. Special Close-Out Price. Supply limited. Check availability with Order Entry.		
PSC-84212402-005050200	— Magellan 8404 Medium Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, P-USB		\$150	\$230
		Price available via quotation. Item Withdrawn		
Magellan 8400 Scanner/Scales: P-USB with Power Supply		List Price	Install Price	Maint Price
PIN	Description			
PSC-84215003-005150200	— Magellan 8405 Scanner/Scale, Sapphire Glass, Produce Rail, P-USB with Power Supply		\$150	\$230
		Price available via quotation. Item Withdrawn		
PSC-84212603-005150100	— Magellan 8405 Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, P-USB with Power Supply		\$150	\$230
		Price available via quotation. Item Withdrawn		
PSC-84212402-005150100	— Magellan 8404 Medium Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, P-USB with Power Supply		\$150	\$230
		Price available via quotation. Item Withdrawn		
Magellan 8400 Scanner/Scales: RS-232 with Power Supply		List Price	Install Price	Maint Price
PIN	Description			
7952-0059-9906	— Magellan 8405 Scanner/Scale, Sapphire Glass, Produce Rail, RS-232 with Power Supply	\$3,455	\$150	\$230
RAIL	This item was previously listed as StoreNext PIN: PSC-84215003-011130200. ¶-Model 8405 long-platform scanner/scale with Produce Rail built into scale platter. Multi-Interface. ¶-Provides Sapphire glass. ¶-Includes RS-232 cable (7952-C155-9906), power supply (PSC-8-0858) and power cord (7952-C154-9906). ¶-Replaces withdrawn item PSC-84215003-005130200	Partner Net Price: \$755. Special Close-Out Price. Supply limited. Check availability with Order Entry.		
PSC-84212603-011130200	— Magellan 8405 Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, RS-232 with Power Supply	\$3,400	\$150	\$230
		Partner Net Price: \$1,095. Item Withdrawn		



PSC-84212402-011130200 — Magellan 8404 Medium Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, RS-232 with Power Supply	\$150	\$230
--	-------	-------

Price available via quotation.
Item Withdrawn

7952-0057-9906 — Magellan 8405 Scanner/Scale, Sapphire Glass, Flip-Up Produce Bar, RS-232 with Power Supply, Single Display, Metric	\$150	\$230
---	-------	-------

Price available via quotation.
Item Withdrawn

PSC-84215003-120130200 — Magellan 8405 Scanner/Scale, Sapphire Glass, Allweighs Platter, RS-232 with Power Supply	\$150	\$230
---	-------	-------

Price available via quotation.
Item Withdrawn

Magellan 8400 Scanner-Only: All Configurations

PIN	List Price	Install Price	Maint Price
-----	------------	---------------	-------------

PSC-84100402-001060100 — Magellan 8402 Medium Scanner Only, Sapphire Glass, USB Type A	\$150	\$175	
--	-------	-------	--

Price available via quotation.
Item Withdrawn

PSC-84100603-001060100 — Magellan 8403 Scanner Only, Sapphire Glass, USB Type A	\$150	\$175	
---	-------	-------	--

Price available via quotation.
Item Withdrawn

PSC-84100402-001110300 — Magellan 8402 Medium Scanner Only, Sapphire Glass, RS-232 with Power Supply	\$150	\$175	
--	-------	-------	--

Price available via quotation.
Item Withdrawn

PSC-84100603-001110300 — Magellan 8403 Scanner Only, Sapphire Glass, RS-232 with Power Supply	\$150	\$175	
---	-------	-------	--

Price available via quotation.
Item Withdrawn



Magellan 8400

The Datalogic 8400 design has been withdrawn and replaced by the 9400i, but some 8400 models and many of the listed accessories may continue to be available. Check with Plano Order Entry before ordering.

Magellan 8400: Cables and Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-C159-9906	— PSC Cable, 8300/8400, P-USB , RoHS, 15ft/4.5m This item was previously listed as StoreNext PIN: PSC-8-0863-05. ¶-Provides signal and power from POS terminal with powered Retail USB connector. External power supply and cable not required. ¶-For use with Magellan 8400. ¶-Replaces withdrawn item PSC-8-0863-01	\$55 Partner Net Price: \$35.		
PSC-8-0863-03	PSC Cable, P-USB for Power Supply, Retail USB for Magellan 8300/8400, 15ft/4.5m	\$35 Partner Net Price: \$23. Item Withdrawn		
TBS	PSC P-USB Cable for Magellan 8300/8400/8500Xt/2200VS/2300HS Scanner/Scale, IBM Port 17 POT, 4.5m (15 ft.) This item was previously listed as StoreNext PIN: PSC-8-0731-01. Pricing Note ▶ ▶ Partner Net Price: \$20. NCR Product ID to be supplied. ◀	\$30 Partner Net Price: \$20.		
7952-C155-9906	— Datalogic Cable, RS-232 for Power Supply, 8500Xt/ 8400/ 8300/ 2200VS/ 2300HS Dsub 9-Pin, 15ft/4.5m This item was previously listed as StoreNext PIN: PSC-8-0730-04. ¶-Cable is 15 ft., 9 pin "D" connector, Socket, Power off external brick. Provides signal and power from POS terminal with non-powered RS-232 connector. Requires power supply and cable (7952-C152-9906). RoHS. ¶-Replaces withdrawn item PSC-8-0227-04	\$30 Partner Net Price: \$20.		
7952-C152-9906	— PSC Power Supply for Magellan 8300/8400 Scanner/Scales, includes Mains/Power Cable This item was previously listed as StoreNext PIN: PSC-11-0286. ¶-Kit includes power supply/brick (PSC-8-0858) and US standard mains cable (7952-C154-9906). ¶-Provides power to Datalogic 8300/8400 scanner/scales when Power-Off-Terminal is not available. Mains/power cable for US/Canada/Puerto Rico included. Power supply requires appropriate interface cable depending upon the interface/connector provided by the POS terminal: use PSC-8-0863-03 for USB POS terminal connections or 7952-C155-9906 for RS-232 POS terminal connections.	\$70 Partner Net Price: \$47.		
TBS	PSC US Power Supply Only for 8300/8400 This item was previously listed as StoreNext PIN: PSC-8-0858. ¶-Power supply/brick only - does not include power cord. Requires AC cable 7952-C154-9906 or equivalent.	\$60 Partner Net Price: \$40. NCR Product ID to be supplied.		
7952-C154-9906	— Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US AC POWER This item was previously listed as StoreNext PIN: PSC-6003-0941.	\$10 Partner Net Price: \$7.		
7952-K216-V001	— PSC Remote Scale Display Kit, Single Head, for Magellan 8400/8300 with 8" (20cm) Post This item was previously listed as StoreNext PIN: PSC-11-0330. ¶-Remote Scale Display for use with Datalogic 8300/8400 scanner/scales. Approved and configurable for use in US, Canada and Puerto Rico ¶-Replaces withdrawn item PSC-11-0288	\$150 Partner Net Price: \$96.	\$25	\$25
PSC-10-5535	Magellan 8400/8300 Vertical Bezel, S/O Package of 10 (Replacement)	\$204 Partner Net Price: \$149. Item Withdrawn		



Magellan 8500Xt / 8500 / 9500

The Datalogic 8400, 8500Xt and 9500 have been withdrawn, but many of the listed accessories may continue to be available. Check with Plano Order Entry before ordering.

Magellan 8500Xt / 8500 / 9500: Options and Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-K456-V001	PSC Remote Scale Display Kit, Single Head, for Magellan 8500Xt with 8" (20cm) Post, Single Interval This item was previously listed as StoreNext PIN: PSC-11-0372. ¶-Remote Scale Display Kit, English, Single Head, Single Interval, US/Canada/Puerto Rico. Includes base, 8" pole, cable (PSC-5-3481-01), power supply (PSC-70685) and power cord (PSC-6003-0932).	\$150	\$25	\$25
		Partner Net Price: \$96.		
TBS	PSC Magellan 8500 Remote Display Kit with 8" post This item was previously listed as StoreNext PIN: PSC-11-0167. ¶-Replaces withdrawn item PSC-7-0695 Pricing Note ► ► Partner Net Price: \$100. NCR Product ID to be supplied. ◀	\$150	\$25	\$25
		Partner Net Price: \$100.		
7952-K212-V001	PSC Magellan 8500 Remote Display Kit with 22" post This item was previously listed as StoreNext PIN: PSC-11-0168. ¶-Replaces withdrawn item PSC-7-0696	\$175	\$25	\$25
		Partner Net Price: \$117.		
TBS	PSC Magellan 8500 Checkstand Fill Kit: Model 8501/8502 from NCR 7870/7875 This item was previously listed as StoreNext PIN: PSC-11-0038. ¶-Filler kit for Magellan 8501 or 8502 Scanner/Scales to replace NCR 7870/7875 ¶-Whether this fill kit is needed in every instance will largely depend on the cash wrap station configuration. For example, with a Killion checkstand the filler is usually needed, but if the checkstand is from Pan Osten, an adjustable metal flange is often provided that can be unscrewed and slid over to accommodate the ¼ inch gap. This kit is provided for those cases where checkstand flexibility is unavailable and a kit is required to fill the gap.	\$20		
		Partner Net Price: \$13. NCR Product ID to be supplied.		
7952-C063-9906	PSC Magellan 8500/8200/8100 EAS Interconnect Cable, Sensormatic to Magellan This item was previously listed as StoreNext PIN: PSC-8-0769-01.	\$25		
		Partner Net Price: \$17.		
PSC-8-0769-02	PSC Magellan 8200 EAS External Antenna Cable, 18," RoHS Pricing and ► ► Partner Net Price: \$7. Supply limited. Check availability with Order Entry. ◀ Release Notes	\$10		
		Partner Net Price: \$7.		
7952-C064-9906	PSC Magellan 8500/8200/8100 EAS Interlock Cable; 6ft. This item was previously listed as StoreNext PIN: PSC-8-0769-03. ¶-Replaces withdrawn item PSC-8-0278 ¶-Requires EAS antenna cable.	\$10		
		Partner Net Price: \$7.		
7952-K220-V001	PSC Universal Power Supply This item was previously listed as StoreNext PIN: PSC-7-0685.	\$65		
		Partner Net Price: \$39.		
7952-C048-9906	PSC Power Supply Kit for Magellan 8500 Scanner/Scales, includes Mains/Power Cable, RoHS This item was previously listed as StoreNext PIN: PSC-11-0171. ¶-Kit includes power supply (PSC-8-0761, not available separately) and standard North American power cord (7952-C154-9906). ¶-Replaces withdrawn item PSC-7-0751	\$75		
		Partner Net Price: \$50.		
PSC-10-0695	PSC Power Cord, 110V, US Standard	\$10		
		Partner Net Price: \$5. Pricing and ► ► Partner Net Price: \$5. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀ Release Notes		



PSC-10-0694	PSC Power Cord, 110V, Twist/Lock US Standard	\$35 Partner Net Price: \$19.
<p>Pricing and Release Notes ▶ Partner Net Price: \$19. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀</p>		
7952-C054-9906	PSC P-USB Cable for Magellan 8500Xt/2200VS/2300HS Scanner/Scale, IBM Connector, External Power 4.5M (15 FT.)	\$35 Partner Net Price: \$23.
<p>This item was previously listed as StoreNext PIN: PSC-8-0732-01. ¶-For Magellan 8500Xt. Requires external power supply kit (7952-C048-9906).</p>		
7952-C155-9906	Datalogic Cable, RS-232 for Power Supply, 8500Xt/ 8400/ 8300/ 2200VS/ 2300HS Dsub 9-Pin, 15ft/4.5m	\$30 Partner Net Price: \$20.
<p>This item was previously listed as StoreNext PIN: PSC-8-0730-04. ¶-Cable is 15 ft., 9 pin "D" connector, Socket, Power off external brick. Provides signal and power from POS terminal with non-powered RS-232 connector. Requires power supply and cable (7952-C152-9906). RoHS. ¶- Replaces withdrawn item PSC-8-0227-04</p>		
7952-C054-9906	PSC P-USB Cable for Magellan 8500Xt/2200VS/2300HS Scanner/Scale, IBM Connector, External Power 4.5M (15 FT.)	\$35 Partner Net Price: \$23.
<p>This item was previously listed as StoreNext PIN: PSC-8-0732-01. ¶-For Magellan 8500Xt. Requires external power supply kit (7952-C048-9906).</p>		
PSC-8-0607-01	PSC Magellan 8500 Product Manuals CD	\$15 Partner Net Price: \$10. Item Withdrawn
PSC-R44-2384	PSC Magellan 8500 Product Reference Guide, Manual, Printed Hard Copy	\$75 Partner Net Price: \$50. Item Withdrawn
PSC-R44-2383	PSC Magellan 8500 Quick Reference Guide	\$10 Partner Net Price: \$7. Item Withdrawn
PSC-7-0744	PSC 8500 Cashier Operating Tips - laminated instruction card, English only (sold separately)	\$10 Partner Net Price: \$7. Item Withdrawn
TBS	PSC Magellan 8500 Fruit Rail (Replacement)	\$31 Partner Net Price: \$21. NCR Product ID to be supplied.
<p>This item was previously listed as StoreNext PIN: PSC-10-3919. ¶-Replacement fruit rail for the Magellan 8500 Omega. The 8500 is shipped with this rail as standard equipment - this PIN for replacement only.</p>		



Magellan 8200 (withdrawn)

This product line has been withdrawn. Some of the accessories below, especially those which may be shared with other current products, may still be available. Check with Plano Order Entry prior to ordering.

Magellan 8200 (withdrawn): Options and Accessories		List Price	Install Price	Maint Price
PIN	Description			
PSC-7-0732	PSC 8200 Remote Scale Display w/ 8" (20cm) post for US/Canada/Puerto Rico	\$150	\$25	\$25
		Partner Net Price: \$100.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$100. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
PSC-7-0115	PSC Magellan 8200 Checkstand Fill Kit: Model 8203 & 8204 from ICL Orion Cutout	\$100		
		Partner Net Price: \$75.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$75. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
PSC-7-0225	PSC Magellan 8200 Checkstand Fill Kit: Model 8203 & 8204 from NCR 7870/7875	\$100		
		Partner Net Price: \$75.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$75. Supply limited. Check availability with Order Entry. ◀			
PSC-7-0116	PSC Magellan 8200 Checkstand Fill Kit: Model 8203 & 8204 from SP760SLS	\$100		
		Partner Net Price: \$75.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$75. Supply limited. Check availability with Order Entry. ◀			
PSC-8-0769-02	PSC Magellan 8200 EAS External Antenna Cable, 18," RoHS	\$10		
		Partner Net Price: \$7.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$7. Supply limited. Check availability with Order Entry. ◀			
7952-C064-9906	— PSC Magellan 8500/8200/8100 EAS Interlock Cable; 6ft. This item was previously listed as StoreNext PIN: PSC-8-0769-03. ¶-Replaces withdrawn item PSC-8-0278 ¶-Requires EAS antenna cable.	\$10		
		Partner Net Price: \$7.		
PSC-10-0695	PSC Power Cord, 110V, US Standard	\$10		
		Partner Net Price: \$5.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$5. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
PSC-10-0694	PSC Power Cord, 110V, Twist/Lock US Standard	\$35		
		Partner Net Price: \$19.		
	Pricing and Release Notes ▶ ▶ Partner Net Price: \$19. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
PSC-8-0607-01	PSC Magellan 8500 Product Manuals CD	\$15		
		Partner Net Price: \$10. Item Withdrawn		



PSC-R44-2382 PSC Magellan 8200 Product Reference Guide, Manual, Printed Hard Copy **\$75**

Partner Net Price: \$40.

[Pricing and Release Notes](#) ▶ ▶ Partner Net Price: \$40. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀

PSC-R44-2381 PSC Magellan 8200 Quick Reference Guide **\$10**

Partner Net Price: \$5.

[Pricing and Release Notes](#) ▶ ▶ Partner Net Price: \$5. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀

7952-K220-V001 — PSC Universal Power Supply **\$65**

This item was previously listed as StoreNext PIN: PSC-7-0685.

Partner Net Price: \$39.

7952-C048-9906 — PSC Power Supply Kit for Magellan 8500 Scanner/Scales, includes Mains/Power Cable, RoHS **\$75**

This item was previously listed as StoreNext PIN: PSC-11-0171.

¶-Kit includes power supply (PSC-8-0761, not available separately) and standard North American power cord (7952-C154-9906). ¶-Replaces withdrawn item PSC-7-0751

Partner Net Price: \$50.



Magellan 1100i

Magellan 1100i: Scanners

PIN	Description	List Price	Install Price	Maint Price
7952-K239-V001	— Datalogic Magellan 1100i Kit w/Targeting Mode, 2-D Decoding, Riser Stand, 2 Meter USB POT Cable, Black	\$883	\$75	\$75
KIT	<p>This item was previously listed as StoreNext PIN: PSC-MG112041-001-412B.</p> <p>††-Includes riser stand (7952-K207-V001) USB cable (PSC-8-0734-10, USB-A Cable, POT, RoHS, 2 meter). This cable is designed to pull sufficient power from a standard USB port on a PoS terminal and does not require or ship with a power supply. For configurations in which a power supply is required, it must be ordered separately.</p> <p>††-Replaces withdrawn item PSC-MG112041-000-411</p>		Partner Net Price: \$265.	
7952-K238-V001	— Datalogic Magellan 1100i Scanner Only w/Targeting Mode, 2-D Decoding, Black	\$845	\$75	\$75
SCAN-ONLY	<p>This item was previously listed as StoreNext PIN: PSC-MG112010-000B.</p> <p>††-Includes scanner only. Stand/holder, cable and/or power supply must be ordered separately. Compatible with riser stand 7952-K207-V001. Use USB-A power-off-terminal ("POT") cable to pull sufficient power from a standard USB port on a PoS terminal to avoid power supply. For configurations in which a power supply is required, it must be ordered separately.</p>		Partner Net Price: \$254.	
7952-0321-9906	— Datalogic Magellan 1100i w/Targeting Mode, 2-D Decoding, IBM USB, 12 foot USB Cable, with Stand, Black, PIR	\$898	\$75	\$75
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-MG112040-001-401B.</p> <p>††-Includes cable (7952-C058-9906, Cable, IBM USB, POT, 12') and stand (7952-K207-V001, Stand, Riser w/Tilt Adjustment, 3 in, Black, with holes for fixed mounting).</p>		Partner Net Price: \$270.	



Magellan 1100i/1000i

Magellan 1100i/1000i: Options and Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-K207-V001	— PSC Magellan 1100i/1000i 3" Riser Stand w/ Tilt Adjustment and Fixed Mounting Holes, Black This item was previously listed as StoreNext PIN: PSC-11-0114.	\$18		Partner Net Price: \$11.

Magellan 1100i/1000i: Cables

PIN	Description	List Price	Install Price	Maint Price
7952-C158-9906	— PSC RS-232 Cable, Direct Connect from Secondary 1100i/ 1400i/ QS6500/ QS6500BT Scanner to Magellan 82/85/85XT/95 AUX Port, 10RJ, Power-off-Terminal (Scanner), 12 feet This item was previously listed as StoreNext PIN: PSC-8-0737-11. ¶-This cable used to connect a secondary or hand-held scanner directly to the auxiliary port of a Magellan 8200, 8300, 8500, 8500Xt or 9500. Provides power off the scanner and eliminates the need for a separate power supply. ¶-For use with QuickScan 2500, 6500 and Magellan 1000i/1100i. ¶-Replaces withdrawn item PSC-8-0577-11	\$35		Partner Net Price: \$21.
7952-C058-9906	— PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-12. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, straight cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C059-9906	— PSC USB A Cable, 1400i/ QS6500/ QS6500BT POT, RoHS, 15 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-15. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 15 feet, straight cable, power-off-terminal, direct-connect. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$55		Partner Net Price: \$33.
7952-C157-9906	— PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., coiled This item was previously listed as StoreNext PIN: PSC-8-0734-16. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, coiled cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C061-9906	— PSC RS-232 cable, 1100i/ 1400i/ QS6500/ QS6500BT DB9 Socket, RoHS, POT, 12 5th/3rd This item was previously listed as StoreNext PIN: PSC-8-0736-17.	\$35		Partner Net Price: \$21.



Magellan 3200VSi

Magellan 3200VSi: Scanner/Imager Kits

PIN	Description	List Price	Install Price	Maint Price
TBS	Datalogic Magellan 3200VSi Scanner Kit, 1D/2D Scanning, Std Back Cover, 15ft. USB "A" Cable, US Power Supply and Cable	\$1,545	\$75	
USB KIT	This item was previously listed as StoreNext PIN: PSC-M3200-010200-01604. ¶-Magellan 3200VSi kit with standard back cover for use with standard USB connection (not P-USB). Includes USB "A" 15ft. cable (PSC-8-0730-54), 3200VSi External Power Supply (PSC-8-0936) and Mains Power Cord (7952-C154-9906).			Partner Net Price: \$464. NCR Product ID to be supplied.
TBS	Datalogic Magellan 3200VSi Scanner Kit, 1D/2D Scanning, Std Back Cover, 15ft. P-USB Cable	\$1,520	\$75	
P-USB KIT	This item was previously listed as StoreNext PIN: PSC-M3200-010200-00403. ¶-Magellan 3200VSi kit with standard back cover for use with powered USB connection (P-USB). Includes P-USB cable (PSC-8-0938-02). External power not required.			Partner Net Price: \$537. NCR Product ID to be supplied.

Magellan 3200VSi: Scanner/Imager Only

PIN	Description	List Price	Install Price	Maint Price
TBS	Datalogic Magellan 3200VSi Scanner Only, 1D/2D Scanning, Std Counter Mount, Multi-Interface	\$1,490	\$75	
COUNTER	This item was previously listed as StoreNext PIN: PSC-M3200-010210. ¶-Magellan 3200VSi scanner-only for counter mounted use. Multi-Interface. No cables or power supplies included.			Partner Net Price: \$447. NCR Product ID to be supplied.
TBS	Datalogic Magellan 3200VSi Scanner Only, 1D/2D Scanning, Std Back Cover, Multi-Interface	\$1,490	\$75	
W/COVER	This item was previously listed as StoreNext PIN: PSC-M3200-010200. ¶-Magellan 3200VSi scanner-only with standard back cover. Multi-Interface. No cables or power supplies included.			Partner Net Price: \$526. NCR Product ID to be supplied.



Magellan 3200VSi

Magellan 3200VSi: Cables and Power Supplies

PIN	Description	List Price	Install Price	Maint Price
PSC-8-0936	Datalogic Power Supply, 3200VSi	\$20		
		Partner Net Price: \$12. Item Withdrawn		
7952-C154-9906	— Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US	\$10		
AC POWER	This item was previously listed as StoreNext PIN: PSC-6003-0941.	Partner Net Price: \$7.		
PSC-8-0937-01	Datalogic Power Adapter Cable	\$15		
		Partner Net Price: \$9. Item Withdrawn		
PSC-8-0938-02	Datalogic P-USB Cable, 3200VSi, 4.5 m (15 ft.)	\$30		
		Partner Net Price: \$18. Item Withdrawn		
PSC-8-0938-01	Datalogic USB Cable, 3200VSi, Type A, Straight, External Power, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-0731-09	Datalogic IBM, Port 17 Cable, 16 pin, 3200VSi, Power-Off-Terminal, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-8-0731-08	— Datalogic IBM, Port 9B Cable, 4 pin, 3200VSi, Power-Off-Terminal, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-0730-54	Datalogic RS-232 Cable, DB9 S, 3200VSi, External Power, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-0730-55	Datalogic RS-232 Cable, DB9P S for SNI Beetle, 3200VSi, External Power, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-0730-30	Datalogic RS-232 Cable, 9D for SNI Beetle, Power-Off-Terminal, 4.5m (15 ft.)	\$25		
		Partner Net Price: \$15. Item Withdrawn		
PSC-8-0735-03	Datalogic Keyboard Wedge Cable, 5/6, IBM, A/P, PCXT, 3200VSi, External Power, 4.5 m (15 ft.)	\$35		
		Partner Net Price: \$21. Item Withdrawn		



Magellan 2300HS

Magellan 2300HS: Options and Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-C153-9906	— PSC Power Supply, AC/DC, 120V, Wall Mount, US This item was previously listed as StoreNext PIN: PSC-4004-0851. ¶-Use with QuickScan 6500/6500BT and Magellan 2200VS or 2300HS. ¶-Replaces withdrawn item PSC-4004-0794	\$30		Partner Net Price: \$15.
PSC-4004-0799	— PSC Magellan 2200VS/2300HS US 120V Power Supply with Desk Top Plug	\$25		Partner Net Price: \$15. Item Withdrawn
7952-K206-V001	— PSC Magellan 2300HS Standard Counter Mount This item was previously listed as StoreNext PIN: PSC-11-0027.	\$35		Partner Net Price: \$21.
7952-C050-9906	— PSC Cable, Magellan 2200VS/2300H RS-232, PC D-Sub/9 PIN, 4.5m (15 Fresh Thyme.) This item was previously listed as StoreNext PIN: PSC-8-0227-48. ¶-Replaces withdrawn item PSC-8-0227-43	\$55		Partner Net Price: \$27. Price subject to change by manufacturer.
	Pricing and Release Notes ▶ Partner Net Price: \$27. Price subject to change by manufacturer. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
7952-C156-9906	— PSC Magellan 8500Xt/ 2200VS/ 2300HS, USB cable, Type A, E/P, RoHS, 4.5m (15 ft.) This item was previously listed as StoreNext PIN: PSC-8-0732-04. ¶-USB Type A cable. Requires external power supply kit (7952-C048-9906). ¶-For use with Magellan 8500Xt and 2200VS/2300H. ¶-Replaces withdrawn item PSC-8-0525-04	\$25		Partner Net Price: \$15.
TBS	PSC Magellan 2200VS/2300H Aux Port Cable for PSC RS232 Handhelds, 4.5m (15ft.) This item was previously listed as StoreNext PIN: PSC-8-0577-10.	\$35		Partner Net Price: \$21. Price subject to change by manufacturer.
	Pricing and Release Notes ▶ Partner Net Price: \$21. Price subject to change by manufacturer. Item may be withdrawn by vendor. Check availability and price with Order Entry. NCR Product ID to be supplied. ◀			



PIN	Description	List Price	Install Price	Maint Price
PSC-78000-00102-0000	PSC Magellan 2200VS Vertical Scanner with Riser Mount, Multi-Interface, RSS, FirstStrike S/W. No cable or Power Supply.	\$1,270	\$75	\$125

Partner Net Price: \$748.

[Pricing and Release Notes](#) ▶ ▶ Partner Net Price: \$748. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀



Magellan 2200VS

Magellan 2200VS: Options and Accessories

PIN	Description	List Price	Install Price	Maint Price
7952-C153-9906	— PSC Power Supply, AC/DC, 120V, Wall Mount, US This item was previously listed as StoreNext PIN: PSC-4004-0851. ¶-Use with QuickScan 6500/6500BT and Magellan 2200VS or 2300HS. ¶-Replaces withdrawn item PSC-4004-0794	\$30		Partner Net Price: \$15.
PSC-4004-0799	— PSC Magellan 2200VS/2300HS US 120V Power Supply with Desk Top Plug	\$25		Partner Net Price: \$15. Item Withdrawn
PSC-11-0022	PSC Magellan 2200VS Riser Mount	\$25		Partner Net Price: \$15.
	Pricing and Release Notes ▶ Partner Net Price: \$15. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
7952-C155-9906	— Datalogic Cable, RS-232 for Power Supply, 8500Xt/ 8400/ 8300/ 2200VS/ 2300HS Dsub 9-Pin, 15ft/4.5m This item was previously listed as StoreNext PIN: PSC-8-0730-04. ¶-Cable is 15 ft., 9 pin "D" connector, Socket, Power off external brick. Provides signal and power from POS terminal with non-powered RS-232 connector. Requires power supply and cable (7952-C152-9906). RoHS. ¶-Replaces withdrawn item PSC-8-0227-04	\$30		Partner Net Price: \$20.
7952-C050-9906	— PSC Cable, Magellan 2200VS/2300H RS-232, PC D-Sub/9 PIN, 4.5m (15 Fresh Thyme.) This item was previously listed as StoreNext PIN: PSC-8-0227-48. ¶-Replaces withdrawn item PSC-8-0227-43	\$55		Partner Net Price: \$27. Price subject to change by manufacturer.
	Pricing and Release Notes ▶ Partner Net Price: \$27. Price subject to change by manufacturer. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
PSC-8-0641-01	PSC Magellan 2200VS RS232, DB9, POT, 24V IN, 4.5m (15 ft.)	\$35		Partner Net Price: \$21.
	Pricing and Release Notes ▶ Partner Net Price: \$21. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			
7952-C156-9906	— PSC Magellan 8500Xt/ 2200VS/ 2300HS, USB cable, Type A, E/P, RoHS, 4.5m (15 ft.) This item was previously listed as StoreNext PIN: PSC-8-0732-04. ¶-USB Type A cable. Requires external power supply kit (7952-C048-9906). ¶-For use with Magellan 8500Xt and 2200VS/2300H. ¶-Replaces withdrawn item PSC-8-0525-04	\$25		Partner Net Price: \$15.
TBS	PSC Magellan 2200VS/2300H Aux Port Cable for PSC RS232 Handhelds, 4.5m (15ft.) This item was previously listed as StoreNext PIN: PSC-8-0577-10.	\$35		Partner Net Price: \$21. Price subject to change by manufacturer.
	Pricing and Release Notes ▶ Partner Net Price: \$21. Price subject to change by manufacturer. Item may be withdrawn by vendor. Check availability and price with Order Entry. NCR Product ID to be supplied. ◀			
PSC-8-0622	PSC 2200VS EAS Interlock Cable	\$15		Partner Net Price: \$9.
	Pricing and Release Notes ▶ Partner Net Price: \$9. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀			



QuickScan 2430

QuickScan 2430: Kits with Cable and Stand

PIN	Description	List Price	Install Price	Maint Price
7952-K460-V001	Datalogic QuickScan QD2430 2-D Imager Kit, Multi-Interface, USB Cable, Auto-Stand, Black	\$329	\$50	\$50
2430 USB KIT	This item was previously listed as StoreNext PIN: PSC-QD2430-BKK1B. ¶Includes QuickScan QD2430 scanner, USB cable and Auto-Stand. Corded unit. ¶Multi-interface: supports USB, RS-232, and Keyboard Wedge interfaces. ¶The standard USB cable (PSC-90A052065) takes sufficient power from the POS terminal, using a Type A USB connector. For use as an auxiliary scanner for Magellan, select the serial/RS-232 aux cable (7952-C082-9906 / PSC-90G001092).			Partner Net Price: \$151. Not Certified but there are no known ISS45 or ScanMaster problems with this item. A similar product was Certified.
7952-K460-V001	Datalogic QuickScan QD2430 2-D Imager Kit, Multi-Interface, USB Cable, Auto-Stand, Black	\$329	\$50	\$50
2430 USB KIT	This item was previously listed as StoreNext PIN: PSC-QD2430-BKK1B. ¶Includes QuickScan QD2430 scanner, USB cable and Auto-Stand. Corded unit. ¶Multi-interface: supports USB, RS-232, and Keyboard Wedge interfaces. ¶The standard USB cable (PSC-90A052065) takes sufficient power from the POS terminal, using a Type A USB connector. For use as an auxiliary scanner for Magellan, select the serial/RS-232 aux cable (7952-C082-9906 / PSC-90G001092).			Partner Net Price: \$151. Not Certified but there are no known ISS45 or ScanMaster problems with this item. A similar product was Certified.

QuickScan 2130: Kits with Cable and Stand

PIN	Description	List Price	Install Price	Maint Price
7952-K242-V002	Datalogic QuickScan QD2131 Linear Imager Kit, Multi-Interface, USB Cable, Stand, Black	\$216	\$50	\$50
2131 USB KIT	This item was previously listed as StoreNext PIN: PSC-QD2131-BKK1S. ¶Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port. ¶Kit includes 2130 Imager, Black Gooseneck Stand (7952-K246-V001) and USB Cable (7952-C076-9906). ¶Note: the price is lower if you purchase the components of this kit separately. See section immediately above. Don't ask. ¶Replaces withdrawn item PSC-QD2130-BKK1S			Partner Net Price: \$99.
7952-K242-V001	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, USB Cable, Stand, Black	\$195	\$50	\$50
USB KIT	This item was previously listed as StoreNext PIN: PSC-QD2130-BKK1S. ¶Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port. ¶Kit includes 2130 Imager, Black Gooseneck Stand (7952-K246-V001) and USB Cable (7952-C076-9906). ¶Note: the price is lower if you purchase the components of this kit separately. See section immediately above. Don't ask. ¶This item withdrawn and replaced by PSC-QD2131-BKK1S			Partner Net Price: \$106. Not Certified but there are no known ISS45 or ScanMaster problems with this item. A similar product was Certified.
TBS	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, USB Cable, Stand, White	\$195	\$50	\$50
USB CBL	This item was previously listed as StoreNext PIN: PSC-QD2130-WHK1S. ¶Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port. ¶Kit includes 2130 Imager, White Gooseneck Stand (7952-K247-V001) and USB Cable (7952-C076-9906). ¶Note: the price is lower if you purchase the black version (instead of white) with the components of the kit separately. See section above. Don't ask.			Partner Net Price: \$125. NCR Product ID to be supplied.
7952-K243-V001	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, Keyboard Wedge Cable, Stand, Black	\$195	\$50	\$50
KBW KIT	This item was previously listed as StoreNext PIN: PSC-QD2130-BKK3S. ¶Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port. ¶Kit includes 2130 Imager, Black Gooseneck Stand (7952-K246-V001) and Keyboard Wedge-PS/2 Cable (PSC-90G001010).			Partner Net Price: \$125.



TBS	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, Keyboard Wedge Cable, Stand, White	\$195	\$50	\$50
KBW KIT	<p>This item was previously listed as StoreNext PIN: PSC-QD2130-WHK3S.</p> <p>¶-Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port.</p> <p>¶-Kit includes 2130 Imager, White Gooseneck Stand (7952-K247-V001) and Keyboard Wedge-PS/2 Cable (PSC-90G001010).</p>		<p>Partner Net Price: \$125. NCR Product ID to be supplied.</p>	

QuickScan 2130: Kits with Cable	List Price	Install Price	Maint Price
PIN Description			

PSC-QD2130-BKK1 — Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, USB Cable, No Stand, Black	\$170	\$50	\$50
--	--------------	-------------	-------------

USB CBL	<p>Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port.</p> <p>¶-Kit includes 2130 Imager and USB Cable (7952-C076-9906). Stand not included.</p>	<p>Partner Net Price: \$109.</p>	
----------------	---	----------------------------------	--

TBS	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, Keyboard Wedge Cable, No Stand, Black	\$170	\$50	\$50
------------	---	--------------	-------------	-------------

KBW CBL	<p>This item was previously listed as StoreNext PIN: PSC-QD2130-BKK3.</p> <p>¶-Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port.</p> <p>¶-Kit includes 2130 Imager and Keyboard Wedge-PS/2 Cable (PSC-90G001010). Stand not included.</p>		<p>Partner Net Price: \$109. NCR Product ID to be supplied.</p>	
----------------	--	--	---	--

TBS	Datalogic QuickScan 2130 Linear Imager Kit, Multi-Interface, Keyboard Wedge Cable, No Stand, White	\$170	\$50	\$50
------------	---	--------------	-------------	-------------

KBW CBL	<p>This item was previously listed as StoreNext PIN: PSC-QD2130-WHK3.</p> <p>¶-Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port.</p> <p>¶-Kit includes 2130 Imager and Keyboard Wedge-PS/2 Cable (PSC-90G001010). Stand not included.</p>		<p>Partner Net Price: \$109. NCR Product ID to be supplied.</p>	
----------------	--	--	---	--

QuickScan 2130: Scanner-Only	List Price	Install Price	Maint Price
PIN Description			

7952-K241-V001 — Datalogic QuickScan 2130 Linear Imager, Multi-Interface, No Cable, No Stand, Black	\$170	\$50	\$50
--	--------------	-------------	-------------

QS ONLY	<p>This item was previously listed as StoreNext PIN: PSC-QD2130-BK.</p> <p>¶-Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. P-USB cables is not required. External power is only required if none is available from the interface connector. ¶-Includes 2130 Imager only. Stand and Cable not included.</p>		<p>Partner Net Price: \$93.</p>	
----------------	--	--	---------------------------------	--

TBS	Datalogic QuickScan 2130 Linear Imager, Multi-Interface, No Cable, No Stand, White	\$170	\$50	\$50
------------	---	--------------	-------------	-------------

QS ONLY	<p>This item was previously listed as StoreNext PIN: PSC-QD2130-WH.</p> <p>¶-Linear Imager includes interfaces for Wand Type, USB, RS-232 and Keyboard Wedge. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. A powered USB (P-USB) connection is not required. External power is required when no power is provided by the terminal interface port.</p> <p>¶-Includes 2130 Imager only. Stand and Cable not included.</p>		<p>Partner Net Price: \$109. NCR Product ID to be supplied.</p>	
----------------	---	--	---	--



QuickScan 2110: Scanner-Only

PIN	Description	List Price	Install Price	Maint Price
7952-K240-V001	— Datalogic QuickScan 2110 Linear Imager, Multi-Interface for IBM 4690, No Cable, No Stand, Black	\$180	\$50	\$50
<div style="background-color: black; color: white; padding: 2px; display: inline-block;">Black</div>	<p>This item was previously listed as StoreNext PIN: PSC-QD2110-BK. ¶-This version is designed for use with IBM 4690 O/S and applications, not for ISS45 or ScanMaster. Linear Imager includes interfaces for IBM 46xx, USB and RS-232. Power is drawn from a standard RS-232 connector (with 5VDC on pin #9) or standard USB or PS/2 connector. P-USB cables is not required. External power is only required if none is available from the interface connector. ¶-Includes 2110 Imager only. Stand and Cable not included.</p>		Partner Net Price: \$115.	
PSC-QD2110-WH	— Datalogic QuickScan 2110 Linear Imager, Multi-Interface for IBM 4690, No Cable, No Stand, White	\$180	\$50	\$50
			Partner Net Price: \$115. Item	Withdrawn



QuickScan 21xx

QuickScan 21xx: Cables and Options

PIN	Description	List Price	Install Price	Maint Price
7952-K246-V001	Datalogic QuickScan 21xx Linear Imager Gooseneck Stand Only, Black	\$25		
STAND	This item was previously listed as StoreNext PIN: PSC-STD-QD20-BK. ¶-Gooseneck stand for use with the QuickScan 21xx and QD 23xx. Black. Included in some kits above: see configuration description.		Partner Net Price: \$17.	
PSC-11-0362	Datalogic Multi-Purpose Holder for Hand-Held Scanners, Gray	\$15		
			Partner Net Price: \$9. Item Withdrawn	
7952-C076-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17		
USB STRT.	This item was previously listed as StoreNext PIN: PSC-90A052044. ¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).		Partner Net Price: \$11.	
TBS	Datalogic QuickScan 21xx Linear Imager Cable, Keyboard Wedge-PS/2 Cable Only, 6.5 ft.	\$16		
KBW	This item was previously listed as StoreNext PIN: PSC-90G001010. ¶-Keyboard Wedge cable for use with QuickScan I 2130 Linear Imager. 6.5 ft. Included in some kits above: see configuration description.		Partner Net Price: \$11. NCR Product ID to be supplied.	
7952-C069-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.		Partner Net Price: \$17.	
7952-C083-9906	Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 12 ft.	\$29		
MAG-AUX	This item was previously listed as StoreNext PIN: PSC-90G001095. ¶-Use this cable to connect the QuickScan I 21xx Linear Imager to the auxiliary scanner port on a Magellan scanner. Coiled cable is 12 ft. extended. ¶-Provides power and signal from hand-held scanner/imager to Magellan Auxiliary Port. Coiled cable, 12 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxiliary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.		Partner Net Price: \$19.	
PSC-90A051978	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM 46xx Port 9/Port E, Coiled, 7 ft.	\$24		
			Partner Net Price: \$16. Item Withdrawn	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.		Partner Net Price: \$17.	
	Pricing Note ▶ ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			



TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM PS/2 Coiled Mini DIN Wedge, 6 ft.	\$25
RS-232 DIN	This item was previously listed as StoreNext PIN: PSC-90A051360. ¶-For Gryphon, Dragon, Lynx, Heron, Touch: Keyboard Wedge, 6', 6 pin Mini DIN connectors, Socket (Keyboard end), Plug (Computer end), Power off the Terminal.Coiled, Direct-connect cable: for IBM (or compatible) computer type PS/2 with US or foreign keyboard (Cable type 365).	Partner Net Price: \$17. NCR Product ID to be supplied.
7952-C070-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft.	\$17
USB PWR	This item was previously listed as StoreNext PIN: PSC-90A051902. ¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.	Partner Net Price: \$11.
7952-C072-9906	— Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26
USB PWR	This item was previously listed as StoreNext PIN: PSC-90A051922.	Partner Net Price: \$17.
7952-C071-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft.	\$48
P-USB	This item was previously listed as StoreNext PIN: PSC-90A051903. ¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).	Partner Net Price: \$32.
7952-C161-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft.	\$17
USB STRT.	This item was previously listed as StoreNext PIN: PSC-90A051945. ¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal. Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.	Partner Net Price: \$11.
7952-C081-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16
RS-232 DB9	This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).	Partner Net Price: \$11.
7952-C075-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Coiled, 8 ft.	\$36
USB COIL	This item was previously listed as StoreNext PIN: PSC-90A052043. ¶-For Gryphon4xxx, QuickSan Laser, QuickScan Imager:USB, 2.6 Meter (8'), USB Type A, Plug, Power off Terminal, Coiled. Direct-connect cable: for IBM and clone base PCs (Cable type 424E).	Partner Net Price: \$24.
7952-C076-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17
USB STRT.	This item was previously listed as StoreNext PIN: PSC-90A052044. ¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).	Partner Net Price: \$11.



7952-C077-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced Powered USB, Straight, 6 ft.	\$48
P-USB This item was previously listed as StoreNext PIN: PSC-90A052045. ¶-For Quicksan Laser or QuickScan Imager with IBM USB - 2 Meter (6'), USB PowerPlus, Plug, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB.	Partner Net Price: \$32.
7952-C072-9906 — Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26
USB PWR This item was previously listed as StoreNext PIN: PSC-90A051922.	Partner Net Price: \$17.
PSC-90A051710 — Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)	\$16
	Partner Net Price: \$11. Item Withdrawn
7952-C072-9906 — Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26
USB PWR This item was previously listed as StoreNext PIN: PSC-90A051922.	Partner Net Price: \$17.
7952-C082-9906 — Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27
MAG-AUX This item was previously listed as StoreNext PIN: PSC-90G001092. ¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.	Partner Net Price: \$18.
7952-C080-9906 — Datalogic Universal Power Supply Unit, Gryphon/ QuickScan/ Heron, 5VDC, with US Power Cord (PG5-05P55-US/PSC-8-0935)	\$25
P/S This item was previously listed as StoreNext PIN: PSC-90ACC1893. ¶-Universal power supply, provides 5VDC. Powers QuickScan 21xx and Gryphon Linear Imager if power-off-terminal is not available. Injects power into the interface cable at the terminal end. ¶-Includes Universal Power supply (PSC-90ACC1882) and Power Cord (PSC-90ACC1882).	Partner Net Price: \$17.
PSC-90ACC1882 — Datalogic Universal Power Supply Unit, Gryphon/ QuickScan/ Heron/ PowerScan, 5VDC, No Power Cord (PG5-05P55 only)	\$23
	Partner Net Price: \$15. Item Withdrawn
7952-C079-9906 — Datalogic Cable, AC Power Cord for Universal Power Supply Unit (2-pin)	\$4
AC MAINS This item was previously listed as StoreNext PIN: PSC-90ACC1886. ¶-Provides power for Datalogic universal power supply (PSC-90ACC1882)	Partner Net Price: \$3.
TBS Datalogic QuickScan 21xx Linear Imager Replacement Windows - Pack of 5	\$15
This item was previously listed as StoreNext PIN: PSC-11-0318.	Partner Net Price: \$10.
Pricing Note ▶ Partner Net Price: \$10. NCR Product ID to be supplied. ◀	



QuickScan Mobile M2130 Linear Imager

QuickScan Mobile M2130 Linear Imager: Cables and Options

PIN	Description	List Price	Install Price	Maint Price
7952-C080-9906	— Datalogic Universal Power Supply Unit, Gryphon/ QuickScan/ Heron, 5VDC, with US Power Cord (PG5-05P55-US/PSC-8-0935)	\$25		
P/S	This item was previously listed as StoreNext PIN: PSC-90ACC1893. ¶-Universal power supply, provides 5VDC. Powers QuickScan 21xx and Gryphon Linear Imager if power-off-terminal is not available. Injects power into the interface cable at the terminal end. ¶-Includes Universal Power supply (PSC-90ACC1882) and Power Cord (PSC-90ACC1882).		Partner Net Price: \$17.	
PSC-90ACC1945	— Datalogic QuickScan Mobile Battery Pack	\$20		
	Pricing and Release Notes ▶ Partner Net Price: \$13. Accessory for withdrawn product. Check availability with Order Entry. Price may change without notice. ◀		Partner Net Price: \$13.	
7952-C066-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight	\$19		
DB9F PWR	This item was previously listed as StoreNext PIN: PSC-90A051230. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)		Partner Net Price: \$13.	
7952-C067-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25		
DB9F	This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.		Partner Net Price: \$17.	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.		Partner Net Price: \$17.	
	Pricing Note ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM PS/2 Coiled Mini DIN Wedge, 6 ft.	\$25		
RS-232 DIN	This item was previously listed as StoreNext PIN: PSC-90A051360. ¶-For Gryphon, Dragon, Lynx, Heron, Touch: Keyboard Wedge, 6', 6 pin Mini DIN connectors, Socket (Keyboard end), Plug (Computer end), Power off the Terminal.Coiled, Direct-connect cable: for IBM (or compatible) computer type PS/2 with US or foreign keyboard (Cable type 365).		Partner Net Price: \$17. NCR Product ID to be supplied.	
PSC-90A051710	— Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)	\$16		
			Partner Net Price: \$11. Item Withdrawn	
7952-C069-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.		Partner Net Price: \$17.	



7952-C070-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft.	\$17
USB PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051902.</p> <p>¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.</p>	Partner Net Price: \$11.
7952-C072-9906	— Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26
USB PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051922.</p>	Partner Net Price: \$17.
7952-C161-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft.	\$17
USB STRT.	<p>This item was previously listed as StoreNext PIN: PSC-90A051945.</p> <p>¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.</p>	Partner Net Price: \$11.
7952-C071-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft.	\$48
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-90A051903.</p> <p>¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).</p>	Partner Net Price: \$32.
TBS	Datalogic QuickScan 21xx Linear Imager Cable, Keyboard Wedge-PS/2 Cable Only, 6.5 ft.	\$16
KBW	<p>This item was previously listed as StoreNext PIN: PSC-90G001010.</p> <p>¶-Keyboard Wedge cable for use with QuickScan I 2130 Linear Imager. 6.5 ft. Included in some kits above: see configuration description.</p>	Partner Net Price: \$11. NCR Product ID to be supplied.
7952-C081-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16
RS-232 DB9	<p>This item was previously listed as StoreNext PIN: PSC-90G001070.</p> <p>¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).</p>	Partner Net Price: \$11.
7952-C082-9906	— Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27
MAG-AUX	<p>This item was previously listed as StoreNext PIN: PSC-90G001092.</p> <p>¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.</p>	Partner Net Price: \$18.
PSC-90ACC1877	— Datalogic HDD II Software Configuration Manual	\$16
		Partner Net Price: \$11. Item Withdrawn
PSC-90A401007	— Datalogic QuickScan Mobile M2130 Base Station, 910MHz, Black	\$202
		Partner Net Price: \$131.

Pricing and Release Notes ▶ Partner Net Price: \$131. Accessory for withdrawn product. Check availability with Order Entry. Price may change without notice. ◀



PSC-90A401006 — Datalogic QuickScan Mobile M2130 Base Station, 910MHz, White **\$202**

Partner Net Price: \$131.

Pricing and Release Notes ▶ ▶ Partner Net Price: \$131. Accessory for withdrawn product. Check availability with Order Entry. Price may change without notice. ◀



STRICTLY CONFIDENTIAL. This document and information is supplied to NCR AUTHORIZED SOLUTION PROVIDERS ONLY to assist them in doing business with NCR. It may not be used or distributed for any other purpose. NCR endeavors to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission. © Copyright 2016 NCR Corporation

MB-SS-1210 Issue 20

Page 66 of 87

Datalogic Gryphon GD4130 Linear Imager

Datalogic Gryphon GD4130 Linear Imager: Imagers and Kits

PIN	Description	List Price	Install Price	Maint Price
PSC-GD4130-BKK1	Datalogic Gryphon GD4130 Linear Imager Kit, Multi-Interface, USB-A Cable 6ft., Black	\$239	\$50	\$50
4130 KIT	Includes scanner and USB cable (7952-C076-9906, USB-A Cable, POT, RoHS, 6 ft.). Stand or holder must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required. ¶-1D Linear Imager — does not scan 2-D barcodes.	Partner Net Price: \$130.		
TBS	Datalogic Gryphon GD4130 Linear Imager Kit, Multi-Interface, USB-A Cable 6ft., White	\$239	\$50	\$50
4130 KIT	This item was previously listed as StoreNext PIN: PSC-GD4130-WHK1. ¶-Includes scanner and USB cable (7952-C076-9906, USB-A Cable, POT, RoHS, 6 ft.). Stand or holder must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required. ¶-1D Linear Imager — does not scan 2-D barcodes.	Partner Net Price: \$153. NCR Product ID to be supplied.		
TBS	Datalogic Gryphon GD4130 Linear Imager Scanner-Only, Multi-Interface, Black	\$226	\$50	\$50
4130 ONLY	This item was previously listed as StoreNext PIN: PSC-GD4130-BK. ¶-Scanner only. Requires cable (such as 7952-C073-9906), Stand/holder, and/or power supply must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. ¶-1D Linear Imager — does not scan 2-D barcodes. ¶-For use with StorePoint and the IBM SurePOS 500 series terminals, USB connection with cable 7952-C070-9906 is recommended.	Partner Net Price: \$123. NCR Product ID to be supplied.		
TBS	Datalogic Gryphon GD4130 Linear Imager Scanner-Only, Multi-Interface, White	\$226	\$50	\$50
4130 ONLY	This item was previously listed as StoreNext PIN: PSC-GD4130-WH.	Partner Net Price: \$144.		
Pricing Note ▶ ▶ Partner Net Price: \$144. NCR Product ID to be supplied. ◀				



Datalogic Gryphon GD4130 Linear Imager

Datalogic Gryphon GD4130 Linear Imager: Cables and Accessories		List Price	Install Price	Maint Price
PIN	Description			
PSC-90A051977	Datalogic Cable, QuickScan 21xx/Gryphon IBM 46xx Port 5	\$24		
		Partner Net Price: \$16. Item Withdrawn		
7952-C074-9906	Datalogic Gryphon IBM 46xx Port 9B Cable	\$27		
IBM PORT9B	This item was previously listed as StoreNext PIN: PSC-90A052042. ¶-For use with IBM 46xx O/S and hardware. Use with Gryphon model D412+.	Partner Net Price: \$18.		
PSC-90A051978	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM 46xx Port 9/Port E, Coiled, 7 ft.	\$24		
		Partner Net Price: \$16. Item Withdrawn		
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM PS/2 Coiled Mini DIN Wedge, 6 ft.	\$25		
RS-232 DIN	This item was previously listed as StoreNext PIN: PSC-90A051360. ¶-For Gryphon, Dragon, Lynx, Heron, Touch: Keyboard Wedge, 6', 6 pin Mini DIN connectors, Socket (Keyboard end), Plug (Computer end), Power off the Terminal.Coiled, Direct-connect cable: for IBM (or compatible) computer type PS/2 with US or foreign keyboard (Cable type 365).	Partner Net Price: \$17. NCR Product ID to be supplied.		
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.	Partner Net Price: \$17.		
	Pricing Note ▶ ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			
7952-C067-9906	Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25		
DB9F	This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.	Partner Net Price: \$17.		
7952-C069-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.	Partner Net Price: \$17.		
7952-C081-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16		
RS-232 DB9	This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).	Partner Net Price: \$11.		
7952-C066-9906	Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight	\$19		
DB9F PWR	This item was previously listed as StoreNext PIN: PSC-90A051230. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)	Partner Net Price: \$13.		



PSC-90A051710 — Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)	\$16	Partner Net Price: \$11. Item Withdrawn
7952-C082-9906 — Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27	Partner Net Price: \$18.
MAG-AUX	<p>This item was previously listed as StoreNext PIN: PSC-90G001092.</p> <p>¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.</p>	
7952-C071-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft.	\$48	Partner Net Price: \$32.
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-90A051903.</p> <p>¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).</p>	
7952-C077-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced Powered USB, Straight, 6 ft.	\$48	Partner Net Price: \$32.
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-90A052045.</p> <p>¶-For Quickscan Laser or QuickScan Imager with IBM USB - 2 Meter (6'), USB PowerPlus, Plug, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB.</p>	
7952-C075-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Coiled, 8 ft.	\$36	Partner Net Price: \$24.
USB COIL	<p>This item was previously listed as StoreNext PIN: PSC-90A052043.</p> <p>¶-For Gryphon4xxx, QuickSan Laser, QuickScan Imager:USB, 2.6 Meter (8'), USB Type A, Plug, Power off Terminal, Coiled. Direct-connect cable: for IBM and clone base PCs (Cable type 424E).</p>	
7952-C072-9906 — Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26	Partner Net Price: \$17.
USB PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051922.</p>	
7952-C070-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft.	\$17	Partner Net Price: \$11.
USB PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051902.</p> <p>¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.</p>	
7952-C076-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17	Partner Net Price: \$11.
USB STRT.	<p>This item was previously listed as StoreNext PIN: PSC-90A052044.</p> <p>¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).</p>	
7952-C161-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft.	\$17	Partner Net Price: \$11.
USB STRT.	<p>This item was previously listed as StoreNext PIN: PSC-90A051945.</p> <p>¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.</p>	



PSC-HLD-G040-BK — Datalogic Multi-Purpose Holder, Desk/Wall Mount, for Hand-Held Scanners, Black	\$18
	Partner Net Price: \$11. Item Withdrawn
PSC-HLD-G040-WH — Datalogic Multi-Purpose Holder, Desk/Wall Mount, for Hand-Held Scanners, White	\$18
	Partner Net Price: \$11. Item Withdrawn
PSC-90ACC1790 — Datalogic Gryphon D432/D412 Desk/Wall Holder, Gray	\$18
	Partner Net Price: \$12. Item Withdrawn
PSC-11-0362 Datalogic Multi-Purpose Holder for Hand-Held Scanners, Gray	\$15
	Partner Net Price: \$9. Item Withdrawn
7952-K245-V001 — Datalogic Multi-Purpose Stand, Basic, for Hand-Held Scanners, Black	\$25
BAS STAND	This item was previously listed as StoreNext PIN: PSC-STD-G040-BK. ¶-Basic stand for hand-held scanners, for use with GD4100, GD4400, and GD4300 ¶-This stand is dark gray-to-black in color.
	Partner Net Price: \$15.
PSC-STD-G040-WH — Datalogic Multi-Purpose Stand, Basic, for Hand-Held Scanners, White	\$25
	Partner Net Price: \$15. Item Withdrawn
PSC-STD-AUTO-G040-BK — Datalogic Multi-Purpose Stand, Smart-Stand, for Hand-Held Scanners, Black	\$34
	Partner Net Price: \$21. Item Withdrawn
PSC-STD-AUTO-G040-WH — Datalogic Multi-Purpose Stand, Smart-Stand, for Hand-Held Scanners, White	\$34
	Partner Net Price: \$21. Item Withdrawn
7952-C160-9906 — Datalogic Power Adapter, AC/DC Regulated, RoHS	\$23
P/S	This item was previously listed as StoreNext PIN: PSC-8-0935. ¶-AC/DC adapter for use with GBT4100, GBT4400, GD4100, GM4100, GM4400, 3200VSi, 3300HSi, 8500Xt, PBT8300
	Partner Net Price: \$15.



Datalogic Gryphon GD4430 2-D Imager

Datalogic Gryphon GD4430 2-D Imager: Imagers and Kits		List Price	Install Price	Maint Price
PIN	Description			
7952-K237-V001	— Datalogic Gryphon GD4430 2-D Imager Kit, Multi-Interface, USB-A Cable 6ft., Stand, Black	\$448	\$50	\$50
4430 KIT	This item was previously listed as StoreNext PIN: PSC-GD4430-BKK1S. ¶-Includes scanner, stand (7952-K245-V001) and USB cable (7952-C076-9906, USB-A Cable, POT, RoHS, 6 ft.). Stand or holder must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required.		Partner Net Price: \$214.	
7952-K234-V001	— Datalogic Gryphon GD4430 2-D Imager Scanner-Only, Multi-Interface, Black	\$406	\$50	\$50
4430 ONLY	This item was previously listed as StoreNext PIN: PSC-GD4430-BK. ¶-Includes scanner only. Corded unit. Stand/holder, cable and/or power supply must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces.		Partner Net Price: \$194.	
7952-K234-V001	— Datalogic Gryphon GD4430 2-D Imager Scanner-Only, Multi-Interface, Black	\$406	\$50	\$50
4430 ONLY	This item was previously listed as StoreNext PIN: PSC-GD4430-BK. ¶-Includes scanner only. Corded unit. Stand/holder, cable and/or power supply must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces.		Partner Net Price: \$194.	
Datalogic Gryphon GD4430 2-D Imager, All-in-One: Imager Kits		List Price	Install Price	Maint Price
PIN	Description			
7952-K236-V001	— Datalogic Gryphon GD4430 2-D Imager Kit, Multi-Interface, Scanner with All-In-One with Permanent Base, USB-A Cable 6ft., Black	\$478	\$50	\$50
4430 KIT	This item was previously listed as StoreNext PIN: PSC-GD4430-BKK1B. ¶-Includes scanner, built-in base/stand and USB cable (7952-C076-9906, USB-A Cable, POT, RoHS, 6 ft.). ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required.		Partner Net Price: \$228.	
7952-K235-V001	— Datalogic Gryphon GD4430 2-D Imager, Multi-Interface, Scanner with All-In-One with Permanent Base, Black	\$461	\$50	\$50
4430 ALL-1	This item was previously listed as StoreNext PIN: PSC-GD4430-BK-B. ¶-Includes scanner and built-in base/stand. Cable and/or power supply must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required.		Partner Net Price: \$220.	



Datalogic Gryphon GD4430 2-D Imager

Datalogic Gryphon GD4430 2-D Imager: Cables and Accessories

PIN	Description	List Price	Install Price	Maint Price
PSC-90ACC1903	Datalogic Gryphon ADP-203 Wedge to USB Adapter Cable	\$24		
		Partner Net Price: \$16. Item Withdrawn		
PSC-90A051977	Datalogic Cable, QuickScan 21xx/Gryphon IBM 46xx Port 5	\$24		
		Partner Net Price: \$16. Item Withdrawn		
7952-C074-9906	Datalogic Gryphon IBM 46xx Port 9B Cable	\$27		
IBM PORT9B	This item was previously listed as StoreNext PIN: PSC-90A052042. ¶-For use with IBM 46xx O/S and hardware. Use with Gryphon model D412+.	Partner Net Price: \$18.		
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.	Partner Net Price: \$17.		
	Pricing Note ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			
7952-C067-9906	Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25		
DB9F	This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.	Partner Net Price: \$17.		
7952-C069-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.	Partner Net Price: \$17.		
7952-C081-9906	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16		
RS-232 DB9	This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).	Partner Net Price: \$11.		
7952-C066-9906	Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight	\$19		
DB9F PWR	This item was previously listed as StoreNext PIN: PSC-90A051230. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)	Partner Net Price: \$13.		
PSC-90A051710	Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)	\$16		
		Partner Net Price: \$11. Item Withdrawn		



7952-C082-9906	— Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27
MAG-AUX	This item was previously listed as StoreNext PIN: PSC-90G001092. ¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.	Partner Net Price: \$18.
7952-C071-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft.	\$48
P-USB	This item was previously listed as StoreNext PIN: PSC-90A051903. ¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).	Partner Net Price: \$32.
7952-C072-9906	— Datalogic QuickScan 21xx Linear Imager Cable, USB Type A, Opt-Pwr, Coiled	\$26
USB PWR	This item was previously listed as StoreNext PIN: PSC-90A051922.	Partner Net Price: \$17.
7952-C070-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft.	\$17
USB PWR	This item was previously listed as StoreNext PIN: PSC-90A051902. ¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.	Partner Net Price: \$11.
7952-C076-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17
USB STRT.	This item was previously listed as StoreNext PIN: PSC-90A052044. ¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).	Partner Net Price: \$11.
7952-C161-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft.	\$17
USB STRT.	This item was previously listed as StoreNext PIN: PSC-90A051945. ¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.	Partner Net Price: \$11.
PSC-HLD-G040-BK	— Datalogic Multi-Purpose Holder, Desk/Wall Mount, for Hand-Held Scanners, Black	\$18
		Partner Net Price: \$11. Item Withdrawn
PSC-HLD-G040-WH	— Datalogic Multi-Purpose Holder, Desk/Wall Mount, for Hand-Held Scanners, White	\$18
		Partner Net Price: \$11. Item Withdrawn
PSC-11-0362	Datalogic Multi-Purpose Holder for Hand-Held Scanners, Gray	\$15
		Partner Net Price: \$9. Item Withdrawn



7952-K245-V001 — Datalogic Multi-Purpose Stand, Basic, for Hand-Held Scanners, **\$25**

Black

BAS STAND

This item was previously listed as StoreNext PIN: PSC-STD-G040-BK.

Partner Net Price: \$15.

¶-Basic stand for hand-held scanners, for use with GD4100, GD4400, and GD4300 ¶-This stand is dark gray-to-black in color.

PSC-STD-G040-WH — Datalogic Multi-Purpose Stand, Basic, for Hand-Held Scanners, White

\$25

Partner Net Price: \$15. Item Withdrawn



Datalogic Gryphon GBT4100 Linear Imager

Datalogic Gryphon GBT4100 Linear Imager: Imagers and Kits

PIN	Description	List Price	Install Price	Maint Price
7952-0319-9906	— Datalogic Gryphon GBT4100 Linear Imager, Bluetooth, Scanner-Only, Multi-Interface, Black	\$378	\$50	\$50
<div style="background-color: black; color: white; padding: 2px;">4100 ONLY</div>	<p>This item was previously listed as StoreNext PIN: PSC-GBT4100-BK.</p> <p>¶-Includes scanner only. Stand/holder, charger, cable and/or power supply must be ordered separately. ¶-Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. ¶-1D Linear Imager — does not scan 2-D barcodes.</p>	Partner Net Price: \$180.		



Datalogic Gryphon GBT4100 Linear Imager

Datalogic Gryphon GBT4100 Linear Imager: Cables and Accessories		List Price	Install Price	Maint Price
PIN	Description			
7952-K230-V001	— Datalogic Base/Charger, Gryphon GBT4100/ GBT4400, RS-232/USB/KBW/Wand Emulation Multi-Interface, Black	\$267		
BASE/CHG	This item was previously listed as StoreNext PIN: PSC-BC4030-BK-BT.		Partner Net Price: \$128.	
PSC-RBP-GM40	— Datalogic Gryphon GM4100/GBT4100 Mobile Battery Pack	\$27		
			Partner Net Price: \$16. Item Withdrawn	
7952-C074-9906	— Datalogic Gryphon IBM 46xx Port 9B Cable	\$27		
IBM PORT9B	This item was previously listed as StoreNext PIN: PSC-90A052042. ¶-For use with IBM 46xx O/S and hardware. Use with Gryphon model D412+.		Partner Net Price: \$18.	
PSC-90A051978	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM 46xx Port 9/Port E, Coiled, 7 ft.	\$24		
			Partner Net Price: \$16. Item Withdrawn	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM PS/2 Coiled Mini DIN Wedge, 6 ft.	\$25		
RS-232 DIN	This item was previously listed as StoreNext PIN: PSC-90A051360. ¶-For Gryphon, Dragon, Lynx, Heron, Touch: Keyboard Wedge, 6', 6 pin Mini DIN connectors, Socket (Keyboard end), Plug (Computer end), Power off the Terminal.Coiled, Direct-connect cable: for IBM (or compatible) computer type PS/2 with US or foreign keyboard (Cable type 365).		Partner Net Price: \$17. NCR Product ID to be supplied.	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.		Partner Net Price: \$17.	
	Pricing Note ▶ ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			
7952-C067-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25		
DB9F	This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.		Partner Net Price: \$17.	
7952-C069-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.		Partner Net Price: \$17.	
7952-C081-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16		
RS-232 DB9	This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).		Partner Net Price: \$11.	



7952-C066-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight	\$19
DB9F PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051230.</p> <p>¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)</p>	Partner Net Price: \$13.
PSC-90A051710	— Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight	\$16
	(Cable 388)	
		Partner Net Price: \$11. Item Withdrawn
7952-C082-9906	— Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27
MAG-AUX	<p>This item was previously listed as StoreNext PIN: PSC-90G001092.</p> <p>¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.</p>	Partner Net Price: \$18.
7952-C071-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft.	\$48
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-90A051903.</p> <p>¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).</p>	Partner Net Price: \$32.
7952-C077-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced Powered USB, Straight, 6 ft.	\$48
P-USB	<p>This item was previously listed as StoreNext PIN: PSC-90A052045.</p> <p>¶-For Quickscan Laser or QuickScan Imager with IBM USB - 2 Meter (6'), USB PowerPlus, Plug, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB.</p>	Partner Net Price: \$32.
7952-C075-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Coiled, 8 ft.	\$36
USB COIL	<p>This item was previously listed as StoreNext PIN: PSC-90A052043.</p> <p>¶-For Gryphon4xxx, QuickSan Laser, QuickScan Imager:USB, 2.6 Meter (8'), USB Type A, Plug, Power off Terminal, Coiled. Direct-connect cable: for IBM and clone base PCs (Cable type 424E).</p>	Partner Net Price: \$24.
7952-C070-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft.	\$17
USB PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051902.</p> <p>¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.</p>	Partner Net Price: \$11.
7952-C076-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17
USB STRT.	<p>This item was previously listed as StoreNext PIN: PSC-90A052044.</p> <p>¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).</p>	Partner Net Price: \$11.



7952-C161-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft. \$17

USB STRT.

This item was previously listed as StoreNext PIN: PSC-90A051945.

Partner Net Price: \$11.

¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.

7952-C160-9906 — Datalogic Power Adapter, AC/DC Regulated, RoHS \$23

P/S

This item was previously listed as StoreNext PIN: PSC-8-0935.

Partner Net Price: \$15.

¶-AC/DC adapter for use with GBT4100, GBT4400, GD4100, GM4100, GM4400, 3200VSi, 3300HSi, 8500Xt, PBT8300

7952-C154-9906 — Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US \$10

AC POWER

This item was previously listed as StoreNext PIN: PSC-6003-0941.

Partner Net Price: \$7.



Datalogic Gryphon GBT4400 2-D Imager

Datalogic Gryphon GBT4400 2-D Imager: Imagers and Kits

PIN	Description	List Price	Install Price	Maint Price
7952-0168-9906	— Datalogic Gryphon GBT4400 2-D Imager, Bluetooth, Scanner-Only, Multi-Interface, Black 4400 ONLY This item was previously listed as StoreNext PIN: PSC-GBT4400-BK. ¶Includes scanner only. Stand/holder, charger, cable and/or power supply must be ordered separately. ¶Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces.	\$628	\$50	\$50
			Partner Net Price: \$300.	
7952-K232-V001	— Datalogic Gryphon GBT4430 2-D Imager Kit, USB/Multi Interface, Base/Charger, USB-A Cable 2m., Black 4430BT KIT This item was previously listed as StoreNext PIN: PSC-GBT4430-BK-BTK1. ¶Includes scanner, built-in base/stand/charger (7952-K230-V001) and USB cable (PSC-90A052065, USB-A Cable, POT, RoHS, 2 meters). ¶Multi-interface: supports USB, RS-232, Keyboard Wedge and Wand interfaces. This kit normally ships with the scanner set for the USB interface to match the cable, but this is not guaranteed and setup may be required.	\$912	\$50	\$50
			Partner Net Price: \$435.	



Datalogic Gryphon GBT4400 and GBT4430

Datalogic Gryphon GBT4400 and GBT4430: Cables and Accessories		List Price	Install Price	Maint Price
PIN	Description			
7952-K230-V001	— Datalogic Base/Charger, Gryphon GBT4100/ GBT4400, RS-232/USB/KBW/Wand Emulation Multi-Interface, Black	\$267		
BASE/CHG	This item was previously listed as StoreNext PIN: PSC-BC4030-BK-BT.		Partner Net Price: \$128.	
PSC-RBP-GM40	— Datalogic Gryphon GM4100/GBT4100 Mobile Battery Pack	\$27		
			Partner Net Price: \$16. Item Withdrawn	
7952-C074-9906	— Datalogic Gryphon IBM 46xx Port 9B Cable	\$27		
IBM PORT9B	This item was previously listed as StoreNext PIN: PSC-90A052042. ¶-For use with IBM 46xx O/S and hardware. Use with Gryphon model D412+.		Partner Net Price: \$18.	
PSC-90A051978	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM 46xx Port 9/Port E, Coiled, 7 ft.	\$24		
			Partner Net Price: \$16. Item Withdrawn	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM PS/2 Coiled Mini DIN Wedge, 6 ft.	\$25		
RS-232 DIN	This item was previously listed as StoreNext PIN: PSC-90A051360. ¶-For Gryphon, Dragon, Lynx, Heron, Touch: Keyboard Wedge, 6', 6 pin Mini DIN connectors, Socket (Keyboard end), Plug (Computer end), Power off the Terminal.Coiled, Direct-connect cable: for IBM (or compatible) computer type PS/2 with US or foreign keyboard (Cable type 365).		Partner Net Price: \$17. NCR Product ID to be supplied.	
TBS	Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232 Coiled 25-Pin Male DTE	\$25		
RS-232 25-PIN	This item was previously listed as StoreNext PIN: PSC-90A051350.		Partner Net Price: \$17.	
	Pricing Note ▶ ▶ Partner Net Price: \$17. NCR Product ID to be supplied. ◀			
7952-C067-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25		
DB9F	This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.		Partner Net Price: \$17.	
7952-C069-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft.	\$25		
RS-232 PWR	This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.		Partner Net Price: \$17.	
7952-C081-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight	\$16		
RS-232 DB9	This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).		Partner Net Price: \$11.	



7952-C066-9906 — Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight		\$19
DB9F PWR	<p>This item was previously listed as StoreNext PIN: PSC-90A051230.</p> <p>¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)</p>	Partner Net Price: \$13.
PSC-90A051710 — Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)		\$16
		Partner Net Price: \$11. Item Withdrawn
7952-C082-9906 — Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.		\$27
MAG-AUX	<p>This item was previously listed as StoreNext PIN: PSC-90G001092.</p> <p>¶-Provides power and signal from hand-held scanner/imager to Magellen Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.</p>	Partner Net Price: \$18.
7952-C160-9906 — Datalogic Power Adapter, AC/DC Regulated, RoHS		\$23
P/S	<p>This item was previously listed as StoreNext PIN: PSC-8-0935.</p> <p>¶-AC/DC adapter for use with GBT4100, GBT4400, GD4100, GM4100, GM4400, 3200VSi, 3300HSi, 8500Xt, PBT8300</p>	Partner Net Price: \$15.
7952-C154-9906 — Datalogic Cable, AC Power Cord, 120V AC, 1.55M, US		\$10
AC POWER	This item was previously listed as StoreNext PIN: PSC-6003-0941.	Partner Net Price: \$7.



QuickScan 2500 (withdrawn)

QuickScan 2500 (withdrawn): Options and Accessories		List Price	Install Price	Maint Price
PIN	Description			
7952-C058-9906	PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-12. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, straight cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C059-9906	PSC USB A Cable, 1400i/ QS6500/ QS6500BT POT, RoHS, 15 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-15. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 15 feet, straight cable, power-off-terminal, direct-connect. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$55		Partner Net Price: \$33.
7952-C157-9906	PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., coiled This item was previously listed as StoreNext PIN: PSC-8-0734-16. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, coiled cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C057-9906	PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, 12 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-08. ¶-Power-off-terminal (POT) with USB "A" connector. Use with QS6500, QS600BT and QS6500. ¶-Replaces withdrawn item PSC-8-0481-08	\$20		Partner Net Price: \$12.
7952-C158-9906	PSC RS-232 Cable, Direct Connect from Secondary 1100i/ 1400i/ QS6500/ QS6500BT Scanner to Magellan 82/85/85XT/95 AUX Port, 10RJ, Power-off-Terminal (Scanner), 12 feet This item was previously listed as StoreNext PIN: PSC-8-0737-11. ¶-This cable used to connect a secondary or hand-held scanner directly to the auxiliary port of a Magellan 8200, 8300, 8500, 8500xt or 9500. Provides power off the scanner and eliminates the need for a separate power supply. ¶-For use with QuickScan 2500, 6500 and Magellan 1000i/1100i. ¶-Replaces withdrawn item PSC-8-0577-11	\$35		Partner Net Price: \$21.
PSC-8-0738-17	PSC QuickScan 1000/6000/2500 Keyboard Wedge Cable for PS/2 Applications with Connector	\$25		Partner Net Price: \$15. Item Withdrawn
PSC-8-0738-03	PSC QuickScan 2500/6500 Keyboard Wedge Cable for AT Applications	\$30		Partner Net Price: \$18. Item Withdrawn



QuickScan 6500/6500BT (withdrawn)

This product line has been withdrawn. Some of the accessories below, especially those which may be shared with other current products, may still be available. Check with Plano Order Entry prior to ordering.

QuickScan 6500/6500BT (withdrawn): Options and Accessories		List Price	Install Price	Maint Price
PIN	Description			
7952-C153-9906	— PSC Power Supply, AC/DC, 120V, Wall Mount, US This item was previously listed as StoreNext PIN: PSC-4004-0851. ¶-Use with QuickScan 6500/6500BT and Magellan 2200VS or 2300HS. ¶-Replaces withdrawn item PSC-4004-0794	\$30		Partner Net Price: \$15.
7952-C061-9906	— PSC RS-232 cable, 1100i/ 1400i/ QS6500/ QS6500BT DB9 Socket, RoHS, POT, 12 5th/3rd This item was previously listed as StoreNext PIN: PSC-8-0736-17.	\$35		Partner Net Price: \$21.
7952-C158-9906	— PSC RS-232 Cable, Direct Connect from Secondary 1100i/ 1400i/ QS6500/ QS6500BT Scanner to Magellan 82/85/85XT/95 AUX Port, 10RJ, Power-off-Terminal (Scanner), 12 feet This item was previously listed as StoreNext PIN: PSC-8-0737-11. ¶-This cable used to connect a secondary or hand-held scanner directly to the auxiliary port of a Magellan 8200, 8300, 8500, 8500Xt or 9500. Provides power off the scanner and eliminates the need for a separate power supply. ¶-For use with QuickScan 2500, 6500 and Magellan 1000i/1100i. ¶-Replaces withdrawn item PSC-8-0577-11	\$35		Partner Net Price: \$21.
7952-C058-9906	— PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-12. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, straight cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C059-9906	— PSC USB A Cable, 1400i/ QS6500/ QS6500BT POT, RoHS, 15 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-15. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 15 feet, straight cable, power-off-terminal, direct-connect. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$55		Partner Net Price: \$33.
7952-C157-9906	— PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, RoHS, 12 ft., coiled This item was previously listed as StoreNext PIN: PSC-8-0734-16. ¶-Powered USB cable for IBM-style P-USB connectors (used on IBM and Fujitsu terminals), 12 feet, coiled cable. ¶-Usable for QuickScan 2500, QuickScan 6500 and Magellan 1000i scanners.	\$35		Partner Net Price: \$21.
7952-C057-9906	— PSC USB A Cable, 1100i/ 1400i/ QS6500/ QS6500BT, POT, 12 ft., straight This item was previously listed as StoreNext PIN: PSC-8-0734-08. ¶-Power-off-terminal (POT) with USB "A" connector. Use with QS6500, QS600BT and QS6500. ¶-Replaces withdrawn item PSC-8-0481-08	\$20		Partner Net Price: \$12.
PSC-R44-2466	PSC QuickScan QS6500 Programming Guide	\$10		Partner Net Price: \$6.

Pricing and ▶ ▶ Partner Net Price: \$6. Item may be withdrawn by vendor. Check availability and price with Order Entry. ◀
 Release Notes



PSC-8-0741-17	PSC QuickScan 6500 Keyboard Wedge Cable, 6-Pin mini-DIN, power-off-terminal (POT), 11 ft., RoHS	\$25	Partner Net Price: \$15. Item Withdrawn
PSC-8-0738-03	PSC QuickScan 2500/6500 Keyboard Wedge Cable for AT Applications	\$30	Partner Net Price: \$18. Item Withdrawn
PSC-10-4766	Datalogic QuickScan QS6500BT Lithium-Ion Battery Pack, Black	\$48	Partner Net Price: \$29. Item Withdrawn
PSC-10-4765	Datalogic QuickScan QS6500BT Lithium-Ion Battery Pack, Gray	\$48	Partner Net Price: \$29. Item Withdrawn



Datalogic Gryphon

This product line has been withdrawn. Some of the accessories below, especially those which may be shared with other current products, may still be available. Check with Plano Order Entry prior to ordering.

Datalogic Gryphon: Cables PIN	Description	List Price	Install Price	Maint Price
7952-C161-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Straight, 6 ft. USB STRT. This item was previously listed as StoreNext PIN: PSC-90A051945. ¶-Straight USB cable for QuickScan 21xx and Gryphon scanners with USB-A connector at terminal end. Scanner receives sufficient 5VDC power through standard USB interface: external power supply or powered USB (P-USB) not required. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight, Direct-connect cable: for IBM PC or PC Clones (Cable type 426). ¶-This is the standard cable recommended for Gryphon use with ISS45 or ScanMaster using a standard USB connection from the POS terminal.	\$17	Partner Net Price: \$11.	
7952-C070-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, USB Type A, Opt-Pwr, Straight 6 ft. USB PWR This item was previously listed as StoreNext PIN: PSC-90A051902. ¶-This is a straight 6' USB "A" cable with optional power injection. Datalogic Scanning terms this in addition a "USB Keyboard, COM Mode" cable with their CAB-412 designation. ¶-For Gryphon, Dragon, Lynx, Heron, Touch USB - 2 Meter (6'), USB , Plug, Power off Terminal or External Power Supply, Straight, Direct-connect cable: for IBM PC or PC Clones, Indirect Connect cable: for IBM and clone base PCs with Diamond D531 use part PSC-90A051500 base adaptor cable. (Cable type 412). ¶-This cable has been used successfully for the Gryphon with StorePoint and the IBM 500 series terminals. The optional power supply may be required if the cable is too long to permit sufficient transmission of the 5V power required.	\$17	Partner Net Price: \$11.	
7952-C071-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered USB, Straight, 6 ft. P-USB This item was previously listed as StoreNext PIN: PSC-90A051903. ¶-Also known as "IBM POS Mode" cable. ¶-For Gryphon, Dragon, Lynx, Heron, Touch IBM USB - 2 Meter (6'), USB PowerPlus, socket, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB (Cable type 413).	\$48	Partner Net Price: \$32.	
7952-C066-9906	— Datalogic Gryphon RS-232 Cable, DB9F, Powered, Straight DB9F PWR This item was previously listed as StoreNext PIN: PSC-90A051230. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.)	\$19	Partner Net Price: \$13.	
7952-C081-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, RS-232, DB9F, Non-Powered, Straight RS-232 DB9 This item was previously listed as StoreNext PIN: PSC-90G001070. ¶-Straight RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906).	\$16	Partner Net Price: \$11.	
7952-C069-9906	— Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Powered Serial, Coiled, 9.5 ft. RS-232 PWR This item was previously listed as StoreNext PIN: PSC-90A051891. ¶-Serial RS-232 cable for use with QuickScan I 21xx Linear Imager or Gryphon. Coiled cable is 9.5 ft. extended. Scanner receives sufficient 5VDC power through Pin #9 of the DB9 connector; external power supply not required. (For applications with no power provided on Pin #9, use cable 7952-C081-9906 and external power supply 7952-C080-9906.) DB9 connector on terminal end can accept power via Pin #9 or from external power supply (7952-C080-9906). ¶-For the QuickScan I 21xx and Gryphon Linear Imager. Previous cables are not compatible. Do not use QuickScan 2500, 6500 or other cables with the Gryphon or QuickScan 21xx.	\$25	Partner Net Price: \$17.	



7952-C067-9906 — Datalogic Gryphon RS-232 Cable, DB9F, Non-Powered, Coiled	\$25
DB9F This item was previously listed as StoreNext PIN: PSC-90A051330. ¶-Coiled RS-232 cable for Gryphon scanners with DB9F connector at terminal end. Scanner does not receive any power via this cable: separate power supply required (7952-C080-9906). ¶-This cable has been certified with Gryphon to connect to the auxiliary scanner port on the Datalogic Magellan 8500Xt, 8500 and 8400 scanner scales.	Partner Net Price: \$17.
PSC-90A051978 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, IBM 46xx Port 9/Port E, Coiled, 7 ft.	\$24
	Partner Net Price: \$16. Item Withdrawn
PSC-90A051977 — Datalogic Cable, QuickScan 21xx/Gryphon IBM 46xx Port 5	\$24
	Partner Net Price: \$16. Item Withdrawn
7952-C074-9906 — Datalogic Gryphon IBM 46xx Port 9B Cable	\$27
IBM PORT9B This item was previously listed as StoreNext PIN: PSC-90A052042. ¶-For use with IBM 46xx O/S and hardware. Use with Gryphon model D412+.	Partner Net Price: \$18.
7952-C075-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Coiled, 8 ft.	\$36
USB COIL This item was previously listed as StoreNext PIN: PSC-90A052043. ¶-For Gryphon4xxx, QuickSan Laser, QuickScan Imager:USB, 2.6 Meter (8'), USB Type A, Plug, Power off Terminal, Coiled. Direct-connect cable: for IBM and clone base PCs (Cable type 424E).	Partner Net Price: \$24.
7952-C076-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced USB Type A, Straight, 6 ft.	\$17
USB STRT. This item was previously listed as StoreNext PIN: PSC-90A052044. ¶-Straight USB "A" cable for use with QuickScan I 2130 or 2110 Linear Imager. 6 ft. Included in some kits above: see configuration description. ¶-For Gryphon4xxx, QuickScan Laser, QuickScan Imager:USB, 2 Meter (6'), USB Type A, Plug, Power off Terminal, Straight. Direct-connect cable: for IBM and clone base PCs (Cable type 426E).	Partner Net Price: \$11.
7952-C077-9906 — Datalogic Cable, QuickScan 21xx/Gryphon Linear Imager, Enhanced Powered USB, Straight, 6 ft.	\$48
P-USB This item was previously listed as StoreNext PIN: PSC-90A052045. ¶-For Quickscan Laser or QuickScan Imager with IBM USB - 2 Meter (6'), USB PowerPlus, Plug, Power off Terminal (@5V), Straight. Direct-connect cable: for IBM terminals that support IBM USB.	Partner Net Price: \$32.
PSC-90A051710 — Datalogic RS-232 Cable, DB9P Male, for SNI Beetle Straight (Cable 388)	\$16
	Partner Net Price: \$11. Item Withdrawn
7952-C082-9906 — Datalogic Cable, Hand-Held Direct Connect to Magellan Aux Port, RS-232 with Power, Coiled, 6 ft.	\$27
MAG-AUX This item was previously listed as StoreNext PIN: PSC-90G001092. ¶-Provides power and signal from hand-held scanner/imager to Magellan Auxillary Port. Coiled cable, 6 ft., 10-pin RJ connector, 5V power on pin #8 (Cable type 362). ¶-Compatible with Magellan 9500, 8500, 8200, 8100, 2200, 2300 Auxillary Port. Usable with Gryphon, QuickScan, Dragon, Heron, Touch, Catcher, FireScan models.	Partner Net Price: \$18.

Datalogic Gryphon: Stands, Accessories and Options		List Price	Install Price	Maint Price
PIN	Description			
PSC-90ACC1790	Datalogic Gryphon D432/D412 Desk/Wall Holder, Gray	\$18		
		Partner Net Price: \$12. Item Withdrawn		



PSC-90ACC1770— Datalogic Gryphon D432/D412 Desk/Wall Holder, White	\$18 Partner Net Price: \$12. Item Withdrawn
PSC-90ACC1873— Datalogic Gryphon D432/D412 Stand, Hands-Free, Gray	\$34 Partner Net Price: \$23. Item Withdrawn
PSC-90ACC1760— Datalogic Gryphon D432/D412 Stand, Hands-Free Flex-Neck, White	\$37 Partner Net Price: \$24. Item Withdrawn
PSC-90ACC1876— Datalogic Gryphon D432/D412 Mounting Plate for Stands, Metal	\$36 Partner Net Price: \$24. Item Withdrawn
PSC-90ACC1780— Datalogic Gryphon D432/D412 Reference Manual / CD-ROM	\$14 Partner Net Price: \$10. Item Withdrawn
PSC-RBP-GM40 — Datalogic Gryphon GM4100/GBT4100 Mobile Battery Pack	\$27 Partner Net Price: \$16. Item Withdrawn

