



- *Fujitsu D12/A12 TeamKey-MSR*
- *Setup Procedures*
- 
- 
- 
-

## TeamPoS 2000 Fujitsu D12/A12 TeamKey-MSR Setup Procedures

<b>Date of Issue</b>	<b>Product Identification Number</b>	<b>Part Number</b>	<b>Brief Description</b>
August 2007	No PIN	89000395	Initial Release

**© Copyright StoreNext Retail Technologies LLC 1995-2007  
All rights reserved**

This publication is protected by federal copyright law. No part of this publication may be reproduced or transmitted into any human or computer language in any form or by any means, stored in a retrieval system, transmitted, redistributed, translated or disclosed to third parties, or de-compiled in any way including, but not limited to, photocopy, photograph, electronic, mechanical, magnetic or manual without the express written permission of StoreNext Retail Technologies LLC or its licensors, if any. This document, notwithstanding the above, may be distributed in electronic or printed form to personnel who are employed by either (1) a StoreNext customer of the subject system of this document or (2) personnel from an authorized StoreNext dealer of the subject system of this document. All copies, so distributed and/or so authorized, shall contain a full copy of this copyright notice.

StoreNext Retail Technologies LLC endeavors to ensure that the information in this document is correct and fairly stated but does not accept liability for any error or omission. StoreNext Retail Technologies LLC makes no representation or warranties with respect to the contents hereof, and specifically disclaims any implied warranties of merchantability or fitness for a particular purpose or non-infringement. No commitments by StoreNext or its suppliers are made from this documentation which is provided for information only.

Development of StoreNext products and documentation is continuous: StoreNext Retail Technologies LLC reserves the right to revise this publication and to make changes from time to time in the contents hereof or in the products herein described or discussed without notice and without any obligation of StoreNext Retail Technologies LLC to notify any person or organization of such revision or changes. Information published in this document will likely become obsolete over time and it is recommended that users regularly check for updates and newer versions.

StoreNext Retail Technologies LLC has prepared this manual for use by users, authorized third parties and personnel of StoreNext Retail Technologies LLC as a guide to the proper installation, operation, customization and/or maintenance of StoreNext Retail Technologies LLC equipment and software. The drawings and specifications contained herein are the property of StoreNext Retail Technologies LLC and/or its licensors.

Third-party products, services, or company names referenced in this document may be trademarked or copyrighted by their respective owners, and are for identification purposes only.

Copyrights, trademarks and license agreements shall be governed and construed in accordance with the laws of the State of Texas and the Federal Arbitration Act, and shall benefit Retailix, its successors, and assigns.


Address comments and corrections to:

StoreNext Retail Technologies LLC  
Software Program Director  
6100 Tennyson Parkway  
Suite 130  
Plano, Texas 75024


# ISS45 V7.1.2.0-050 Keylock and MSR OPOS Setup Procedures for the Fujitsu 104 or D12/A12 - 32 TeamKey keyboards on the TeamPoS 2000

## 1. Installation of RCS OPOS Common Control Objects


- 1.1. The file can be found on the V7.1.2.0-050 distribution CD in the OPOS\RCS folder
- 1.2. Run OposCCOs-1\_10\_000.EXE from the Start>Run Open: command line. The Welcome screen appears




- 1.3. Click Next and the Read Me File screen appears




1.4. Click Next and the Choose Destination Location screen appears. Use the default and click Next




1.5. The Backup Replaced Files screen appears. Ensure Yes is selected and keep the default path then click Next.




1.6. The Select Components screen appears. Ensure both options are selected and click Next.




1.7. The Start Installation screen appears. Select Next.



1.8. The Installing screen pops up as shown below.




1.9. The Installation Complete screen is displayed. Click Finish




1.10. Installation is now complete.

## 2. Installation of FTXSOPOS\_1\_10\_2 for TP2000 MSR, Keylock and Keyboard


2.1. Run FTXSOPOS\_1\_10\_2.exe on the ISS45 V7.1.2.0-050 CD in the OPOS\Fujitsu folder.




2.2. The Welcome screen appears. Click Next



2.3. The License screen appears. Select I accept and click Next



2.4. The select type screen appears. Select TeamPoS 2000 and click Next




2.5. The select components screen is displayed

2.5.1. Select Keylock 133PQ


2.5.2. MSR 133PQ

2.5.3. POSKeyboard\_133PQ

2.6. Click Next



2.7. The select type screen appears. Select board type TeamCom@230 and click Next



2.8. Accept Default and click Next

2.9. The Setup has completed installing FTXS OPOS 1.10.2 is displayed

2.10. Click Finish

### 3. ISS45 V7 WinPOS Configuration Settings for TP2000 OPOS for D12/A12 TeamKey and 104 keyboard, keylock and MSR

Note: only add the lines that apply. KeyLock, MSR or Both. The KeyBoard lines must be in the WinPOS.ini file for the keylock to work even though ISS45 does not use OPOS keys on the keyboard.

winpos.ini file.

- Add the following lines in the Winpos.ini file:

```
OposKeyLock=Yes
DefaultKeyLockName=fjklkso
OposMsr=Yes
DefaultMsrName=fjmsrso
OposKeyBoard=Yes
DefaultKeyBoardName=fjkbds
```

Keylock mapping on the 104 keyboard and D12/A12 32 TeamKey map as follows:

LOCK = POSITION 2

OP = POSITION 3

X = POSITION 4

Z = POSITION 5


### 4. ISS45 V7 POST Configuration

4.1. In ISS45 V7 POST Configuration 2 screen set Keyboard port to 0 when using the D12/A12 TeamKey or 104 keyboard.



```
Keyboard port.....▶ 0
```





**© StoreNext Retail Technologies LLC 2007**

StoreNext Retail Technologies LLC endeavors to ensure that the information in this document is correct and fairly stated but does not accept liability for any error or omission.

The development of StoreNext products and services is continuous and published information may not be up to date. It is important to check the current position with StoreNext. This document is not part of a contract or license save insofar as may be expressly agreed.