

The logo for ISS 45, consisting of the letters 'ISS' in a large, bold, black sans-serif font above the number '45' in a large, bold, black serif font, all enclosed within a thin black rectangular border.

 *Release Notes & What's New*

*ISS45 8.1.3.2-050*



## ISS45 Release Notes & What's New 8.1.3.2-050

<b>Date of Issue</b>	<b>Product Identification Number</b>	<b>Part Number</b>	<b>Brief Description</b>
January 2005	45001/081	89000195	Initial Release
June 2005	45001/081	89000233	8.1.0.1 Release
December 2005	45001/081	89000263	8.1.1.0 Release Preliminary
January 2005	45001/081	89000263	8.1.1.0 Release Final
July 2006	45001/081	89000308	8.1.1.1 Release
December 2006	45001/081	89000308	8.1.1.1 Release
July 2007	45001/081	89000401	8.1.2.1 Release
December 2007	45001/081	89000401	8.1.2.1-070 Release
January 2008	45001/081	89000417	8.1.2.1-070 Release Updated
January 2008	45001/081	89000416	8.1.3.0-050 Release
November 2008	45001/081	89000480	8.1.3.2-050 Release

**© Copyright StoreNext Retail Technologies LLC 1995-2008  
All rights reserved**

This publication is protected by federal copyright law. No part of this publication may be reproduced or transmitted into any human or computer language in any form or by any means, stored in a retrieval system, transmitted, redistributed, translated or disclosed to third parties, or de-compiled in any way including, but not limited to, photocopy, photograph, electronic, mechanical, magnetic or manual without the express written permission of StoreNext Retail Technologies LLC or its licensors, if any. All copies, so authorized, shall contain a full copy of this copyright notice.

StoreNext Retail Technologies LLC endeavors to ensure that the information in this document is correct and fairly stated but does not accept liability for any error or omission. StoreNext Retail Technologies LLC makes no representation or warranties with respect to the contents hereof, and specifically disclaims any implied warranties of merchantability or fitness for a particular purpose or non-infringement. No commitments by StoreNext or its suppliers are made from this documentation which is provided for information only.

Development of StoreNext products and documentation is continuous: StoreNext Retail Technologies LLC reserves the right to revise this publication and to make changes from time to time in the contents hereof or in the products herein described or discussed without notice and without any obligation of StoreNext Retail Technologies LLC to notify any person or organization of such revision or changes. Information published in this document will likely become obsolete over time and it is recommended that users regularly check for updates and newer versions.

StoreNext Retail Technologies LLC has prepared this manual for use by users, authorized third parties and personnel of StoreNext Retail Technologies LLC as a guide to the proper installation, operation, customization and/or maintenance of StoreNext Retail Technologies LLC equipment and software. The drawings and specifications contained herein are the property of StoreNext Retail Technologies LLC and/or its licensors.

Third-party products, services, or company names referenced in this document may be trademarked or copyrighted by their respective owners, and are for identification purposes only.

Copyrights, trademarks and license agreements shall be governed and construed in accordance with the laws of the State of Texas and the Federal Arbitration Act, and shall benefit Retailix, its successors, and assigns.

Address comments and corrections to:

StoreNext Retail Technologies LLC  
Software Program Director  
6100 Tennyson Parkway  
Suite 130  
Plano, Texas 75024

# Table of Contents

<b>Table of Contents</b> .....	<b>i</b>
<b>Introduction</b> .....	<b>3</b>
<b>CRD Listing</b> .....	<b>4</b>
6133 – Cashier Accountability Report Enhancement (FO) .....	4
10095 – Secure Mode Checkout Bank Parameters (FO/POS).....	5
Front Office.....	5
POS.....	6
10098 – Support of Rx Type Barcodes (FO/POS/Sys) .....	7
Front Office.....	7
POS.....	11
System .....	12
10155 – Enhanced Checkout Bank PLU Pricing (FO/POS).....	13
Front Office.....	13
POS.....	17
10159 – Weight Detail Receipt Omission (FO/POS).....	19
Front Office.....	19
POS.....	19
10160 – Scale Beep on Good Weight (FO/POS).....	20
Front Office.....	20
POS.....	20
10212 – WinPOS Interface to CCTV (FO/POS/Ssys).....	21
Front Office.....	21
POS.....	22
Sys .....	33
10246 – Admin Rights Removal (Sys) .....	34
10249 – Expanded Manual Entry of Tax Exempt Number (POS).....	35
10429 – IBM Keyboard Support (POS).....	36



# Introduction

Several new features and enhancements were made recently to the StoreNext ISS45 system as a result of customer change requests and internal research and development. These changes are reflected in the accompanying ISS45 8.1.3.2-050 software. The Change Request Document (CRD) number assigned to each enhancement is listed in the description heading.

Following the change description is an abbreviation (or combination thereof) of the ISS45 area affected:

(FO) – Front Office

(POS) – WinPOS

(Sys) – System / Services

If you have any questions regarding this release, please contact StoreNext Support.

# CRD Listing

## 6133 – Cashier Accountability Report Enhancement (FO)

The ISS45 Cashier Accountability Report now displays the Cashier Over \ Short Amounts for each cashier (after the Declaration column).

**Note:**

The Over/Short Amounts only display when the report is run “per Cashier”.

**Cashier Accountability Report**  
Slocomb Marketplace 263  
Branch 263 Cash Office Reports

Current Period

Cashier Number	Cashier Name	Void Amount	#	Cancel Amount	#	Subtract Amount	#	Return Amount	#	Sales	Float In	Float Out	Acc. For	Declaration	Over/Short
101	KESHIA	0.00	0	0.00	0	0.00	0	0.00	0	539.97	100.00	0.00	639.97	639.97	0.00
102	JERRI W	0.00	0	15.45	11	0.00	0	0.00	0	2,855.98	100.00	-800.00	2,075.98	2,141.25	65.27
103	CAROL	0.00	0	0.28	2	0.00	0	1.19	1	2,882.31	107.40	0.00	2,989.71	2,989.71	0.00
104	CYNTHIA	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0.00	0.00	0.00	0.00	0.00
<b>Totals:</b>		0.00	0	21.73	13	0.00	0	1.19	1	6,278.26	307.40	-800.00	5,705.66	5,770.98	65.27

Over/Short Column

## 10095 – Secure Mode Checkout Bank Parameters (FO/POS)

Automated POS Secure Mode settings can now be controlled at the Checkout Bank level. This feature will allow different groups of linked POS Terminals (i.e. Grocery, Pharmacy, Deli, etc.) to have their own customized Secure Mode settings.

### Front Office

Two new fields have been added to the General Tab of the Checkout Banks Maintenance Screen in this release to control automated secure modes on linked POS terminals.

The screenshot displays the 'Checkout Banks' window with the 'General Parameters' tab selected. The window contains the following fields and controls:

- Checkout Bank Group No.: 1
- Description: Front End
- Max percentage of tills to upgrade Simultaneously: 0
- Price List: (dropdown menu)
- Front End Terminals:
- Linked POS: (tab)
- Open Loan Amount: (tab)
- Taxes: (tab)
- General Parameters: (tab)
- Q-File Parameters:
  - q-load Start time: 03:00
  - q-load Frequency: 1
  - q-load Prompt time out: 60
- General Options:
  - PLU Group - Sort By: PLU Description
  - Suppress Receipt Printing: Never
  - Automatic Secure Mode/Sign Off: Secure
  - Number of minutes before automatic secure mode/sign off: (input field)
- Navigation buttons: Back, Forward, Home, End
- Buttons: Cancel, Apply

Two callout boxes highlight new fields:

- Automatic Secure Mode/Sign Off field**: Points to the 'Automatic Secure Mode/Sign Off' dropdown menu.
- Number of minutes before automatic secure mode/sign off field**: Points to the 'Number of minutes before automatic secure mode/sign off' input field.

<b>Field</b>	<b>Description</b>
Automatic Secure Mode/Sign Off	This field provides the option of changing the POS to <b>Secure</b> mode or to <b>Sign Off</b> when no key is pressed for a predefined number of minutes as defined in the "Number of Minutes Before Automatic Secure Mode" field (below).
Number of Minutes before Automatic Secure Mode/Sign Off.	This field indicates the number of minutes after no key is pressed to lock the POS terminal. The valid range is 0 (disabled default) to 9999. The type of locking method is defined in the Automatic Secure Mode/Automatic Sign-Off field (above).

## POS

POS Terminals will now check these fields (at the Checkout Bank level) before using the parameters (with the identical names) defined in at General System Parameter level.

**Note:**

The Secure Mode General System Parameters are located in the Store \ POST \ Operational \ Secure \ Sign off \ Sign on folder.

## **10098 – Support of Rx Type Barcodes (FO/POS/Sys)**

ISS45 now has the ability to read third-party Rx barcodes and process them into a ticket. The customer's prescription co-pay is then added to the ticket.

### **Process Flow**

- Customer drops off prescription
- Pharmacy creates Rx barcode
- At the checkout POS, the Rx barcode (defined in ISS45 Barcode Programming Maintenance) is scanned
- The receipt is printed showing only the customer's co-pay amount
- Sales, item and customer counts are incremented in the Front Office

### **Front Office**

#### **New Barcode Type Support**

The Database Management Folder's Barcode Programming Maintenance application has been modified for this enhancement. To support this enhancement, a new "Pharmacy RX Sale" Barcode Type is now available.

The image shows a software window titled "Barcode Programming" with a "Basic Setup" tab. The window is divided into two main sections. The top section contains general barcode settings: "Barcode Prefix From:" (3000), "Barcode Prefix To:" (3009), "Barcode Length:" (24), "Description:" (Pharmacy Items), "Reference No:" (300), and "Barcode Type:" (Pharmacy Rx Sale). The bottom section, under the "Basic Setup" tab, contains six rows of field configuration. Each row has a "Field Type" dropdown, an "Offset" text box, and a "Length" text box. Below these fields are a "Linked Promotion" dropdown and a small input field with the value "0". A callout box with an arrow points to the "Barcode Type" dropdown, containing the text "Pharmacy RX Sale Barcode Type".

Field Type	Offset	Length
Field Type 1: PLU Number	1	4
Field Type 2: Rx Number	5	7
Field Type 3: Co-Pay Amount	12	5
Field Type 4: Quantity	17	3
Field Type 5: Fill Number	20	2
Field Type 6: Partial Fill Number	22	2

When the Barcode Type type is set to Pharmacy RX Sale, the following new fields are available on the Basic Setup Tab.

Field	Description
Field Type (1 through 6)	<p>For Barcode Types of “Pharmacy RX Sale”, click the field’s selection arrow and select one of the following eight fields to assign to a barcode field segment: PLU Number, Rx Number, Co-Pay Amount, 3<sup>rd</sup> Party Pay Amount, Bonus Points, Quantity, Fill Number or Partial Fill Number.</p> <p><b>Notes:</b></p> <p>The Field Types must be setup in the order in which they appear in the barcode, which will be validated by ensuring the Offsets are in the proper order. The value in any one Field Type field cannot appear in another Field Type field. A blank Field Type can only appear after all fields in the barcode are populated.</p>
Offset (1 through 6)	<p><b>Notes:</b></p> <p>The Quantity field contains the Amount of medication dispensed (i.e. # of pills or ml). The Fill Number contains the refill number (i.e. if refill 2 of 4, “2” is used). The Partial Fill Number is used in the event of full medication amount is not available.</p> <p>For Barcode Types of “Pharmacy RX Sale”, enter the starting position location of the barcode length allocated to the corresponding Field Type (1 through 6).</p> <p><b>Notes:</b></p> <p>An offset of “0” indicates the field type is not used. The value in any one Offset field cannot be greater than the value in the Barcode Length field.</p>
Length (1 through 6)	<p>For Barcode Types of “Pharmacy RX Sale” and beginning with the Value Offset (above), enter the number of positions (from the first position) that contain the number, amount or points of the corresponding Field Type (1 through 6).</p> <p><b>Notes:</b></p> <p>The value of all Length fields added together cannot be greater than the value in the Barcode Length field. The Offset/Length values for one Field Type cannot overlap with the Offset/Length values for another Field Type.</p>


Field	Description
Bookkeeping PLU	Not supported in this release.
Linked Promotion	Not supported in this release.

## PLU Setup

To implement Rx billing support, setup a zero-price PLU flagged for a manual price and attached to the Pharmacy department. This PLU is used to ring the customer's owed portion of the payment when processing the Rx Pharmacy Sale barcode. This is the PLU designated in the "PLU Number" Field Type in Barcode Programming Maintenance (see above). The zero-price will allow the POS to populate the correct co-pay amount as defined in the barcode.

## New EJ Search Option

A new "Prescription Number" Search Type has been added the Electronic Journal Search functionality. When the search type (58 – Prescription Number) is selected, a prescription number (up to 10 digits) may be entered to locate all tickets containing the number.



## POS

The following is a list of POS modifications found in this release to support this development. New functionality has been added to:

- Read the PLU Number, Rx Number, Co-pay Amount, Quantity, Fill Number and Partial Fill Number from the Rx label and process it in the ticket.


**Note:**

If the barcode scanned on the POS is not in defined within a range in Barcode Programming, the "Barcode Declined" message will display at the POS.

- Record the Rx number, Quantity, Fill Number and Partial Fill Number in the TLOG.
- Allow voiding of a Pharmacy Rx Sale barcode and record the quantity and price as negative in the TLOG. (Fill Number and Partial Fill Number will not be shown as negative fields in the TLOG).

## Sample Barcode

Below is an example of the Rx Sale barcode that may be scanned at the POS:



3008 0002345 02000 010 01 07



30080002345020000100107

## **System**

A new information transaction has been added to support the unique Rx number in the TLOG. The transaction type Opcode is 0x70 0x86. POSTT, a program that displays binary transaction records, has been modified to include the updated TLOG records.

## 10155 – Enhanced Checkout Bank PLU Pricing (FO/POS)

ISS45 now allows a single UPC to have a different multiple selling unit (MSU), price and department depending on the POS terminal where it is sold. This Enhanced Checkout Bank PLU Pricing feature is integrated with both Price List Maintenance and Promotion Maintenance (allowing Checkout Bank PLU Pricing to be optionally excluded for items that are on Member Promotion).

**Note:**

Checkout Banks are logical or physical groups of POS terminals used for configuring and reporting purposes. In previous releases, only the item's price could be altered based on its linked Checkout Bank and the linked Checkout Bank's assigned Price List.

The enhancement is beneficial where there are multiple sub-store locations inside of a single store environment. For example, a chain may have three sub-store formats (Grocery, C-Store, and Fuel) at each store location and needs the ability to sell the same item with different pricing structures depending on the location.

With this new feature, an item can be sold at different POS terminals (each linked to a different Checkout Bank) with pricing and department reporting as follows:

POS Terminal 1: Dept No. = 2, Quantity = 4, Price = \$1.55

POS Terminal 2: Dept No. = 10, Quantity = 2, Price = \$.99

POS Terminal 3: Dept No. = 4, Quantity = 1, Price = \$.49

**Note:**

PLU Movement is still reported under same PLU number.

## Front Office

### New Price List Maintenance Fields

The Quantity and Department fields have been added to the Price List Maintenance Screen as well as the Price List Tab on both the PLU Maintenance and Fast PLU Maintenance Screens. The PLU Maintenance and Fast PLU Maintenance Screen's Price List Tab also shows the PLU's default (non-Price List) price, quantity and department.

### Price List Maintenance

Price List Maintenance

Price List Id:

Price List Description:

Go to:  By 'Item ID'

Item ID	Description	Default Price	Price	Quantity	Department	Update Origin	Update Date
1200000013	Pepsi	1.99	2.09			Local	7/24/2008

Quantity

Department

### PLU Maintenance

PLU Maintenance

Item Number:

Description:

Basic Setup | Parameters 1 | Parameters 2 | Cost and Sales | Promotions | Shelf Labels and OEM | Price Lists

Price:  Quantity:  Department:

PLU's Default

Price List Id	Price List Description	Price	Quantity	Department
1	Price List 1		02.09	
2	Price List 2			

### Fast PLU Maintenance

Fast PLU Maintenance

PLU Number:

Default Pricing Qty and Department

General | Sales | Promotion | Price List

Price:  Quantity:  Department:

PLU's Default

ID	Description	Price	Quantity	Department
1	Price List 1	2.09	1	
2	Price List 2			

Field	Description
Quantity	Enter the number of items to be sold jointly at the specified selling price. If left blank, the default quantity from the item record will be used.
Department	Enter the department where item sales for this Price List will be reported. If left blank, the default department from the item record will be used.

**Note:**

The Quantity and Department fields display in Price List Maintenance when either performing “Rapid Entry” Price List Maintenance or when using the View List function.

**Note:**

The Quantity and Department fields are also maintainable (and display) using PLU Price General Batch Maintenance. A new General Batch Type “Promo Checkout Bank Exclusion” has been added to support Member Promotion Checkout Bank Exclusion.

**Note:**

Price Lists are linked to Checkout Banks through the Price List field in Checkout Banks Maintenance:

The screenshot displays the 'Checkout Banks' maintenance screen. The 'Price List' field is highlighted with a callout box labeled 'Price List field'. The field contains the value '1 - Price List 1'. Other fields visible include 'Checkout Bank Group No.' (1), 'Description' (Front End), 'Max percentage of tills to upgrade Simultaneously' (100), and a checked checkbox for 'Front End Terminals'. Below the main form, there are tabs for 'Linked POS', 'Open Loan Amount', 'Taxes', and 'General Parameters'. Under the 'General Parameters' tab, there are 'Q-File Parameters' including 'q-load Start time' (03:00), 'q-load Frequency' (1), and 'q-load Prompt time out' (60).

## New Promotion Maintenance Tab

To exclude Checkout Bank PLU Pricing from affecting items attached to Member (Enhanced, Group and Level) Promotions, a new Checkout Banks Tab appears in Promotion Maintenance.

The screenshot shows the 'Enhanced Promotion' configuration window. At the top, the 'Promotion ID' is 2 and the 'Description' is 'Pepsi Prom'. Below this are tabs for 'General', 'Setting', 'Checkout Banks', 'Member Card Settings', and 'Loyalty Server'. The 'Checkout Banks' tab is selected. It features two main sections: 'Available Checkout Banks' on the left and 'Checkout Banks Exclude From Promotion' on the right. The 'Available Checkout Banks' section has an empty table with columns 'No.' and 'Description'. The 'Checkout Banks Exclude From Promotion' section has a table with three rows: 1 Front End, 2 Customer Service, and 3 Deli. Between these sections are buttons: 'Add >', 'All >>', '< Remove', and '<< All'. A callout box labeled 'Checkout Banks Tab' points to the 'Available Checkout Banks' table, and another callout box labeled 'Excluded Checkout Bank List' points to the 'Checkout Banks Exclude From Promotion' table.

Depending on the setting of the new “Exclude all Checkout Banks by default when creating a new promotion” General System Parameter (see below), items attached to Checkout Banks will either be “included” or “excluded” from promotion discount pricing (by default). Checkout banks can be added or removed from the lists using the **Add>**, **All>>**, **<Remove** and **<<All** buttons.

**Note:**

This exclusion feature is only supported for Member Promotions Types of Enhanced, Group and Level. Single-Item, Multi-Item promotions, etc. are not supported.

## New Parameter

As part of this feature a new parameter has been established. This General System Parameter is located in the Store \ POST \ Monetary \ Member Promotion folder.

Parameter	Explanation
Exclude all Checkout Banks by default when creating a new promotion	When this option is set to “Yes”, all Checkout Banks will be excluded from new promotions. When this option is set to No (Default) all Checkout Banks will be included in new promotions. (This setting also applies to promotions created through General Batches)

## Related Parameter

To enable Checkout Bank Pricing, the following General System Parameter located in the Store \ Front Office \ PLU and Batch \ PLU options \ Price List folder must be set to Yes.

Parameter	Explanation
PLU Price Lists in System	This parameter enables the ISS45 PLU Price Lists in the system. This feature enables the user to maintain more than one price per item. The items prices are saved per Price List.

### Note:

The Technical Support function “Load/Refresh QDX Files to POS” (which loads or refreshes QDX files to all or selected POS Terminals) now displays the Price List file “PriceLst.qdx” in the File Name list (as File Number 141).

## POS

The following flow is now used when determining pricing from a POS terminal:

- 1 Item is entered at the POS Terminal and the application checks to see if the POS Terminal is assigned to a Checkout Bank.
  - If the POS Terminal is not assigned to a Checkout Bank the item will be rung up using the normal logic.
- 2 If the POS Terminal is assigned to a Checkout Bank, the application will check to see if the Checkout Bank is assigned to a Price List.
- 3 If the Checkout Bank is not assigned to a Price List, then the application will check to see if assigned Checkout Bank is included in the Promotion Exclusion List.
  - If the Checkout Bank is not included in the Promotion Exclusion List, any applicable attached promotion discount will be applied and the item will be rung up at the POS Terminal.
  - If the Checkout Bank is included in the Promotion Exclusion List, the item will be rung up at the POS Terminal with no promotion discount.
- 4 If the Checkout Bank is assigned to a Price List, the application will check the item for a Price List.

- If the item does not have any Price List assigned, the application will verify the Checkout Bank settings to see if the item is eligible for any promotion discounts. If the assigned Checkout Bank is not in the Promotion Exclusion List, any applicable attached promotion discount will be applied and the item will be rung up at the POS Terminal.
- If the item does have an assigned Price List the application will check for a Quantity setting equal to or greater than 1.
  - If there is not a Quantity value equal to or greater than 1, the application will use the Default Quantity Value from the Primary Item Record.
- If there is a Quantity Value equal to or greater than 1, the application will divide the Price List price by the Price List quantity and will then check for an Alternate Department Number.
  - If there is not an Alternate Department Record defined the application will use the Default Department Number from the Primary Item Record.
- If there is an Alternate Department Number defined in the Price List, the application will ring the item into that Department Number. Once the Department Number has been determined, the application will look at the Checkout Bank to see if it is included in Promotion Exclusion List.
  - If the assigned Checkout Bank is not in the Promotion Exclusion List, any applicable promotion discount will be applied and the item will be rung up at the POS Terminal.
  - If the assigned Checkout Bank is included in the Promotion Exclusion List no promotion discount will be applied and the item will be rung up at the POS Terminal.

## 10159 – Weight Detail Receipt Omission (FO/POS)

A new parameter in this ISS45 release will prevent the second detail line from printing under UPC2 items on the customer's receipt. The second receipt line for these items contains the item's weight and price per pound (taken from the PLU file).

This feature will prevent customer confusion if there is a difference between the item's scale price and the item's price in the PLU file.

### Note:

This feature is only supported for price embedded UPC2 barcodes. The General System Parameter "Price [] or Weight (x)" located in the Store \ Programmable Barcodes \ Starting Digit 02 folder must be set to "No".

## Front Office

### New Parameter

As part of this feature a new parameter has been established. This General System Parameter is located in the Store \ POST \ Presentation \ Receipt \ Regular Printing \ General folder.

Parameter	Explanation
Omit receipt details of UPC2 embedded price weighted items	This parameter controls whether price-per-weight details for UPC2 weighted items is displayed on the receipt. If set to Yes, the detail line will not display

## POS

When the new General System Parameter "Omit receipt details of UPC2 embedded price weighted items" is set to "Yes", the POS will omit the printing the detail line for UPC2 items.

## 10160 – Scale Beep on Good Weight (FO/POS)

To increase the cashier productivity, ISS45 can now issue a beep to acknowledge a good weight has been established on the scale when ringing up weighed and manual-weight items. This feature will allow the cashier to recognize the beep as an accepted item (rather than having to confirm by viewing the cashier display).

In previous releases, when the cashier placed the item on the scale and either entered (or scanned) a PLU or manually entered a department and price per pound, there was no beep from the scale to confirm the acceptance of the item.

**Note:**

As of this release, this feature is specific to the NCR 78xx family of Scanner/Scales.

### Front Office

#### New Parameter

As part of this feature a new parameter has been established. This General System Parameter is located in the Store \ POST \ General folder.

Parameter	Explanation
Audio signal (beep) when scale weight is accepted for NCR 78xx scanner/scale	If set to Yes, an audio signal will be emitted from the scanner when the scale weight is accepted on a NCR 78xx scanner/scale. This beep will be similar to the “item accepted” beep from the scanner.

### POS

If the new General System Parameter (above) is set to “Yes” and the POS Terminal’s Scale Type is set to “NCR 7870 Scanner/Scale” (POST Configuration Screen’s WinPOS H/W Tab), the scanner will beep when the scale weight is accepted.

## 10212 – WinPOS Interface to CCTV (FO/POS/Ssys)

ISS45 now interfaces with third-party Closed Circuit TV (CCTV) applications that monitors cashier credibility and helps reduce theft by cashiers in the lanes. WinPOS will gather specific transaction data, convert it to an XML format and transfer it to a third-party database via TCP/IP.

### Front Office

#### New Parameters

As part of this feature new parameters have been established. These General System Parameters are located in the **new** Store \ POST \ Monetary \ CCTV folder.

Parameter	Explanation
Use TCP/IP to a 3 <sup>rd</sup> Party CCTV Provider	When this parameter is set to Yes, POS transaction data will be sent to a Closed Circuit TV Provider.
TCP/IP Address of CCTV Host Server	This parameter defines the IP address of the Closed Circuit TV host.
Port Number of the CCTV Host Server	This parameter defines the port number for the Closed Circuit TV host connection.

**Note:**

This feature is controlled a bit on the HASP plug.

## POS

### Supported Transaction Events and Formats

The following is a list of support POS events and supporting data that is transmitted to a third-party CCTV server:

#### Event Header

Field Name	Description
Terminal	Terminal which created this string
Operator	Operator number
Authorizer	Manager Code when approval needed (When not needed equals the operator ID)
Time Stamp	Date and Time (YYYYMMDDHHnss)
Transaction Type	String
Transaction ID	Currently not in use
Status	0 = "Ignore_Param" 1 = "Open" 2 = "Success" 3 = "Cancel" 4 = "Access Denied" 5 = "Fail"

#### Item Sale & Price Lookup/Inquiry

This event is triggered when an item is scanned or key entered.

Field Name	Description
Till Num	Ticket Number
Item Code	Item's standard code
Description	Item Description
Entry Method	String represents the entry method

	1 = "MANUAL" 2 = "SCANNED"
STD Price	Standard Price
Actual Price	Actual Sale Price
Quantity	Item Quantity
Sales Amount	Item total (Price*Quantity)
Required Age	In case that the item is restricted by age.
Actual Age	The customer's actual age

### Cash Tender Transactions

Cash and generic type tenders which don't fall into any other tender bucket.

Field Name	Description
Till Num	Ticket Number
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Transaction amount

### Credit Card Tender Transactions

All EFT tenders will be sent using this event type (includes Credit, Gift Cards, Debit, EBT Food Stamps and EBT Cash).

Field Name	Description
Till Num	Ticket Number
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Transaction amount
Card Number	Credit card number (All digits encrypted but the last 4).
Valid Date	Card date-validation
Entry Method	1 = "MANUAL"

	2 = "SWIPED"
--	--------------

### Check Tender Transactions

For Check Tender transactions only:

Field Name	Description
Till Num	Ticket Number
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Transaction amount
ABA	Bank and branch number
Account ID	Bank Account Number
Serial	Check Serial Number

### Coupon Tender Transactions

All tenders with voucher number will be sent using this event type (includes WIC, non-EBT Food Stamps and coupon tenders).

Field Name	Description
Till Num	Ticket Number
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Coupon Amount
Serial	Coupon Serial Number

### Charge Tender Transactions

In house charge and customer account tender types only.

Field Name	Description
Till Num	Ticket Number
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Transaction amount

Account Id	Customer Account ID
Account	Account Name

### Item Void and Cancel Item

Item Void events corresponding with Keyboard Function #902 (Subtract Next) and Cancel Item events corresponding with Keyboard Function #901 (Cancel Item).

Field Name	Description
Till Num	Ticket Number
Elements	Number of Items that were void
Item Code	Item's standard code
Description	Item Description
STD Price	Standard Price
Actual Price	Actual Sale Price
Quantity	Item Quantity
Sales Amount	Item total (Price * Quantity)

### Price Override

Price Override event corresponding with Keyboard Function #930.

Field Name	Description
Till Num	Ticket Number
Item Code	Item's standard code
Description	Item Description
Entry Method	1 = "MANUAL" 2 = "SCANNED"
STD Price	Standard Price
Actual Price	Actual Sale Price – Override Amount
Quantity	Item Quantity
Sales Amount	Item total (Price * Quantity)

### Void Ticket

Void ticket event corresponding with Keyboard Function #900.

Field Name	Description
Till Num	Ticket Number
Amount	Ticket Amount
Reason Code	Not supported
Reason Text	Not supported

### Return Item

This event is triggered when an item return type is triggered (not a transaction return).

Field Name	Description
Till Num	Ticket Number
Item Code	Item's standard code
Description	Item Description
STD Price	Standard Price
Actual Price	Actual Sale Price – Override Amount
Quantity	Item Quantity
Refund Amount	Item Refund Total (Price*Quantity)

### Member Card Entry

Member Card events corresponding with Keyboard Function #932. (**Note:** - Frequent Shopper is a different event code).

Field Name	Description
Till Num	Ticket Number
Customer ID	Customer ID
Customer Name	Customer Name

### Sub Total

This event is triggered when moving from sale mode to tender mode. It can be the result of pressing the **Total** key (or **Enter** key if system parameter is set to accept **Enter** as **Total** key).

**Tax** and **Tax Amount** fields can be added more than once in the case where more than one tax applies to the ticket sales.

Field Name	Description
Till Num	Ticket Number
Gross Amount	Expected total before promotions
Net Amount	Total Amount Before Tax
Elements	Number of line elements

**Tax Line Detail** (Multiple records where more than one tax is applied)

Field Name	Description
Tax Name	Tax Description
Tax Amount	Tax Amount

### Subtotal and Tax Data

Field Name	Description
Tax Total	Total tax amount – SUM (Tax Amount)
Grand Total	Total Amount including tax.

### Tender Correction

Tender Correction events corresponding with Keyboard Function #981.

Field Name	Description
Till Num	Ticket Number

## Item Discount

Includes single item promotions and manual discounts (from Discount Maintenance).

Field Name	Description
Till Num	Ticket Number
Item Code	Item's standard code
Discount ID	Discount
Discount Name	Discount description
Discount Value	Discount percentage value
STD Price	Standard Price
Actual Price	Actual Sale Price
Quantity	Item Quantity

## Control Check

Events triggered when a control check is executed.

Field Name	Description
Control Check Num	Control check number
Control Check Name	Control check description
Control Check Action	1 = "Warning Only" 2 = "Supervisor Keylock Required" 3 = "Inhibit Activity" 4 = "Manager Keylock Required" 5 = "Ask Yes/No"
Control Check Status	1 = "Accepted" 2 = "Denied"

## Supervisor Transaction

Events triggered when a supervisor number is entered at the POS (i.e. when a cashier has invalid privileges).

Field Name	Description
Supervisor Num	Supervisor number
Entry Method	1 = "MANUAL" 2 = "SCANNED"

## Department Sale

Events triggered when cashier rings a department sale.

Field Name	Description
Till Num	Ticket Number
Department Num	Department code
Department Name	Dept Description
Actual Price	Actual Sale Price
Quantity	Dept Quantity
Amount	Dept total (Price * Quantity)
Required Age	In case that the dept is restricted by age.
Actual Age	The customer's actual age

### Department Void and Cancel Department

Department Void events corresponding with Keyboard Function #902 (Subtract Next) and Cancel Department events corresponding with Keyboard Function #901 (Cancel Item).

Field Name	Description
Till Num	Ticket Number
Department Num	Department code
Department Name	Dept Description
Actual Price	Actual Sale Price
Quantity	Dept Quantity
Amount	Dept total (Price * Quantity)

### Return Transaction

Events triggered when a transaction return type is executed.

Field Name	Description
Till Num	Ticket Number
Amount	Ticket Amount
Reason Code	Not supported
Reason Text	Not supported

### Department Return

Events triggered when a return is executed to a department.

Field Name	Description
Till Num	Ticket Number
Department Num	Department code
Department Name	Dept Description
Actual Price	Actual Sale Price
Quantity	Dept Quantity

Amount	Dept refund total (Price * Quantity)
Reason Code	Return number
Reason Text	Return description

### Ticket Discount

Events triggered by manual ticket discounts only. (No line details provided – only ticket discount total).

Field Name	Description
Till Num	Ticket Number
Discount ID	Discount
Discount Name	Discount description
Discount Value	Discount total value

### Frequent Shopper Number Entry

Frequent shopper entries using keyboard function #961.

Field Name	Description
Till Num	Ticket Number
Customer ID	Customer ID

### Post Void

Events triggered when keyboard function #928 is successfully executed and a previously completed ticket was voided.

Field Name	Description
Till Num	New Ticket Number
Reference	Original Ticket Number
Recalled Till Num	Original POS number
Amount	Voided ticket total

## Department Discount

Events triggered by manual department discounts only.

Field Name	Description
Till Num	Ticket Number
Department Num	Department code
Discount ID	Discount
Discount Name	Discount description
Discount Value	Discount percentage value
STD Price	Department value eligible for discount
Actual Price	Discount value
Quantity	Quantity

## Monetary Flow Transactions

Events triggered by:

- Loans
- Pickups
- Receipts
- Payouts

Field Name	Description
Tender Type	Tender ID – Additional tenders may be added due to additional development.
Amount	Transaction amount
Account	Account ID

## Non-Monetary Transactions

Events triggered by:

- Save
- Recall

- Start Transaction
- Print Last Ticket
- End Transaction

Field Name	Description
Till Num	Ticket Number

### Simple Transactions

The following string types contain only header data:

- Exit WinPOS
- X-Read Report
- Sign On
- Sign Off
- Enter Secure Mode
- Exit Secure Mode

## Sys

A wptcpdirect.log file is created when the POST tries to access the IP designated in the General System Parameters.

## 10246 – Admin Rights Removal (Sys)

To improve system security, ISS45 users are no longer required to log onto Front Office servers as users with administrator rights. The following services can now be started using Local System Accounts (rather than an Administrator login account):

- POS\_SRV\_MANAGER
- SQL\_SERVER
- SQL\_SERVER\_AGENT

## 10249 – Expanded Manual Entry of Tax Exempt Number (POS)

ISS45 now supports the manual entry of Tax Exempt Numbers when the General System Parameter “Enable Scanner at Tax Exempt Prompt” (located in the Store \ POST \ Monetary \ Tax folder) is set to “Yes”. In previous releases, when this parameter was set to “Yes”, the Tax Exempt Number could only be scanned when the POS terminal prompted for the Tax Exempt Number.

**Note:**

The General System Parameter “Omit Tax ID Number Prompt For Tax Exempt” (located in the Store \ POST \ Monetary \ Tax folder) must be set to “No” in order for this feature to work. If set to “Yes”, the Tax Exempt status is set without requiring a Tax ID number.

**Note:**

A maximum of 19 characters can be key-entered at the “Enter Tax Exempt No.” prompt. The number prints on the receipt and is included in the Electronic Journal.

**Note:**

Through a user hook, a Tax Exempt Number can be scanned at the POS and validated against the user-maintained central database.

## 10429 – IBM Keyboard Support (POS)


ISS45 now supports the IBM OPOS 50-Key POS Keyboard. Use the following steps for configuring the IBM keyboard:

- When configuring OPOS, use USB Keyboard A. (Do not select any of the 50-key keyboards listed).
- The OPOS configuration file (KBDKMAP.DAT) must exist in the C:\POS\DLL folder.
- The keyboard must be setup in Keyboard Programming to use the codes assigned to the appropriate keys.
- In the POST Configuration Screens WinPOS H/W Tab, choose “Standard” for the Keyboard Type.

**Note:**

The two supported keylock positions on the IBM OPOS 50-Key POS Keyboard are “Normal Mode” and “Supervisor Mode”.





**© StoreNext Retail Technologies LLC 2008**

StoreNext Retail Technologies LLC endeavors to ensure that the information in this document is correct and fairly stated but does not accept liability for any error or omission.

The development of StoreNext products and services is continuous and published information may not be up to date. It is important to check the current position with StoreNext. This document is not part of a contract or license save insofar as may be expressly agreed.