

## Product Bulletin

### TeamPoS 2000 Configuration Summary For ScanMaster and ISS45 (withdrawn)


MB-Term-1157 Issue 23  
April 21, 2008

The TeamPoS 2000 terminal has been withdrawn, as has the D12, A12 and D15 displays and other items. However, many accessories, related items and peripherals continue to be available – check with StoreNext Order Entry. This Issue 23 updates, corrects, introduces and/or obsoletes several items. The most recent changes of significance are marked in red. **Note: this bulletin will not be updated after this issue, so additional items will be withdrawn and other changes to these items will be made without notice as time progresses.**

StoreNext Retail Technologies is pleased to describe the TeamPoS 2000 configurations for use with ScanMaster and ISS45. These packages give you flexibility in how you sell and price these POS systems to your customers. See below for the latest new configurations plus product news, product line extensions and withdrawals relating to TeamPoS.

#### TEAMPOS 2000 “M” CONFIGURATIONS

Fujitsu has leapfrogged the competition by jumping straight to the Intel Pentium M CPU and skipping the entire Pentium 4 generation altogether. Pentium M CPUs *significantly* outperform Pentium 4s – even those with higher clock speeds. For example, a 1.6GHz Pentium M drives applications faster than a 2.4GHz Pentium 4. TeamPoS 2000 M gives grocers a great deal of “headroom” for future performance requirements. In fact, the 1.3GHz Celeron M outperforms the 1.0GHz P3 by 75% – and at a lower price.



In comparison, Business Winstone benchmarks have been published:

- TeamPoS 2000 566 MHz: 5.4
- TeamPoS 2000 1.0 GHz: 9.0
- TeamPoS 2000 1.3 GHz Celeron M: 15.7
- TeamPoS 2000 1.6 GHz Pentium M: 19.2
- The TeamPoS 2000 1.3 Celeron M has been benchmarked as superior to any competing 2.0GHz P4 PoS terminal available, plus offering significant power savings. The Fujitsu 1.3GHz M is almost as fast as a 2.4GHz P4.
- Obviously, the faster TeamPoS 2000 Pentium M 1.6 designs only increase that gap between Fujitsu and the competition. Performance advantages are particularly significant against competing low-cost designs that use “Via” processors and non-ECC RAM.

The TeamPoS 2000 is now available with 1.6GHz Pentium “M”, 1.3GHz Intel Celeron “M” and 566MHz<sup>1</sup> Intel Celeron processors. The TeamPoS 2000 S-Class is available with the 850Mhz Celeron only. Packages using these units are available in both integrated and dispersed variations.

All TeamPoS 2000 configurations are now shipped with embedded Microsoft Windows XPe.

<sup>1</sup> All TeamPoS 2000 slices are now out of stock and withdrawn.

This document and information are supplied to StoreNext Retail Technologies personnel and third parties to assist them in doing business with StoreNext. They are not to be used or distributed for any other purpose.

StoreNext Retail Technologies LLC endeavors to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

## TEAMPOS 2000 S-CLASS CONFIGURATIONS

The new Fujitsu TeamPoS 2000 S-Class combines Fujitsu's legendary reliability and construction quality with a lower cost point in return for somewhat reduced I/O flexibility and features. This bulletin provides pricing and options for the TeamPoS 2000 S, and complete configuration detail is provided in [Marketing Bulletin 1206](#).

### 15" INDUSTRY-STANDARD FLAT PANEL DISPLAYS

Dealers looking for a lower cost display than the Fujitsu Flat-Panel Touch-Screens will find the new 15" Flat Panel display a useful alternative. This unit has been validated with ScanMaster, ISS45 WinPoS (all versions) and V7 DOS and received top reviews among 15" flat panel alternatives when touch-screen or TeamKey capability was not required. This display offers a 3 year warranty as well as a long production run – so it doesn't look different every time you order a new batch.



### TEAMKEY CONFIGURATIONS

TeamKey adds a keypad with MSR to the Fujitsu 12" and 15" Flat-Panel displays. Combined with ISS45 or ScanMaster and the touch-screen option, this brings the ultimate speed, flexibility and ergonomics to cashiers in supermarket environments for customers looking for a full-stroke keyboard in addition to touch-screens. Furthermore, the favorable pricing, extreme quality and the brilliant touch display put a lot of distance between you and your competition. This is just simply better than anything anyone else can show.

Fujitsu TeamKey products are configured as simple add-on units, packaged with all required hardware. There's a special stand for the 12.1" LCD/TeamKey (PIN 90000452 for the D12/ A12 and 90001067 for the D15) that's solid metal and very, very solid designed to withstand the constant shocks from checker use. This stand is designed for a dispersed configuration. It can be placed on the TeamPoS 2000 chassis, but it doesn't leave any space for a second LCD/stand or printer to be integrated – a second display and printer would need to be mounted remotely. But do not use the other display stands or mounts with TeamKey. Either use the new 90000452 or employ a custom device manufactured for the purpose by checkstand vendors. <sup>2</sup>

### FUJITSU D15 SMARTPOS DISPLAYS

[Marketing Bulletin 1207](#) details the configuration and capability of the new Fujitsu D15 SmartPoS displays.

### FUJITSU D12/A12 ANALOG AND DIGITAL FLAT PANEL DISPLAYS

StoreNext is pleased to offer a family of Analog and Digital flat panel displays for the TeamPoS 2000. The Analog displays feature the same outstanding clarity and color as the digital version – the only differences are in the display controller interface. Configuration rules are: <sup>2</sup>

- Both the Analog and Digital versions of the flat panel displays are available in standard or touch-screen versions.
- Both types of displays can be configured for "stacked" or "dispersed" configurations.

---

<sup>2</sup> Please also see [Marketing Bulletin 1166](#) for more information about ISS45 display configurations.



- In general when one display only will be used, the Digital version is preferable for configuration reasons. Only the Digital version supports the speaker options.
- When dual flat panel displays are required, use one Digital and one Analog version. Two digital displays cannot be simultaneously supported. Both, one or neither of the displays can be configured with touch screens.
- When both flat panel displays are configured in a stacked arrangement, the “stacked” power cable for one display can “daisy-chain” from an outlet in the other display. When one of the displays is configured remotely, however, the “Y” cable *must* be used to ensure proper power to both units. For this reason, the dispersed configurations of the Analog display provide the “Y” cable instead of the standard cable.
- The TeamKey can be used with either the Digital or Analog unit.

*Display kits are configured without* stands. The reason for this is that the variety of stands and mounting options would generate a bewildering array of kits, and many grocers use the mounting brackets provided by checkstand vendors regardless.

- If you are using one of the flat panel displays in a stacked configuration, you should strongly consider ordering the mounting brackets that lock the display stand to the TeamPoS 2000. At a low (\$21 list) price, they properly secure the units. (These are provided as part of some StoreNext Express configurations.)
- If you are stacking two displays (one digital, one analog) then consider the Dual Display stacked base, which provides a dual-arm adjustable display mounting for two of these flat panel units.
- If you are using the TeamKey configuration, use the 90000452 stand designed for this configuration.
- Fujitsu also offers a VESA standard mounting plate. This attaches to the back of the Digital or Analog display and provides an assembly to fit any VESA-standard mounting. Note that the checkstand vendor will need to provide the cosmetic back-plate cover for the flat panel display if this option is chosen.

## FLAT PANEL POWER “Y” CABLES

When a single Flat Panel is used, the Digital display (D12T or D12TT) should be used due to lower cost and the flexibility of adding speakers. When dual Flat Panel displays are used, one Digital and one Analog (A12T or A12TT) would be used. In integrated configurations, each display uses its own short power cable, but when dual Flat Panels are used in a dispersed configuration, the second (Analog) display is supplied with a “Y” power cable. This enables the proper power cable configuration in dual-display/dispersed checkstand configurations.

## DUAL DISPLAYS — SAME DATA TO BOTH (ISS45)

With ISS45 V8 and 7.8 and above, users normally configure the POS terminal with the ISS45 WinPoS software. This provides a true GUI over Windows XP. When using NT, a single screen could only be used, but with Windows 2000 and later, dual screens with different data for the clerk and shopper can be configured. For such dual configurations, a combination of SVGA (analog) or LCD (analog or digital) displays must be selected.

If dual screens are required using DOS or NT, dual conventional VGA displays can be used with identical information displayed on both screens. A kit for this purpose contains a VGA splitter, additional VGA cable and mains cable, and it enables the user to provide dual VGA monitors, one for a clerk and another for the shopper. Fujitsu has achieved the required 50-state Weights & Measures approvals for this configuration. Again, note that the information



displayed on the two monitors will be identical. The listing and PIN for this item can be found on Page 14 below in the Standard PC Display section. More information about these configurations can be found in [Marketing Bulletin 1166](#), "ISS45 Display Options."

## PRINTERS

StoreNext offers the TPG/Axiohm 760 with MICR and check-flip. The Fujitsu/Epson DT50-III with RS-232 or USB, MICR and 3 print heads is also available for ScanMaster and ISS45 systems and is regularly stocked for minimum turnaround on Dealer orders. Other printers are available (see Page 8) but may have 60-day lead times depending upon in-stock availability. Please check with StoreNext Order Entry if alternate printers are required.

## 92U KEYBOARD

StoreNext is pleased to offer the **92U Keyboard**,<sup>3</sup> an enhanced unit from the 92R or M keyboard targeted for supermarket and high-throughput front-end. **The 92U provides both a serial and powered USB interface** and is built with a moisture-resistant and heavy-duty keyboard matrix designed for exceptional reliability in heavy-use and inclement environments.

The 92U also provides improved keycaps compared to the 92R (but the same as the 92M). The clear plastic keycap covers now envelop the entire key, providing better protection for the printed keycap labels underneath. This improves the keyboard's appearance over time.

The 92U is electrically identical to the former 92M with the exception of the USB interface, and is now used as the "standard" ISS45 keyboard in all packages and for most applications. Keyboard options for the 92R will continue to be offered while stock is available.

## TEAMPOS 2000 M MOTHERBOARD-ONLY UPGRADES

The TeamPoS 2000 M requires the new "M" version of the mother board in order to accommodate the new Pentium M processors. These Intel processors need the M board and will not operate with previous versions TeamPoS 2000 boards. Earlier Pentium III Intel processors will not operate on the new M board. Other components of the TeamPoS 2000 terminal, such as power supplies, riser cards, I/O cards and so forth have not changed.<sup>4</sup>

To protect independents' TeamPoS 2000 investment, StoreNext is offering a special upgrade package to upgrade an existing TeamPoS 2000 to a 1.6GHz "M" configuration. See the TeamPoS 2000 Controller Options on Page 26 below.

## TEAMPOS 2000 PERFORMANCE

If you want the highest performance, use TeamPoS 2000 1.6GHz Pentium M machines. Depending on software parameter and video complexity, promotions and so forth, grocers may or may not notice a sufficient difference compared to the 1.3GHz CPUs.

---

<sup>3</sup> The 92U keyboard provides the same features and capabilities (and keycaps) of the 92M, but also work with powered USB ports. The 92U is being shipped currently.

<sup>4</sup> With the Serial-only Retail I/O input-output interface sets heretofore supplied with all TeamPoS 2000 packages. A different riser card for use with the "TeamUSB" has been released with the TeamPoS 2000 M.



## TEAMPOS 2000 CHASSIS TYPES

The TeamPoS 2000 control slice is manufactured in both “compact” and “standard” form-factors. Since the compact chassis is only slightly smaller and does not cosmetically support a standard stacked cash drawer for integrated configuration, most ISS45 packages use only the “standard” chassis – a Compact Chassis is now offered in a no-keyboard, no-display package.

The TeamPoS 2000 S-Class is offered *only* in the compact chassis.

## “CORE” PACKAGES WITH NO KEYBOARD/NO DISPLAY/NO PRINTER

To simplify ordering using the wide variety of printer, keyboard and display options, StoreNext offers TeamPoS 2000 packages that allow selection of your choice of printer, keyboard and display configurations. See the standard package listings for these configurations. <sup>5</sup>

## TEAMPOS PACKAGE PRICING

Savings by purchasing complete TeamPoS 2000 packages is typically lower than the sum of the prices of their components. Complete Package ordering aids StoreNext through inventory and forecasting simplification, and the new pricing passes these savings on to those who order these complete packages, including printers, displays, keyboards, etc. ***Note also that the dealer discount will be 6% less if a complete terminal package is not purchased. The standard StoreNext POS discount schedule requires all terminal components to be ordered, including a keyboard and display.***

## STACKING BRACKETS

The following Stacking Brackets are available for the TeamPoS 2000. These brackets include sheet metal and screws and attach to the TeamPoS 2000 controller “slice” to lock specific components for a stacked/integrated configuration.

- The Printer stacking bracket (90000216) is used to lock the (Epson) DT50 printer<sup>6</sup> to the TeamPoS 2000 slice. (Please note that earlier versions of MB 1157 indicated that this bracket was included with this printer when the printer was sold separately – this was incorrect: only the bosses/connection points are supplied, not the brackets themselves.) This bracket fits either the standard or compact TeamPoS 2000 chassis.

These printer brackets have now been added to all ISS45 Integrated TeamPoS packages and some StoreNext Express packages.<sup>7</sup> They are not included with the stand-alone printers since these can be used for either integrated or dispersed configurations. If these brackets are needed, they are available at low cost as PIN 90000216. Different printer brackets are optionally available for Axiohm 758/760 and older Epson printers. See Page 14 for a listing of these brackets.

- An LCD bracket is available (90000217) for locking the mounting of a TeamPoS 2000 Flat Panel display to the TeamPoS (either standard or compact) slice. These brackets also lock the single and dual integrated display arm options (90000162 and 90000366

---

<sup>5</sup> The dealer discount will be 6% less if a full terminal (cash drawer, printer, touch display or display/keyboard) are not purchased simultaneously. Purchase of a touch-screen display fulfills keyboard and display requirements. See StoreNext Discounting Policy ([CO6](#)).

<sup>6</sup> The standard Epson TMH-6000 does not fit to these brackets.

<sup>7</sup> That is, 45200/002, 45200/304, 45200/100, and 45200/102. ISS45/ScanMaster Express packages 45480/xx7 and 45480/xx3 are provided with these brackets.



respectively) to the slice. This kit also includes a keyboard bracket for the 104P or 133PQ.<sup>8</sup> This kit is included in some ISS45 or ScanMaster Express packages,<sup>9</sup> and is otherwise available as an option.

- CRT brackets/mounting plates are available. PIN 90000181 includes a CRT bracket for the PB600440 or 58312/001 9" CRTs. This kit also includes the keyboard bracket for the 104P or 133PQ. This kit operates on the TeamPoS 2000 standard chassis only.

PB600307 is a mounting plate for the former 14" monitors, including the 068925-000 and 930475-000 TeamPoS 2000 monitors. This bracket works only on the TeamPoS 2000 standard chassis only.

## PRINTER CABLES

All Epson printers, including the DT50-III, use the same set of cables. The 11000244, 11000247 and 11000245 also support the Axiohm 758/760.

The TPG/Axiohm 756 and 793 printers need a different cable when used with the TeamPoS 2000, however. These cables (11000244 and PB600510) have been reduced in price to match the cables for the Epson/Axiohm 758 above.

## TABLE OF CONTENTS

To make reference easier, this bulletin is divided into the following sections:

Staging and Integration Prices for TeamPoS 2000 Hardware	7
Installation Prices for TeamPoS 2000 Hardware	7
Printer Options and Components	8
Standard PC Displays	14
TeamPoS D15 SmartPoS LCD 15" Displays	15
TeamPoS 12" Displays	19
Keyboards and TeamKey	21
Keyboard Pieces and Parts	23
Cash Drawer Pieces and Parts	25
TeamPoS 2000 Controller Options	26
Documentation	27
TeamPoS 2000 Complete Packages for ScanMaster and ISS45	28
TeamPoS 2000 Core Packages for ScanMaster and ISS45	30

To Your Success,

  
 \_\_\_\_\_  
 Antony van Severter

<sup>8</sup> There are no brackets available for the 92R/92M/92U keyboard. Since the 133PQ and 104P keyboards are not designed for ISS45 use, you may choose to recycle these keyboard brackets.

<sup>9</sup> Express "complete" 45480/xx7 and 45480/xx3 packages are provided with these brackets.



## STAGING AND INTEGRATION PRICES FOR TEAMPOS 2000 HARDWARE

These are Fujitsu Transaction Solutions' standard integration and staging prices and are provided for your reference only. Please note that Fujitsu's own individual quotations for these services will differ depending upon the required work packages and effort required.

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45000/014	TeamPoS 2000 Integration and Staging — PoS or Controller terminal	\$ 245	N/A	N/A
45000/015	Integration and Staging — PC Controller/Server Pair	340	N/A	N/A
45000/012	Integration and Staging — PC Workstation	75	N/A	N/A
45000/013	Integration and Staging — Series9000 or Orion 9500 or 9900	13	N/A	N/A

## INSTALLATION PRICES FOR TEAMPOS 2000 HARDWARE

These are Fujitsu Transaction Solutions' standard installation prices and are provided for your reference only. Please note that Fujitsu's own individual quotations for these services will differ depending upon the required work packages and effort required.

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45000/036	Installation, TeamPoS 2000 terminals, all configurations and peripherals. If 45000/031 or 45000/032 below not being ordered, order 2@ of this service for the first terminal in the store, and 1@ for all subsequent terminals. Assumes M/F 8:00-5:00. For Monday – Friday, 5:00pm – 8:00am and Saturday 8:00am – 5:00pm, add \$10 surcharge per unit. For Saturday 5:00pm – 8:00am and Sunday and Holiday, add \$20 surcharge per unit.	\$ 85	N/A	N/A
45000/031	Installation, single controller PC	240	N/A	N/A
45000/032	Installation, dual controller PCs	370	N/A	N/A
45000/035	Installation, PC Workstation	40	N/A	N/A



PRINTER OPTIONS AND COMPONENTS

PIN	Item	Price	Inst	Maint
<b>Epson Printer Packages</b>				
45202/010	StoreNext <b>DT50-III</b> dual-color receipt/slip/MICR/3-print-head package with RS-232 interface. TransScan upgradeable. <sup>10</sup> Similar to <b>Epson 6000-III</b> but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. This printer unit is regularly stocked. (Includes <b>11000187</b> , <b>11000189</b> and PRINTERINTRS232.)	\$ 1,095	125	125
45202/010U	StoreNext <b>DT50-III</b> dual-color receipt/slip/MICR/3-print-head package with USB interface. <sup>11</sup> TransScan upgradeable. <sup>10</sup> Similar to <b>Epson 6000-III</b> but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. This printer unit is regularly stocked. (Includes <b>11000187</b> , <b>11000190</b> and PRINTERINTUSB.)	1,095	125	125
45202/010US	StoreNext <b>DT50-III</b> dual-color receipt/slip/MICR/3-print-head package with USB interface. <sup>12</sup> TransScan upgradeable. <sup>10</sup> Similar to Epson <b>6000-III</b> but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. This printer unit is regularly stocked. (Includes <b>11000187</b> , 90001257 and PRINTERINTUSB.)	1,145	125	125
45202/020	StoreNext <b>DT50-III</b> TransScan dual-color receipt/slip/MICR/3-print-head package with RS-232 interface. Similar to Epson <b>6000-III</b> TransScan but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>13</sup> (Includes <b>11000564</b> , <b>11000189</b> and PRINTERINTRS232.)	1,795	125	175
45202/020U	StoreNext <b>DT50-III</b> TransScan dual-color receipt/slip/MICR/3-print-head package with USB interface. <sup>11</sup> Similar to Epson <b>6000-III</b> TransScan but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>13</sup> (Includes <b>11000564</b> , <b>11000190</b> and PRINTERINTUSB.)	1,795	125	175
45202/020US	StoreNext <b>6000-III</b> TransScan dual-color receipt/slip/MICR/3-print-head package with USB interface. <sup>12</sup> Similar to Epson <b>6000-III</b> TransScan but with packaging, locking bracket bosses for using 90000216 brackets and coloring for TeamPoS 2000. To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>13</sup> (Includes <b>11000564</b> , 90001257 and PRINTERINTUSB.)	1,845	125	175

<sup>10</sup> No field upgrade available. Must ship to Epson factory for upgrade.

<sup>11</sup> The USB interface on this unit is the “Powered” USB interface (90000544) for use with powered USB cables. Usable on TeamPoS 2000 with TeamCombo I/O (not currently released).

<sup>12</sup> The USB interface on this unit is the “Standard” USB interface 90001257, for use with non-powered interface cables and external power supply 90000664. It is *not* for use with powered USB cables. Usable on TeamPoS 2000 with Retail I/O.



PIN	Item	Price	Inst	Maint
45202/011	StoreNext DT50-III dual color receipt/slip only package with RS-232 interface and integration (Similar to Epson 6000-III but with packaging, locking bracket bosses for use with 90000216 brackets and coloring for TeamPoS 2000.) To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>13 14</sup> (Includes 11000186, 11000189 and PRINTERINTRS232.)	995	125	115
45202/002	StoreNext Epson TM-T90 dual color receipt-only printer package, RS-232 interface (same as 90000492). <sup>13</sup>	625	125	70
45202/001 Withdrawn	StoreNext Epson TM-88iii receipt-only printer package, Fujitsu colors, RS-232 interface. Package includes TM-88iii printer (90001256) and RS-232 interface (11000189) and integration (PRINTERINTRS232). <sup>13 15</sup>	495	125	70
45202/003 Withdrawn	StoreNext Epson TM-88iii receipt-only printer package, Fujitsu colors, USB interface. Package includes TM-88iii printer (90001256) and USB interface (11000190) and integration (PRINTERINTRS232). <sup>13 16</sup>	495	125	70
45202/004 Withdrawn	StoreNext Epson TM-88iii receipt-only printer package, Fujitsu colors, USB interface. Package includes TM-88iii printer (90001256), standard USB interface (90001257), external power supply/cord (11000195) and integration (PRINTERINTUSB). <sup>13, 17</sup>	595	125	70

#### Epson Printer Components

11000187	DT50-III dual-color receipt/slip/MICR/3-print-head/no interface (Similar to Epson 6000-III but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.) This printer is regularly stocked. Trans-Scan upgradeable. Requires interface below. <sup>18, 19</sup>	\$ 1,100	N/A	\$ 125
11000197	DT50-III dual-color receipt/slip/MICR/3-print-head/no interface, BLACK (Similar to Epson 6000-III but with packaging, locking bracket bosses using 90000216 brackets for TeamPoS 2000.) To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>20</sup> Trans-Scan upgradeable. Requires interface below. <sup>21, 22</sup>	\$ 1,100	N/A	\$ 125

<sup>13</sup> Check with StoreNext order entry for availability and lead time if applicable.

<sup>14</sup> Since this printer does not include MICR reading capability, it is *not* TransScan upgradeable.

<sup>15</sup> Use with powered serial cables 11000244, 11000245 or PB600510.

<sup>16</sup> Use with powered USB cables 90000698 or 90000850.

<sup>17</sup> Use with non-powered USB cables 90000602 or 90000849.

<sup>18</sup> Epson ships the DT50-II and the interface separately. The Interface PIN and integration PIN must be selected so that the printer unit and interface are integrated prior to shipment.

<sup>19</sup> This printer can be upgraded when appropriate to the Epson check imaging system. According to Epson, this upgrade cannot be performed in the field.

<sup>20</sup> Check with StoreNext order entry for availability and lead time if applicable.



PIN	Item	Price	Inst	Maint
11000186	DT50-III dual color receipt/slip/no interface (Similar to Epson 6000-III but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.) To ensure supply of this printer, Dealers must assume 60 days lead-time from order. <sup>23</sup> Requires interface below. <sup>24, 25</sup>	983	N/A	115
11000564	DT50-II TransScan dual-color receipt/slip/MICR/3-print-head/no interface (Similar to Epson 6000-II TransScan but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.) Requires interface below. <sup>25</sup>	2,022	N/A	175
90000838 Withdrawn	DT50-II TransScan dual-color receipt/slip/MICR/3-print-head/no interface (Similar to Epson 6000-II TransScan but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.) Requires interface below. <sup>25</sup>	2,022	N/A	175
90000492	Epson TM-T90 dual color receipt-only printer, RS-232 interface	702	N/A	70
11000189	RS-232 interface for DT50 Printers for use with powered serial cables. <sup>25</sup>	51	N/A	N/A
11000190	USB interface for DT50 Printers for use with powered USB cables. <sup>25</sup>	51	N/A	N/A
90001257	USB "standard" interface for Epson Printers for use with non-powered interface cables and external power supply.	95	N/A	N/A
11000195	Power Supply 180 w/Power Cord for Epson for use with non-powered interfaces.	70	N/A	N/A
90000664 Withdrawn	Power Supply 180 w/Power Cord for Epson for use with non-powered interfaces.	70	N/A	N/A
PRINTER INTUSB	Integration of DT50-II/DT50-III Printers with USB interface <sup>26, 23</sup>	6	N/A	N/A
PRINTER INTRS232	Integration of DT50-II/DT50-III Printers with RS-232 interface <sup>26</sup>	6	N/A	N/A
90000543 Withdrawn	RS-232 interface for DT50-II Printers for use with powered serial cables.	51	N/A	N/A
90000544 Withdrawn	USB interface for DT50-II Printers for use with powered USB cables.	51	N/A	N/A

<sup>21</sup> Epson ships the DT50-II and the interface separately. The Interface PIN and integration PIN must be selected so that the printer unit and interface are integrated prior to shipment.

<sup>22</sup> This printer can be upgraded when appropriate to the Epson check imaging system. According to Epson, this upgrade cannot be performed in the field.

<sup>23</sup> Check with StoreNext order entry for availability and lead time if applicable.

<sup>24</sup> Since this printer does not include MICR reading capability, it is *not* TransScan upgradeable.

<sup>25</sup> Epson ships the DT50-III and the interface separately. The interface PIN and integration PIN must be selected so that the printer unit and interface are integrated prior to shipment.

<sup>26</sup> Integrates interface unit into the printer prior to shipment, including PRINTERINTRS232 or PRINTERINTUSB service as appropriate.



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000773 <b>Withdrawn</b>	DT50-II dual-color receipt/slip/MICR/3-print-head/no interface (Similar to Epson 6000-II but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.)	1,100	N/A	125
90000772 <b>Withdrawn</b>	DT50-II dual color receipt/slip/no interface (Similar to Epson 6000-II but with packaging, locking bracket bosses using 90000216 brackets and coloring for TeamPoS 2000.)	983	N/A	115



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
<b>TPG/Axiohm Packages</b>				
45202/122R	StoreNext TPG/Axiohm A776 dual color receipt/slip/MICR/no-Check-Flip package RS-232. TPG Part Number 776-121S-T000. Does not include cable or power supply. Can be powered from TeamPoS 2000 A or M or S terminal via 11000244, 11000245 or 11000247 serial interface/power cable. Includes MICR reading feature. Can be upgraded with check-flip feature module (2006) or check imaging feature module (2006) in the field by trained technician.	995	125	115
45202/122U	StoreNext TPG/Axiohm A776 dual color receipt/slip/MICR/no-Check-Flip package USB. TPG Part Number 776-121W-T000. Does not include cable or power supply. Can be powered from TeamPoS 2000 terminal with powered USB ("TeamCombo") <sup>27</sup> via 90000850 powered USB cable. Can be used with TeamPoS S-Class with power supply and non-powered USB cable 11000143 or 90000849. Includes MICR reading feature. Can be upgraded with check-flip feature module (Feb/06) or check imaging feature module (Nov/05) in the field by trained technician.	995	125	115
45202/121R	StoreNext TPG/Axiohm A776 dual color receipt/slip/noMICR/no-Check-Flip package RS-232. TPG Part Number 776-120S-T000. Does not include cable or power supply. Can be powered from TeamPoS 2000 A or M or S terminal via 11000244, 11000245 or 11000247 serial interface/power cable. Does not include MICR reading feature. Can be upgraded with check-flip feature module (Feb/06) or check imaging feature module (Nov/05) in the field by trained technician.	975	125	105
45202/121U	StoreNext TPG/Axiohm A776 dual color receipt/slip/noMICR/no-Check-Flip package USB. TPG Part Number 776-120W-T000. Does not include cable or power supply. Can be powered from TeamPoS 2000 terminal with powered USB ("TeamCombo") <sup>27</sup> via 90000850 powered USB cable. Can be used with TeamPoS S-Class with power supply and non-powered USB cable 11000143 or 90000849. Does not include MICR reading feature. Can be upgraded with check-flip feature module (Feb/06) or check imaging feature module (Nov/05) in the field by trained technician.	975	125	105
45202/110	StoreNext TPG/Axiohm A760 dual color receipt/slip/MICR//Check Flip package. Matching Fujitsu colors. To ensure supply of this printer, assume 60 days lead-time from order. <sup>13</sup> (Same as 90000755.)	1,095	125	125
45202/112	StoreNext TPG/Axiohm A760 dual color receipt/slip/MICR/no-Check-Flip package. Matching Fujitsu colors. To ensure supply of this printer, assume 60 days lead time from order. <sup>13</sup> (Same as 90000697.)	995	125	115
45202/101	TPG/Axiohm A794 receipt-only printer RS-232 interface (Same as PB600557) <sup>23</sup>	595	N/A	70

<sup>27</sup> Not supported or released at this time for use with ISS45 or ScanMaster.



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
<b>TPG/Axiohm Components</b>				
90000755	TPG/Axiohm A760 dual color receipt/slip/MICR//Check Flip. Matching Fujitsu colors. To ensure supply of this printer, assume 60 days lead-time from order. <sup>23</sup>	1,157	N/A	125
90000697	TPG/Axiohm A760 dual color receipt/slip/MICR/no-Check-Flip. Matching Fujitsu colors. To ensure supply of this printer, assume 60 days lead time from order. <sup>23</sup>	1,095	N/A	120
PB600557	TPG/Axiohm A794 receipt-only printer, RS-232 interface <sup>23</sup>	695	N/A	70
<b>A794-K330</b>	<b>External Power Supply and mains cable for A795, A760 and A776 printers</b>	<b>60</b>	<b>N/A</b>	<b>N/A</b>
<b>Printer Cables</b>				
11000135	Cable, powered USB for Epson printer, 24V, .65M, white Note:	\$ 25	N/A	N/A
<b>11000143</b>	<b>Cable, non-powered USB for Epson printer and other USB uses, 24V, 1.2M, white</b> <b>Note: Replaces 90000602</b>	<b>20</b>	<b>N/A</b>	<b>N/A</b>
11000136	Cable, powered USB for Epson printer, 24V, 3.8M, white Note: Replaces 90000509	25	N/A	N/A
11000137	Cable, powered USB for Epson printer, 24V, .65M, black Note: For use with black printer	25	N/A	N/A
11000138	Cable, powered USB for Epson printer, 24V, 3.8M, black Note: For use with black printer	25	N/A	N/A
<b>11000244</b> (PB600509 Withdrawn)	Cable, RS-232, Epson and Axiohm (758/760) thermal printers, 0.5M	30	N/A	N/A
<b>11000245</b> (PB600562 Withdrawn)	Cable, RS-232, Epson and Axiohm (758/760) thermal printers, 3.0M	35	N/A	N/A
<b>11000247</b> (PB600510 Withdrawn)	Cable, RS-232, Epson and Axiohm (758/760) thermal printers, 5.0M	40	N/A	N/A
90000698	Cable, USB with power, Epson integrated 24VDC-PWR/.65M	45	N/A	N/A
90000850	Cable, USB with power, Epson dispersed 24VDC-PWR/3.8M	70	N/A	N/A
90000849	Cable, USB no power: CBL USB/dispersed/3.5M	35	N/A	N/A
90000545	Cable, USB, Epson DT50II/III, 0.5M	45	N/A	N/A
90000699	Cable, USB, Epson DT50II/III, 3M	80	N/A	N/A
90000700	Cable, USB, Epson DT50II/III, 5M	118	N/A	N/A
PB600339	Cable, ADT 40/AT 93 (756/793) to TeamPoS, 0.5M	30	N/A	N/A



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
PB600340	Cable, ADT 40/AT 93 (756/793) to TeamPoS, 5M	40	N/A	N/A
90000602 Withdrawn	Cable, USB no power: CBL USB/integrated/1.2M	20	N/A	N/A
<b>Printer Locking Brackets and Filler Plates for TeamPoS 2000</b>				
90000216	Stacking Bracket for integrated configuration — DT50/ DT50-II printer (Standard or Compact chassis). <sup>28</sup>	\$ 21	N/A	N/A
PB600527	Stacking Bracket for integrated configuration — Epson TM-U925, TM-950, TM-8500ii printer. Fits standard chassis only.	39	N/A	N/A
90000280	Filler Plate for integrated configuration — TeamPoS 2000 terminal with Epson Printer and LCD display stand. Fits Standard chassis only.	25	N/A	N/A

These printer items listed above are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

## STANDARD PC DISPLAYS

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
Note: see <a href="#">45201/300</a> in TeamPoS Display section for 15" VGA CRT-type display. The price listed in that section is subject to the better discount on terminal hardware items than on the standard platform/PC items in this section.				
L5EX-TA	15" Flat Panel Display, includes power and interface cable <sup>29, 30, 31</sup>	\$ 498	N/A	\$ 85
L5EX-TA-4000	15" Flat Panel Display, Black, includes power and interface cable <sup>29, 30, 31, 32</sup>	498	N/A	85

<sup>28</sup> Included with integrated versions of StoreNext TeamPoS 2000 packages for ScanMaster or ISS45.

<sup>29</sup> Extension cables, if necessary, must be sourced and configured by the dealer.

<sup>30</sup> Discounted on the StoreNext Standard Platforms discount schedule.

<sup>31</sup> Three-year warranty.

<sup>32</sup> Not always stocked by StoreNext — check availability. Longer lead time may apply.



PIN	Item	Price	Inst	Maint
SNFP15	StoreNext General 15" Flat Panel Monitor – Black, includes power and interface cable <sup>33</sup>	379 229 Net Dealer Price	N/A	85
45201/300	15" CRT color Monitor, No Touch. Configuration may change based upon stocking and availability. Now shipping VEW-E55-3. Receives POS (not platform) discount.	259	N/A	75
VEW-E55-3	ViewSonic 15" CRT (receives platform discount)	233	N/A	75
AS500	NEC AS500 15" SVGA Color Monitor	250	N/A	100
ES.50102.002	AcerView 15" SVGA Color Monitor <sup>34</sup> Withdrawn	220	N/A	100
068925-000	SVGA Color Monitor. <sup>34</sup> Withdrawn	167	N/A	100
PB600314	TeamPoS Dual VGA kit. Includes VGA splitter unit, VGA cable and mains cable.	200	N/A	N/A
ES.C0408.008 (ES.71102.018 Withdrawn)	AcerView AC711 17" SVGA Color Monitor	274	N/A	100

The above PC display items are displayed at list price and discountable to StoreNext dealers on the StoreNext Standard Platform discount schedule **or as individually indicated.**

#### TEAMPOS D15 SMARTPOS LCD 15" DISPLAYS

PIN	Item	Price	Inst	Maint
D15	The D15 TeamKey can be added as an option to all Fujitsu 15" Flat Panel Displays. See the <a href="#">D15 TeamKey</a> below.			
<b>Fujitsu D15 15" LCD Display Kits</b>				
45201/401 Withdrawn	TeamPoS 2000 Flat Panel D15 display Integrated w/Resistive Touch for Powered USB — kit includes 15" flat-panel TFT display with resistive touch (90001127), DVI video cable .65M (90000826), and Touch-screen/power/MSR/Keypad powered USB cable .65M (90000835). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. DVI-compatible with "M" machines. <sup>35</sup>	\$ 919	N/A	\$ 90

<sup>33</sup> Subject to change without notice. Currently shipping 1024x768 native resolution, 600:1 contrast ratio, 250 cd/m2 brightness, 12 ms response time, PC99 compliance, 3-year warranty, internal power supply, external dimensions 13.6" x 6.3" x 13.9."

<sup>34</sup> Withdrawn. Replace with alternate 15" CRT by ordering 45201/300.

<sup>35</sup> The D15 supports a newer digital video interface (DVI) than is supported by the older TeamPoS 2000 "A-boards" which support a DFP as opposed to a DVI.



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45201/403 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D15 Digital display <b>Dispersed w/Resistive Touch for Powered USB</b> — kit includes 15" flat-panel TFT display with resistive touch (90001127), DVI video cable 3.8M (90000828), touch screen/power/MSR/Keypad Powered USB cable 3.8M (90000837). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. DVI-compatible with "M" machines. <sup>35</sup>	949	N/A	90
45201/411 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D15 display <b>Integrated w/Resistive Touch for Non-Powered USB</b> — kit includes 15" flat-panel TFT display with resistive touch (90001127), DVI video cable .65M (90000826), Touch-screen/power/MSR/Keypad non-powered USB cable .65M (90000992), External power supply (90000829) and Convenience mains power cable (90001066). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. DVI-compatible with "M" machines. <sup>35</sup>	\$ 969	N/A	\$ 90
45201/413 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D15 display <b>Dispersed w/Resistive Touch for Non-Powered USB</b> — kit includes 15" flat-panel TFT display with resistive touch (90001127), DVI video cable 3.8M (90000828), Touch-screen/power/MSR/Keypad non-powered USB cable 3.8M (11000119), External power supply (90000829) and Mains power cable (90000255). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. DVI-compatible with "M" machines. <sup>35</sup>	999	N/A	90
45201/513 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D15 Digital display <b>Dispersed w/Capacitive Touch for Non-Powered USB</b> — kit includes 15" flat-panel TFT display with capacitive touch (90001512), DVI video cable 3.8M (90000828), Touch-screen/power/MSR/Keypad non-powered USB cable 3.8M (11000119), External power supply (90000829) and Mains power cable (90000255). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. DVI-compatible with "M" machines. <sup>35</sup>	1,099	N/A	90
45201/423 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D15 display <b>Analog Configuration — Dispersed w/Resistive Touch for Non-Powered USB</b> — kit includes 15" flat-panel TFT display with resistive touch (90001127), Analog video cable 3.8M (11000105), Touch-screen/power/MSR/Keypad non-powered USB cable 3.8M (11000119), External power supply (90000829) and Mains power cable (90000255). Stand/base not included – requires either a stand or "in-counter mount" to enable cable connections. Compatible with TeamPoS "S" and "A-Board" machines. <sup>35</sup>	999	N/A	90
<b>Fujitsu D15 Flat Panel LCD 15" Display Individual Parts</b>				
90001127	D15 15" LCD Only w/Resistive Touch	1,155		75
90000855	D15 15" LCD Only w/Capacitive Touch	1,395		80
90000820	D15 15" LCD Only (without touch)	1,055		70
90000830	D15 TeamKey Keypad, MSR and Key Lock	\$ 225		\$ 35
90000856	D15 Keypad and Key Lock Only	135		29



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000831	D15 MSR only 3-Track Kit	135		29
90000829	D15 LCD External Power Supply — Required when a 2 <sup>nd</sup> display is a D15 and 1 <sup>st</sup> display (D15 or D12) is already powered by the Fujitsu TeamPoS 2000 terminal. Also required if Powered USB is not available on terminal such as for use with TeamPoS 5000, TeamPoS 2000 with Retail I/O (not TeamUSB or TeamCombo) or PC. Requires 90000255 or 90001066 mains power cable.	\$ 55		\$ 13
90001066	CBL D15 mains power cable, used with external power supply 90000829 and TeamPoS back-panel convenience power outlet.	5		
90000255	Mains power cable 110V, used with external power supply 90000829 for dispersed applications.	2		
90001067	D15 Stacked/Integrated Stand for on-slice positioning.	135		
90000823	D15 Dispersed/Remote Stand.	85		
90001128	D15 co-mounting pole kit — allows VF50 display to be co-mounted on D15 90001067 stacked/integrated stand.	35		
90000825	D15 co-mounting pole kit for dispersed stand — allows VF50 display to be co-mounted on 90000823 D15 dispersed stand.	25		
90001288	D15 In-Counter Mounting Housing V3 — provides cable termination, interface PCB, mounting brackets and cosmetic rear plastic cover. <b>Required</b> when D15 will be used with VESA or other 3 <sup>rd</sup> -party mounting stand. Not necessary <b>only</b> when using Fujitsu D15 Stacked or Dispersed stands (90001067 or 90000823 above).	65		
90000826	D15 digital video cable, stacked, 0.65M	\$ 20		
90000827	D15 digital video cable, dispersed, 2.0M	35		
90000828	D15 digital video cable, dispersed, 3.8M	35		
90001046	D15 analog video cable stacked, .65M. Required only if DVI port not available on terminal (e.g. TeamPoS 2000 S-Class).	15		
90001047	D15 analog video cable dispersed, 2.0M. Required only if DVI port not available on terminal (e.g. TeamPoS 2000 S-Class).	20		
11000105	D15 analog video cable dispersed, 3.8M. Required only if DVI port not available on terminal (e.g. TeamPoS 2000 S-Class).	30		
90001048 <b>Withdrawn</b>	D15 analog video cable dispersed, 3.8M. Required only if DVI port not available on terminal (e.g. TeamPoS 2000 S-Class).	30		
90000835	D15 USB Power/Touch/Keypad/MSR/Lock/.65M — requires POS terminal with powered USB port (e.g. TeamPoS w/TeamCombo)	\$ 20		



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000836	D15 USB Power/Touch/Keypad/MSR/Lock/2.0M — requires POS terminal with powered USB port (e.g. TeamPoS w/TeamCombo)	25		
90000837	D15 USB Power/Touch/Keypad/MSR/Lock/3.8M — requires POS terminal with powered USB port (e.g. TeamPoS w/TeamCombo)	30		
90000992	D15 USB Touch/Keypad/MSR/Lock/.65M — non-powered USB cable for use with POS terminals that do not supply powered USB (e.g. TeamPoS with Retail I/O). D15 display will require external Power Supply 90000829.	6		
11000118	D15 USB Touch/Keypad/MSR/Lock/2.0M — non-powered USB cable for use with POS terminals that do not supply powered USB (e.g. TeamPoS with Retail I/O). D15 display will require external Power Supply 90000829.	7		
90000993 Withdrawn	D15 USB Touch/Keypad/MSR/Lock/2.0M — non-powered USB cable for use with POS terminals that do not supply powered USB (e.g. TeamPoS with Retail I/O). D15 display will require external Power Supply 90000829.	7		
11000119	D15 USB Touch/Keypad/MSR/Lock/3.8M — non-powered USB cable for use with POS terminals that do not supply powered USB (e.g. TeamPoS with Retail I/O). D15 display will require external Power Supply 90000829.			
90000994 Withdrawn	D15 USB Touch/Keypad/MSR/Lock/3.8M — non-powered USB cable for use with POS terminals that do not supply powered USB (e.g. TeamPoS with Retail I/O). D15 display will require external Power Supply 90000829.	8		
CA05951-3131	D15/D12 audio cable, stacked, 0.65M <sup>36</sup>	12	N/A	N/A
CA05951-3132	D15/D12 audio cable, dispersed, 2.0M <sup>36</sup>	15	N/A	N/A
CA05951-3133	D15/D12 audio cable dispersed, 5.0M <sup>36</sup>	20	N/A	N/A

These D15 Display items are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

<sup>36</sup> Audio speakers are included standard with all D15 displays. These audio cables are required.



## TEAMPOS 12" FLAT-PANEL DISPLAYS

PIN	Item	Price	Inst	Maint
<p><b>TeamKey:</b> TeamKey can be added as an option to all Fujitsu 12" Flat Panel Displays see the <a href="#">Keyboards and TeamKey section</a> below.</p>				
<p><b>Fujitsu 12" Display Kits</b></p>				
45201/000 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel <b>Integrated</b> D12T <b>Digital</b> display w/o Touch — kit includes 12.1" flat-panel TFT display (90000168), power (CA05951-3111) and signal (CA05951-3101) cables. Base and mounting not included — see options below.	\$ 859		\$ 85
45201/001 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D12TT <b>Digital</b> display <b>Integrated w/Touch</b> — kit includes 12.1" flat-panel TFT display with touch option (90000169), power (CA05951-3111), signal (CA05951-3101) and touch screen (CA05951-3121) cables. Base and mounting not included — see options below.	919		90
45201/002 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel <b>Dispersed</b> D12T <b>Digital</b> display w/o Touch — kit includes 12.1" flat-panel TFT display (90000168), power (CA05951-3112) and signal (CA05951-3102) cables. Base and mounting not included — see options below or use built-ins from checkstand vendor.	889		85
45201/003 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel D12TT <b>Digital</b> display <b>Dispersed w/Touch</b> — kit includes 12.1" flat-panel TFT display with touch option (90000169), power (CA05951-3112), signal (CA05951-3102) and touch screen (CA05951-3122) cables. Base and mounting not included — see options below or use built-ins from checkstand vendor.	949		90
45201/100 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel <b>Integrated</b> A12T <b>Analog</b> display w/o Touch — kit includes 12.1" flat-panel Analog TFT display (90000361), power (CA05951-3111) and signal (CA05951-5021) cables. Base and mounting not included — see options below.	909		90
45201/101 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel A12TT <b>Analog</b> display <b>Integrated w/Touch</b> — kit includes 12.1" flat-panel Analog TFT display with touch option (90000362), power (CA05951-3111), touch screen (CA05951-3121) and signal (CA05951-5021) cables. Base and mounting not included — see options below.	969		95
45201/102 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel <b>Dispersed</b> A12T <b>Analog</b> display w/o Touch — kit includes 12.1" flat-panel Analog TFT display (90000361), power "Y" cable <sup>37</sup> (CA05951-6061) and signal (CA05951-5022) cables. Base and mounting not included — see options below or use built-ins from checkstand vendor.	939		85

<sup>37</sup> The "Y" cable is used only in dual display configurations when the second (Analog) display unit is dispersed. When dual integrated displays are used, the two short power cords are included.

PIN	Item	Price	Inst	Maint
45201/103 <b>Withdrawn</b>	TeamPoS 2000 Flat Panel A12TT Analog display Dispersed w/Touch — kit includes 12.1" flat-panel Analog TFT display with touch option (90000362), power "Y" cable <sup>37</sup> (CA05951-6061), touch screen (CA05951-3122) and signal (CA05951-5022) cables. Base and mounting not included — see options below or use built-ins from checkstand vendor.	999		90
<b>Fujitsu 12" Flat-Panel Display Individual Parts</b>				
90000170 <b>Withdrawn</b>	D12 Speakers — for use with D12T, D12TT D12D and D12Dtdisplays. Not supported on A12 type Analog displays ( <b>no replacement available</b> )	55	N/A	5
90000452	TeamKey/Kiosk heavy-duty stand	160	N/A	N/A
90000552	A12 or D12 LCD Stand for Dispersed or Kiosk installation — includes metal base plate <sup>38</sup>	75	N/A	N/A
90000162	A12 or D12 LCD Display Stacked Base/Arm for TeamPoS 2000 <sup>39</sup>	63	N/A	N/A
90000366	A12 and D12 LCD Dual Display Stacked Base for TeamPoS 2000	131	N/A	N/A
90000271	A12 or D12 display VESA standard mounting plate. Note: this mounting plate is supplied with the four necessary screws. The VESA bracket is the standard design that most checkstand/equipment fixture companies would prefer to use. If this type of third-party stand is used, however, make sure the vendor provides the necessary cosmetic piece to cover the metal plate and the cable connection at the back of the panel display.	21	N/A	N/A
90000217	TeamPoS 2000 Stacking Brackets/Screws for integrated mounting of LCD displays and 104P/133PQ Keyboard. Standard or Compact chassis.	21	N/A	N/A
90000280	Filler Plate for integrated configuration — TeamPoS 2000 terminal with Epson Printer and LCD display stand. Fits Standard chassis only.	25	N/A	N/A
CA05951-3131	D15/D12 audio cable, stacked, 0.65M	10	N/A	N/A
CA05951-3132	D15/D12 audio cable, dispersed, 2.0M	10	N/A	N/A
CA05951-3133	D15/D12 audio cable dispersed, 5.0M	10	N/A	N/A

<sup>38</sup> 90000171 was the original dispersed stand intended for a counter or checkstand installation. Swivel (horizontal rotation) was not a requirement because the entire stand could be rotated. Based on customer feedback this new stand (90000552) is much stronger than the original 90000171.

<sup>39</sup> 90000162 is a stand used when stacking a D12 or A12 display on a TeamPoS 2000. If the TeamPoS is the standard version chassis, it also requires a filler plate 90000280 to fill the space not taken up by the LCD and DT12 printer. The display can be installed on the left or right of the terminal. The installation method for the brackets and LCD is shown the [TeamPoS 2000 Installation and Maintenance Manual](#).



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
<b>CRT Displays and Parts for TeamPoS</b>				
45201/300	15" CRT color Monitor, No Touch. Configuration may change based upon stocking and availability. Receives POS (not platform) discount	\$ 259	N/A	\$ 75
PB600441	TeamPoS <b>Color</b> 9" Display for <b>Dispersed</b> Configurations	650	N/A	100
PB600440	TeamPoS <b>Color</b> 9" Display for <b>Integrated</b> Configurations	659	N/A	100
PB600307	TeamPoS 14" monitor mounting plate. For attachment of 14" monitor in an integrated configuration. For Standard Chassis only.	49	N/A	N/A
90000181	9" CRT (PB600440 or 58312/001) and Keyboard (104P/133PQ) Bracket Kit. For standard chassis only.	21	N/A	N/A
930475-000 Withdrawn	14" CRT color Monitor, with Touch. Plastics match TeamPoS 2000. <sup>40</sup>	1,362	N/A	100
58312/001 Withdrawn	TeamPoS <b>Mono</b> 9" Display for <b>Integrated</b> Configurations <sup>40</sup>	206	N/A	65
PB000009 Withdrawn	TeamPoS <b>Mono</b> 9" Display for <b>Dispersed</b> Configurations <sup>40</sup>	200	N/A	65
2KSTKCDS	TeamPoS 2000 Shopper Display, <b>Integrated/Short</b> . Includes 2x20 VF50 Vacuum Fluorescent Display, short pole, base and cables for on-terminal positioning	\$ 313		\$ 20
2KSTKCDL	TeamPoS 2000 Shopper Display, <b>Integrated/Long</b> . Includes 2x20 VF50 Vacuum Fluorescent Display, long pole, base and cables for on-terminal positioning	319		20
2KDISCDL	TeamPoS 2000 Shopper Display, <b>Remote</b> . Includes 2x20 Vacuum Fluorescent Display, long pole and long cable for off-terminal positioning	507		25
58967/002	TeamPoS <b>Keyboard</b> Display Option for 92M/92R Keyboard	350		30

The items in this TeamPoS 12" Display section above are discounted at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

#### KEYBOARDS AND TEAMKEY

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45201/200 Withdrawn	TeamKey 32-Keypad and MSR kit for Fujitsu A12 and D12 Flat Panel Displays. Includes TeamKey (90000354) and 2M keyboard cable (90000364). Uses stand 90000452 only.	\$ 395		\$ 35

<sup>40</sup> Withdrawn. Check StoreNext order entry for availability.



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000355 <b>Withdrawn</b>	TeamKey MSR only for Fujitsu <b>A12 and D12</b> Flat Panel Displays. Requires cable 90000363, 90000364 or 90000365	475		20
45203/000	<b>92U</b> Keyboard, no MSR, no Keyboard Display <sup>41, 42</sup>	\$ 395		\$ 30
<b>90000631</b>	MSR Tracks 1-2-3 for 92U Keyboard	75		10
<b>90000632</b>	VFD Keyboard Display for 92U Keyboard	155		25
<b>90000634</b>	Cable, 92U Keyboard, USB, Integrated, 0.6M <sup>42</sup>	23		
<b>90000635</b>	Cable, 92U Keyboard, USB, Dispersed, 3.8M <sup>42</sup>	27		
53876/001M <b>Withdrawn</b>	92M Keyboard, no MSR, no Keyboard Display	420		30
53876/002M	92M Keyboard w/MSR 1/2	452		35
53876/003M	92M Keyboard w/MSR 2/3	590		35
53876/004EM	92M Keyboard/ w/Keyboard Display	795		65
53876/007M	92M w/Vertical Lock	540		40
53876/008M	92M w/Vertical Lock and MSR 1/2	578		40
53876/009M	92M w/Vertical Lock and MSR 2/3	590		40
50275/001	92U/92M/92R Serial RS-232 Keyboard Cable, Integrated	32		
50275/002	92U/92M/92R Serial RS-232 Keyboard Cable, 3M	33		
50275/003	92U/92M/92R Serial RS-232 Keyboard Cable, 5M	44		
PB600335	133PQ Keyboard	305		45
90000163	133PQ/104P Keyboard Cable, Integrated, .9M	20		
58159/001	133PQ/104P Kb Cable 2M	30		

<sup>41</sup> This PIN now ships the 92U keyboard automatically instead of the 92M.

<sup>42</sup> Note: the 92U provides the same serial connection as the previous 92M and 92R as well as a powered USB connection. The USB connection is not released for ISS45 as of his writing, and is provided here for reference only at this time.



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000175	104P PoS/SF Keyboard <sup>43</sup>	187		50
90000163	133PQ/104P Keyboard Cable, Integrated, .9M	20		
58159/001	133PQ/104P Kb Cable 2M	30		

The keyboard items in the above section are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

#### KEYBOARD PIECES AND PARTS

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000354	TeamKey 32-Keyboard/MSR combination. Requires Fujitsu D12 or A12 Flat Panel and cable (below). (45201/200 kit above is recommended for this purpose)	\$ 565		\$ 35
90000363	TeamKey keyboard/MSR cable, .65M	20		
90000364	TeamKey keyboard/MSR cable, 2.0M	25		
90000365	TeamKey keyboard/MSR cable, 5.0M	30		
90000176	1X1 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		
90000177	1X2 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		
90000178	2X2 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		

TeamKey keytops — uses 104P Keycaps. (See below, Page 24.)

14125/001M	TeamPoS 92M/R 1 x 1 keyboard cover tiles, QTY 100	\$ 25		
14125/002M	TeamPoS 92M/R 1 x 1 size keytops, QTY 100	13		
14125/003M	TeamPoS 92M/R 1 x 2 size keytops, QTY 50	53		
14125/006M	TeamPoS 92M/R 2 x 2 size keytops, QTY 25	74		
14125/008M	Model 92M/R keyboard keycap puller tool, QTY 10	22		
14125/010	MSR Tracks 1/2 for 92M	150		

<sup>43</sup> Note: the 104P keyboard is designed for “clean” environments and is not as resistant to dust and moisture as the 92R/M/U keyboard. The 104P keyboard stacks precisely on the TeamPoS 2000 Compact Chassis. Since the 104P is a standard 5V PC keyboard type, it cannot be configured with a cable longer than 2M.



PIN	Item	Price	Inst	Maint
14125/001	TeamPoS 92R 1 x 1 keyboard cover tiles, QTY 100 <sup>44</sup>	\$ 69		
14125/002	TeamPoS 92R 1 x 1 size keytops, QTY 100 <sup>44</sup>	56		
14125/003	TeamPoS 92R 1 x 2 size keytops, QTY 50 <sup>44</sup>	179		
14125/006	TeamPoS 92R 2 x 2 size keytops, QTY 25 <sup>44</sup>	117		
14125/007	TeamPoS 92R keytop precut label sheets (QTY 10 red, 10 green and 10 gray) <sup>44</sup>	106		
14125/008	Model 92R keyboard keycap puller tool, QTY 10 <sup>44</sup>	18		
CA05951-2356	MSR Track 1-2-3 for 104P	50		
90000176	1X1 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		
90000177	1X2 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		
90000178	2X2 Keycaps for 104P/D12 Teamkey Keyboard QTY 10	TBD		
50975/001	MSR 1/2 for 133PQ	35		
58751/001	MSR 2/3 for 133PQ, Kit	76		
57631/001	133PQ KBD Lock #2	50		
57631/002	133PQ KBD Lock #3	50		
57631/003	133PQ KBD Lock #4	50		
57631/004	133PQ KBD Lock #5	50		
56790/001	TeamPoS 133PQ 1 x 1 size keytops with lens but no labels, QTY 100	178		
59253/001	TeamPoS 133PQ 1 x 2 size keytops with lens but no labels, QTY 25	80		
53147/001	TeamPoS 133PQ 1 x 2 raised keytops with lens but no labels, QTY 25	145		
10687-275/0000	92M Keyboard Matrix (replacement) <b>Withdrawn</b>	120		
PREH001M	<b>92M/U Keyboard Matrix (spare or replacement) <sup>45</sup></b>	<b>125</b>		
56079/001	133PQ Keyboard Key Puller	91		

These keyboard pieces and part items are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

<sup>44</sup> R-version pieces and parts for the 92-key keyboard available while supplies last.

<sup>45</sup> Fits 92U and 92M keyboards. Discountable at Platform discount level only.



## CASH DRAWER PIECES AND PARTS

PIN	Item	Price	Inst	Maint
54258/002	Cash Drawer, TP10, with Lock #1	\$ 215		\$ 25
54258/001	Cash Drawer, TP10, no lock	225		25
54258/003	Cash Drawer, TP10, with Lock #2 (Use as second drawer configuration.) <sup>46</sup>	225		25
PB600014	Cash Drawer, TP10, with Lock #3	225		25
11000366 (53140001 Withdrawn)	Additional media tray for TP10 or TP15 cash drawer — includes coin inserts 50404/001	41		
50404/001	Additional coin inserts (6 coin) for TP10 or TP15 cash drawer media tray —included in media tray PIN 11000366	8		
58523/001	Additional coin inserts (8 coin) for TP10 cash drawer	8		
11000367 (53612/001 Withdrawn)	Locking till cover for TP10 or TP15 cash drawer media tray	29		
PB600331	Cash Drawer Cable, Integrated for TP10 Cash drawer with all TeamPoS except S-Class, 0.22M	20		
PB600332	Cash Drawer Cable, Dispersed for TP10 Cash drawer with all TeamPoS except S-Class, 5.0M	35		
90000652	Cash Drawer Cable, TeamPoS 2000 S-Class, Integrated, TP10 Cash Drawer to DT50/6000 or TPG/Axiohm, 0.5M	15		
90000647	Cash Drawer Cable, TeamPoS 2000 S-Class, Dispersed TP10 Cash Drawer to DT50/6000 or TPG/Axiohm, 5.0M	75		
PB600379	TeamPoS "Y" Cable for Dual Cash Drawer. One required for any dual drawer configuration, whether integrated or dispersed. <sup>47</sup>	16		
15016/002 (Withdrawn)	TeamPoS Extension Cable for Remote Dual Cash Drawer. One required for dispersed configuration of dual cash drawers only. <sup>47</sup>	50		

<sup>46</sup> ISS45 and ScanMaster may offer various types of dual cash drawer support depending upon the software version's capabilities. Check with StoreNext before proposing. Dual Cash Drawer support is available in ISS45 7.6.1.

<sup>47</sup> For a dual cash drawer, integrated configuration, the only cable you need is this "Y" Cable, PB600379. ~~If you are doing a dispersed configuration, then you need both the "Y" cable (attaches to the two drawers) and the extension cable (15016/002) that connects the TeamPoS to the "Y" cable.~~

PIN	Item	Price	Inst	Maint
VB146-3-FW1416	TeamPoS 2000 S Compact Cash Drawer	\$ 243		\$ 25
90001382	Cash Drawer Cable, TeamPoS 2000 S-Class Compact Cash Drawer, Integrated, to DT50/6000 or TPG/Axiohm, 0.5M	7		
90001381	Cash Drawer Cable, TeamPoS 2000 S-Class Compact Cash Drawer, Dispersed, to DT50/6000 or TPG/Axiohm, 3.0M	15		
90001377	Cash Drawer Cable, TeamPoS 2000 S-Class Compact Cash Drawer, Dispersed, to DT50/6000 or TPG/Axiohm, 5.0M	20		
90000576	NF5 Cash Drawer w/o lock w/4M cable. Requires 90001139 tray. <sup>48</sup>	\$ 279		\$ 25
90000577	NF5 Cash Drawer w/lock #1 w/4M cable. <sup>49</sup> Requires 90001139 tray.	289		25
11342/001	NF5/NAF Cash Drawer Locking cover	40		
90001139	NF5/NAF Cash Drawer Till Tray (17083/001 has been withdrawn)	40		

These cash drawer items are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

#### TEAMPOS 2000 CONTROLLER OPTIONS

PIN	Item	Price	Inst	Maint
452006xxUG	TeamPoS 2000 Upgrade to Pentium M 1.6GHz kit. Includes TeamPoS 2000 Pentium M board w/1.6GHz Intel Pentium M processor, 256MB DDR RAM, 40GB IDE Hard Drive, and an EMI gasket set.	<sup>50</sup> \$ 950		
90000459K	TeamPoS 2000 "A" Motherboard – for use as spare	<sup>50</sup> 205		
90000159K	Additional 128MB RAM Kit (field-installable) <sup>51</sup>	225		38
90000160K	Additional 256MB RAM Kit (field-installable) <sup>52</sup>	385		73

<sup>48</sup> NF5/NAF cash drawers: North American Food – slim-line very high-quality drawers designed for heavy duty cycles in modular configuration and between-belt mounting. As used on S18 systems. Does *not* include till inserts or media trays – these must be ordered separately.

<sup>49</sup> This NF5 locking drawer uses the same key as the former NAF drawer with lock #1 (46669/001).

<sup>50</sup> Net Dealer cost. No discounts are available for this kit

<sup>51</sup> Can be added to 128MB RAM module shipped with the unit. *Do not use locally-sourced RAM due to compatibility issues.*

<sup>52</sup> Requires replacing original 128MB RAM module. *Do not use locally-sourced RAM due to compatibility issues.*



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
90000706K	Kit, CPU Upgrade, Intel, Pentium III, Coppermine, 1.0GHz with Fan and Heat sink	Quote		
90000707	CPU, Intel, Pentium III, Coppermine, 1.0GHz, 256K cache, socket 370, Flip Chip PGA	Quote		
90000956K	Second IDE Hard Drive Kit 40GB (field-installable)	150		
90000981K	TeamPoS 2000 CD/DVD-Read/Write and Software Kit (field installable)	195		49
90000189K	TeamPoS 2000 CD-ROM Kit, Read-only (field installable)	165		54
90000219	TeamPoS 2000 Front Door with Lock	81		
CA32154-E105	OPN TP2K Rear Cover/Std Chassis/Long	\$ 9		
CA32154-E106	OPN TP2K Rear Cover/Std Chassis/Short	9		
CA32154-E007	OPN TP2K Rear Cover/Compact Chassis//Short	9		
90000272K <b>Withdrawn</b>	TeamPoS 2000 20 GB Hard Drive — Withdrawn, replaced by 90000956K above	200	N/A	25%
90000165K <b>Withdrawn</b>	TeamPoS 2000 DVD-ROM Kit (includes DVD playing software) — Withdrawn, replaced by 90000981K above	470	N/A	25%
90000659K <b>Withdrawn</b>	TeamPoS 2000 CD-ROM Kit, Read/Write — Withdrawn, replaced by 90000981K above	330	N/A	25%

These controller piece/part items are discounted to StoreNext dealers at the applicable rate for the TeamPoS terminals appearing on the same order. On ScanMaster and ISS45 orders for example, they will be discounted on the StoreNext POS terminal discount schedule. If not ordered as part of a full terminal, the discount allowed will be 6% less. See your StoreNext representative if exceptions may apply.

## DOCUMENTATION

Please see StoreNext Dealer Support Web site for all [TeamPoS documentation](#).



TEAMPOS 2000 COMPLETE PACKAGES FOR SCANMASTER AND ISS45 <sup>53</sup>

PIN	Item	Price	Inst	Maint
45200/702 <b>Withdrawn</b>	Complete TeamPoS 2000 S-Class Package - Epson  Includes Fujitsu TeamPoS 2000 S 850MHz Celeron with Compact Chassis Slice, 40G Disk and 128MB RAM, TP10 Cash Drawer, DT50-II dual-color Printer with MICR and third print head for simultaneous dual-sided printing (similar to Epson H6000-II, ECC upgradeable), 15-Inch Flat Panel Display (L5EX-TA), 92M/U 92-key Fujitsu POS Keyboard, Integrated Ethernet 10/100 Mbps NIC, embedded Microsoft Windows XP, Cables for dispersed configuration.	\$ 4,495	See Page 7	\$ 441
45200/706 <b>Withdrawn</b>	Complete TeamPoS 2000 S-Class 15" Touch Package - Epson  Includes Fujitsu TeamPoS 2000 S 850MHz Celeron with Compact Chassis Slice, 40G Disk and 128MB RAM, TP10 Cash Drawer, DT50-II dual-color Printer with MICR and third print head for simultaneous dual-sided printing (similar to Epson H6000-II, ECC upgradeable), Fujitsu D15 15" Flat Panel Display with touch and separate power supply, Integrated Ethernet 10/100 Mbps NIC, embedded Microsoft Windows XP, Cables for dispersed configuration.  Does not include any mounting hardware for the Fujitsu 15" display. See the current version of <a href="#">Marketing Bulletin 1157</a> for these options. This mounting hardware must be selected based on the specific checkstand configuration.	4,695		417

<sup>53</sup> PIN Logic:  
 45200 is the ISS45 Package PIN base number for TeamPoS 2000  
 -/0xx is 433/566MHz Celeron, /1xx is 600 MHz Pentium III, /2xx is 850 MHz Pentium III  
 /3xx is 1GHz Pentium III / 4xx is 1.3GHz "M" (Celeron) / 5xx is 1.5GHz Pentium M  
 /6xx is 1.6GHz Pentium M / Axx is 433/566MHz Celeron in Compact chassis  
 /7xx is 850MHz TeamPoS S-Class  
 -/x0x is DT50 Printer with MICR and 3<sup>rd</sup> printhead (similar to Epson 6000)  
 /x1x is DT50 Printer w/o MICR and w/o 3<sup>rd</sup> printhead (similar to Epson 6000)  
 /x2x is no Printer  
 /x3x is TPG/Axiohm 760 Printer with MICR and check flip  
 /x4x is TPG/Axiohm 776 Printer (when released) with MICR and no check flip  
 -/xx0 is Integrated with no keyboard/no display,  
 /xx1 is Dispersed with no keyboard/no display,  
 /xx2 is Integrated with 14" CRT or 15" standard flat panel and 92 Key Keyboard,  
 /xx3 is Dispersed with 14" TeamPoS Color CRT and 92 Key Keyboard,  
 /xx4 is Integrated with 12" Digital Touch Display/TeamKey,  
 /xx5 is Dispersed with 12" Digital Touch Display/TeamKey  
 /xx6 is Dispersed with 15" Digital Touch Display



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45200/732 <b>Withdrawn</b>	<p><b>Complete TeamPoS 2000 S-Class Package – TPG/Axiohm</b></p> <p>Includes Fujitsu TeamPoS 2000 S 850MHz Celeron with Compact Chassis Slice, 40G Disk and 128MB RAM, TP10 Cash Drawer, TPG/Axiohm 760 dual-color Printer with MICR and check flip (45202/110), 15-Inch Flat Panel Display (L5EX-TA), 92M/U 92-key Fujitsu POS Keyboard, Integrated Ethernet 10/100 Mbps NIC, embedded Microsoft Windows XP, Cables for dispersed configuration.</p>	\$ 4,495	See Page 7	\$ 441
45200/736 <b>Withdrawn</b>	<p><b>Complete TeamPoS 2000 S-Class 15" Touch Package – TPG/Axiohm</b></p> <p>Includes Fujitsu TeamPoS 2000 S 850MHz Celeron with Compact Chassis Slice, 40G Disk and 128MB RAM, TP10 Cash Drawer, TPG/Axiohm 760 dual-color Printer with MICR and check flip (45202/110), Fujitsu D15 15" Flat Panel Display with touch and separate power supply, Integrated Ethernet 10/100 Mbps NIC, embedded Microsoft Windows XP, Cables for dispersed configuration.</p> <p>Does not include any mounting hardware for the Fujitsu 15" display. See the current version of <a href="#">Marketing Bulletin 1157</a> for these options. This mounting hardware must be selected based on the specific checkstand configuration.</p>	4,695		417
45200/404 <b>Withdrawn</b>	<p><b>Complete Power Integrated Package</b></p> <p>Includes 1.3GHz Celeron "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, DT50-II dual-color Printer with MICR and third print head for simultaneous dual-sided printing (similar to Epson H6000), Fujitsu D12 12.1" Digital Touch display with TeamKey, Integrated Ethernet 10- / 100-Base-T NIC, embedded Microsoft Windows XP, Cables for integrated configuration, printer stacking bracket for integrated configuration.</p>	\$ 5,695	See Page 7	535
45200/405 <b>Withdrawn</b>	<p><b>Complete Power Dispersed Package</b></p> <p>Includes 1.3GHz Celeron "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, DT50-II dual-color Printer with MICR and third print head for simultaneous dual-sided printing (similar to Epson H6000), Fujitsu D12 Digital Touch display with TeamKey, Integrated Ethernet 10- / 100-Base-T NIC, embedded Microsoft Windows XP, Cables for integrated configuration, printer stacking bracket for dispersed configuration.</p>	5,695		535

These packages are discountable on the StoreNext POS discount schedule.<sup>54</sup>

<sup>54</sup> The dealer discount will be 6% less if a full terminal (cash drawer, printer, touch display or display/keyboard) are not purchased simultaneously. Purchase of a touch-screen display fulfills keyboard and display requirements. See StoreNext Discounting Policy ([CO6](#)).

TEAMPOS 2000 CORE PACKAGES FOR SCANMASTER AND ISS45<sup>53</sup>

<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45200/720 <b>Withdrawn</b>	<p><b>Core TeamPoS 2000 S-Class Package Integrated</b></p> <p>Includes Fujitsu TeamPoS 2000 S 850MHz Celeron, with Compact Chassis Slice, 40G Disk and 128MB RAM, <b>Compact</b> Cash Drawer and 0.5M Cash Drawer Cable, Power Cable, Integrated Ethernet 10/100 Mbps NIC, Microsoft Windows XPe for TeamPoS 2000 S.</p> <p>Printer/Cable, Display/Cables, Keyboard/Cables not included. Requires appropriate cable from cash drawer to printer. Requires display-mounting hardware. Use with analog display or analog display package.</p>	\$ 2,495	See Page 7	\$ 176
45200/721 <b>Withdrawn</b>	<p><b>Core TeamPoS 2000 S-Class Package Dispersed</b></p> <p>Includes Fujitsu TeamPoS 2000 S 850MHz Celeron, with Compact Chassis Slice, 40G Disk and 128MB RAM, <b>TP10</b> Cash Drawer and 5.0M Cash Drawer Cable, Power Cable, Integrated Ethernet 10/100 Mbps NIC, Microsoft Windows XPe for TeamPoS 2000 S.</p> <p>No Printer/Cable, no Display/Cables, no Keyboard/Cables. Requires appropriate cable from cash drawer to printer. Requires display-mounting hardware. Use with analog display or analog display package.</p>	\$ 2,495		\$ 176
45200/420 <b>Withdrawn</b>	<p><b>Core Power Integrated Package</b></p> <p>Includes 1.3GHz Celeron "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, 100-Base-T NIC, embedded Microsoft Windows XP, cash drawer cable for integrated configuration, no keyboard/cable, no display/cables, no printer/cables.</p>	\$ 3,295	See Page 7	\$ 285
45200/421 <b>Withdrawn</b>	<p><b>Core Power Dispersed Package</b></p> <p>Includes 1.3GHz Celeron "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, 100-Base-T NIC, embedded Microsoft Windows XP, cash drawer cable for dispersed configuration, no keyboard/cable, no display/cables, no printer/cables.</p>	3,295		285



<b>PIN</b>	<b>Item</b>	<b>Price</b>	<b>Inst</b>	<b>Maint</b>
45200/620 <b>Withdrawn</b>	Core Power 1.6 Integrated Package Includes 1.6GHz Pentium "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, 100-Base-T NIC, embedded Microsoft Windows XP, cash drawer cable for integrated configuration, no keyboard/cable, no display/cables, no printer/cables.	\$ 3,495	See Page 7	\$ 305
45200/621 <b>Withdrawn</b>	Core Power 1.6 Dispersed Package Includes 1.6GHz Pentium "M" TeamPoS 2000 Processor Standard Chassis Slice with 40G Disk and 256MB RAM, TP10 Cash Drawer, 100-Base-T NIC, embedded Microsoft Windows XP, cash drawer cable for dispersed configuration, no keyboard/cable, no display/cables, no printer/cables.	3,495		305

These packages are discountable on the StoreNext POS discount schedule.<sup>55</sup>

<sup>55</sup> The dealer discount will be 6% less if a full terminal (cash drawer, printer, touch display or display/keyboard) are not purchased simultaneously. Purchase of a touch-screen display fulfills keyboard and display requirements. See StoreNext Discounting Policy ([CO6](#)).

